

Effect Handlers via Generalised Continuations

DANIEL HILLERSTRÖM*, SAM LINDLEY*, and ROBERT ATKEY†

Abstract

Plotkin and Pretnar’s effect handlers offer a versatile abstraction for modular programming with user-defined effects. This paper focuses on foundations for implementing effect handlers, for the three different kinds of effect handlers that have been proposed in the literature: deep, shallow, and parameterised.

Traditional deep handlers are defined by folds over computation trees, and are the original construct proposed by Plotkin and Pretnar. Shallow handlers are defined by case splits (rather than folds) over computation trees. Parameterised handlers are deep handlers extended with a state value that is threaded through the folds over computation trees. We formulate the extensions both directly and via encodings in terms of deep handlers, and illustrate how the direct implementations avoid the generation of unnecessary closures.

We give two distinct foundational implementations of all the kinds of handlers we consider: a continuation passing style (CPS) transformation and a CEK-style abstract machine. In both cases, the key ingredient is a generalisation of the notion of continuation to accommodate stacks of effect handlers. We obtain our CPS translation through a series of refinements as follows. We begin with a first-order CPS translation into untyped lambda calculus which manages a stack of continuations and handlers as a carried sequence of arguments. We then refine the initial CPS translation by uncurrying it to yield a properly tail-recursive translation, and then moving towards more and more intensional representations of continuations in order to support different kinds of effect handlers. Finally, we make the translation higher-order in order to contract administrative redexes at translation time. Our abstract machine design then uses the same generalised continuation representation as the CPS translation. We have implemented both the abstract machine and the CPS transformation (plus extensions) as backends for the Links web programming language.

1 Introduction

Effect handlers provide a modular and structured interface for programming with delimited control, that subsumes contemporary control abstractions such as `async/await` and generators and iterators directly. Such abstractions provide a restricted form of delimited control (James & Sabry, 2011). As shown by Forster *et al.* (2017), general delimited control operators such as `shift/reset` turns out to be mere instances of effect handlers. In contrast to many control abstractions, effect handlers have a strong mathematical foundation (Plotkin & Power, 2001; Plotkin & Pretnar, 2013), yet their practical relevance is inescapable as they have been applied across a wide spectrum of diverse programming disciplines including asynchronous programming (Leijen, 2017a; Dolan *et al.*, 2017), concurrent pro-

* Laboratory for Foundations of Computer Science, The University of Edinburgh, UK

† Mathematically Structured Programming group, University of Strathclyde, UK

gramming (Dolan *et al.*, 2015), probabilistic programming (Bingham *et al.*, 2018), meta programming (Yallop, 2017), and modular program construction (Kammar *et al.*, 2013).

Effect handlers come in two flavours *deep* and *shallow*. Deep handlers are defined by folds (specifically *catamorphisms* (Meijer *et al.*, 1991)) over computation trees, whereas shallow handlers are defined as case-splits. Catamorphisms are attractive because they are semantically well-behaved and provide appropriate structure for efficient implementations using optimisations such as fusion (Wu & Schrijvers, 2015). However, they are not always convenient for implementing other structural recursion schemes such as mutual recursion. Most existing accounts of effect handlers use deep handlers.

Effect handlers enjoy rather simple static and dynamic semantics, providing the basis for many feasible implementation strategies. For instance, Kammar *et al.* (2013) implement effect handlers as libraries by making variously use of free monads, continuation monads, and delimited continuations. By contrast, Multicore OCaml (Dolan *et al.*, 2015) uses a form of segmented stacks (Bruggeman *et al.*, 1996) to provide an efficient native implementation. Explicit stack manipulation is appealing when one has complete control over the design of the backend. Similarly, delimited continuations are appealing when the backend has support for delimited continuations (Kammar *et al.*, 2013; Kiselyov & Sivaramakrishnan, 2016). In this paper we study two foundational implementation strategies.

1. We translate effect handlers from a rich source lambda calculus into a plain lambda calculus. Specifically, we study *continuation passing style* (CPS) transformations for effect handlers. The benefit of CPS is that we require no primitives in the target language to support effect handlers, meaning CPS is a good fit for targeting backends where one has little or no control of runtime. CPS is also an established intermediate representation used by compilers Appel (1992); Kennedy (2007), which makes it a realistic compilation target, and it provides a general framework for implementing control flow, making it a good fit for implementing control operators such as effect handlers. The key to implementing a CPS transformation for effect handlers is to generalise the notion of continuation to model a stack of effect handlers combined with their associated local continuations.

We are aware of two other CPS transformations for effect handlers they are due to Leijen (2017b) and Brachthäuser *et al.* (2018). Leijen’s work differs from ours in that he does not CPS translate away operations or handlers, but rather uses a CPS transformation to lift code into a free monad, relying on a special handle primitive in the runtime. Leijen’s formalism includes features that we do not. In particular, he performs a selective CPS transformation in order to avoid overhead in code that does not use algebraic effects. Brachthäuser *et al.* provide an implementation of multi-prompt delimited continuations for the Java Virtual Machine, their CPS transform instruments effectful functions with additional byte code primitives in order to provide access to continuations. They make use of Java exception tracking system to identify which functions require instrumentation. They implement effect handlers as a Java library using multi-prompt continuations.

2. We study an *abstract machine* with simultaneous support for deep and shallow handlers which is based on the CEK machine of Felleisen & Friedman (1986). As with the CPS transform, we generalise the usual notion of continuation to a stack of effect

handlers combined with their local continuations in order to construct a machine that supports effect handlers. Incidentally, the resulting machine provides a model reminiscent of the segmented stacks approach as taken by Multicore OCaml. We are aware of two other abstract machine semantics for effect handlers due to Biernacki *et al.* (2019) and McBride (2016). Biernacki *et al.* presents an abstract machine for the Helium language. Their machine is inspired by ours with some minor differences. Although, their machine support only deep handlers. By contrast, McBride implements Shonky, a dynamically typed variant of the Frank language (Lindley *et al.*, 2017), which uses generalisation of the CEK machine akin to ours, that only supports shallow handlers. The main difference is that Shonky uses a completely flat continuation structure with syntactic markers to delimit the extent of handlers.

Both implementation strategies form the basis for our implementation of effect handlers in Links (Hillerström, 2015). Links is a single-source, tierless, strict ML-like functional web programming language with Hindley-Milner type inference and a type-and-effect system based on row polymorphism (Cooper *et al.*, 2006). The compiler slices a given source program into three parts: a part that compiles to JavaScript using a CPS transform to run on the client (in a web browser), and a second part that runs on the server, which is implemented as a virtual machine, and the third part which comprises database queries that are compiled directly to SQL and executed on a database.

The main content and contributions of this paper are as follows.

1. A tutorial on modular effectful programming with effect handlers (Section 2) that demonstrates the three kinds of effect handlers we study in this paper: deep, shallow, and parameterised.
2. A fine-grain call-by-value calculus λ^\dagger of deep and shallow handlers with an evaluation context based small step operational semantics. This calculus has a row-based effect type system that ensures runtime safety (Section 3).
3. Encodings back and forth between deep and shallow handlers along with simulations up to suitable notions of administrative reduction (Section 4).
4. A higher-order CPS transformation for λ^\dagger along with a detailed proof that the CPS transformation implements the operational semantics (Section 5).
5. An abstract machine for λ^\dagger that implements the operational semantics, based on ideas developed in the CPS translation (Section 6).
6. Finally, an extension of our calculus to natively support parameterised handlers, along with a proof that parameterised handlers can be implemented by a local translation into deep handlers (Section 7).

Section 8 discusses the our implementation of effect handlers in Links, whilst Section 9 concludes.

Relation to Prior Publications This paper combines and streamlines the main results of three previously published papers (Hillerström & Lindley, 2016; Hillerström *et al.*, 2017; Hillerström & Lindley, 2018). We have improved the CPS translations described by Hillerström *et al.* (2017) and Hillerström & Lindley (2018) to remove all administrative reductions, and fixed a minor bug in the shallow handler implementation (§5). The abstract machine described by Hillerström & Lindley (2016) has been extended to also implement

shallow handlers. Additionally, this paper also provides additional examples of the use of effect handlers (§2), more detailed discussion of the design decisions in effect handler calculi, includes detailed proofs for the complex higher order CPS translation, and describes the necessary extensions to support parameterised handlers (§7).

2 Modular Effectful Programming with Effect Handlers

In this section, we give a high-level introduction to programming with effect handlers by example. We demonstrate the usefulness of effect handlers as a practical programming abstraction by iteratively developing a modular implementation of the mathematical game Nim (Bouton, 1901). Starting with a fixed abstract model of the game, we show how effect handlers let us obtain different instantiations with ease.

We consider a slight variation of the Nim game in which two players, Alice and Bob, take turns to remove between one or three sticks from a heap starting with n sticks. Whoever takes the last stick wins the game. We implement the game in λ^\dagger , our calculus with effect handlers, formally presented in Section 3, although we allow ourselves a fair amount of syntactic sugar to make the examples more readable (in particular we use direct-style rather than the fine-grain call-by-value discipline of λ^\dagger).

2.1 Abstract Operations and an Abstract Game Model

We model the Nim game as two mutually recursive functions *aliceTurn* and *bobTurn*. The two players are also represented as values of a (polymorphic) type variant with two constructors each denoting either Alice or Bob: $\text{Player} \stackrel{\text{def}}{=} [\text{Alice} \mid \text{Bob}]$. We implement the *aliceTurn* function as follows:

$$\begin{aligned} \text{aliceTurn} &: \text{Int} \rightarrow \text{Player}!\{\text{Move} : \langle \text{Player}, \text{Int} \rangle \rightarrow \text{Int}, \varepsilon\} \\ \text{aliceTurn } n &\stackrel{\text{def}}{=} \text{if } n \leq 0 \text{ then Bob} \\ &\quad \text{else let } m \leftarrow \text{do Move } \langle \text{Alice}, n \rangle \text{ in} \\ &\quad \quad \text{bobTurn } (n - m) \end{aligned}$$

Besides some peculiarities in the tail of the type signature and the **do**-construct, the above program ought to look like a normal functional program. The signature states that *aliceTurn* is a function that takes an integer as input and produces a value of type *Player* as output. As a side effect of computing the output value the function may perform an effectful operation *Move*, which is parameterised by a pair of a *Player* and an integer, and produces an integer. The right hand side of the bang (!) is the *effect signature* of the function. In our calculus, effect signatures are represented as rows (Remy, 1993), so we will also refer to them as *effect rows*. The presence of *Move* indicates that the function is permitted to perform the *Move* operation with the specified types. The row is terminated with an *effect variable* ε , which can be instantiated with additional operations. As a result, the function *aliceTurn* may be invoked in a larger effect context that permits more effects that it requires.

In the definition of *aliceTurn* the parameter n is the current number of sticks on the heap. When it is her turn, Alice first checks whether there are any sticks left on the heap, if it is empty, then she declares Bob the winner. Otherwise, she performs her move. The **do**-construct is the introduction form for effectful operations. The label *Move* is an *abstract*

operation symbol with no predefined semantics. The operation is invoked with a pair containing the label Alice and the current heap state n . The returned value of the operation is another integer (as evident from the effect signature). This integer is intended to denote the number of sticks that the Alice decides to take from the heap. After taking the sticks from the heap, she hands over the turn to Bob. In the subsequent sections, we will see how different interpretations of Move enable us to obtain vastly different instantiations of the game in a modular fashion. The *bobTurn* function is the same, but swaps Alices and Bobs:

$$\begin{aligned} \text{bobTurn} &: \text{Int} \rightarrow \text{Player!}\{\text{Move} : \langle \text{Player}, \text{Int} \rangle \rightarrow \text{Int}, \varepsilon\} \\ \text{bobTurn } n &\stackrel{\text{def}}{=} \text{if } n \leq 0 \text{ then Alice} \\ &\quad \text{else let } m \leftarrow \text{do Move } \langle \text{Bob}, n \rangle \text{ in} \\ &\quad \quad \text{aliceTurn } (n - m) \end{aligned}$$

We define an auxiliary function *game* for configuring a new game with n sticks on the heap.

$$\begin{aligned} \text{game} &: \text{Int} \rightarrow \langle \rangle \rightarrow \text{Player!}\{\text{Move} : \langle \text{Player}, \text{Int} \rangle \rightarrow \text{Int}, \varepsilon\} \\ \text{game } n &\stackrel{\text{def}}{=} \lambda \langle \rangle. \text{aliceTurn } n \end{aligned}$$

By convention Alice starts every game. Given an initial number of sticks, the *game* function returns a suspended computation that when forced starts the game. Without the λ -abstraction to suspend computation, running *aliceTurn* n as is would cause evaluation to halt, i.e. for any $n > 0$:

$$\text{aliceTurn } n \rightsquigarrow^+ \mathcal{E}[\text{do Move } \langle \text{Alice}, n \rangle],$$

evaluation gets stuck in this configuration as we have not provided an instantiation of Move. Thus, we say that *game*, *aliceTurn*, and *bobTurn* are *abstract* computations. In the following sections we will consider several possible interpretations of Move that allow alternative strategies, monitoring of cheating players, and exploration of alternative plays of the game. By separating effect operations from their semantics, such diverse interpretations can be programmed modularly.

Omitting effect variables (syntactic sugar) The attentive reader might have observed that the first arrow in the signature for *game* lacks an effect row. The actual type of *game* is

$$\text{Int} \rightarrow (\langle \rangle \rightarrow \text{Player!}\{\text{Move} : \langle \text{Player}, \text{Int} \rangle \rightarrow \text{Int}, \varepsilon\})!\{\varepsilon'\},$$

where ε' is a distinct effect variable from ε . The application *game* n for some $n \in \mathbb{N}$ does not cause any effects, it is *pure*. The presence of the effect variable means that it is parametric in the actual effect context that it is used in. Whereas had it been given the type

$$\text{Int} \rightarrow (\langle \rangle \rightarrow \text{Player!}\{\text{Move} : \langle \text{Player}, \text{Int} \rangle \rightarrow \text{Int}, \varepsilon\})!\emptyset,$$

then it could only be invoked in a pure context. By convention, we omit effect annotations when the effect row is a singleton row with an effect variable that is only mentioned once in the whole signature.

2.2 Deep Handlers and Assigning Strategies to Players

Abstract operations, like Move, have no predefined semantics. The programmer provides them with semantics by writing an *effect handler*. When an abstract operation is invoked,

the current continuation is captured and passed to the effect handler. The captured continuation is then exposed to the programmer as a first-class function that can be invoked multiple times, discarded, or stored for later use. By choosing how the continuation of an abstract operation is resumed, the programmer has freedom to choose the particular semantics of the abstract operations. Henceforth we will use the term *resumption* to describe the captured continuation in order to differentiate it from the notion of (generalised) continuation we use in our CPS translations (§5) and abstract machine (§6).

In our setting we can use effect handlers to encode particular strategies for Alice and Bob. For example, consider the *perfect* strategy defined by $ps \stackrel{\text{def}}{=} \lambda n.1 \text{ 'max' } (n \text{ 'mod' } 4)$, where n is the number of sticks left in the heap. We can assign both players the perfect strategy via a handler as follows.

$$ps_vs_ps : (\langle \rangle \rightarrow \alpha! \{ \text{Move} : \langle \text{Player}, \text{Int} \rangle \rightarrow \text{Int}, \varepsilon \}) \rightarrow \alpha! \{ \varepsilon \}$$

$$ps_vs_ps \stackrel{\text{def}}{=} \mathbf{handle} \ m \ \langle \rangle \ \mathbf{with} \ \left\{ \begin{array}{l} \mathbf{return} \ x \qquad \qquad \mapsto x \\ \text{Move } \langle _, n \rangle \ \mathit{resume} \mapsto \mathit{resume} \ (ps \ n) \end{array} \right\}$$

The function ps_vs_ps (an abbreviation for *perfect-strategy-vs-perfect-strategy*) embodies the handler. The signature of ps_vs_ps tells us, that the function takes as input a (suspended) computation that may perform the `Move` and ultimately return a value of type α . The type of the *value* returned by ps_vs_ps is the same as its higher order argument. However, the `Move` operation has been removed its effect signature. This signifies that the `Move` operations invoked by the argument have been instantiated with a concrete interpretation; they have been *handled*.

The definition of ps_vs_ps uses the **handle** M **with** H construct to instantiate the `Move` operation. The **handle**-construct is the elimination form for effectful operations. It runs a computation M and interprets its effectful operations according to the handler definition H (written within the curly braces). Any handler definition consists of a **return**-case and a collection of operation cases. The **return**-case defines how to handle the final return value of the input computation. In this example, we simply return the final value returned by the computation. The operation cases define how to interpret operations that may occur in the computation. The left hand side of an operation case matches on the particular label of an operation (in our instance `Move`) and the value that it carries. In addition, the left hand side also provides a name for the resumption. By convention, we call it *resume*. The right hand side of an operation case defines the dynamic semantics of the operation. Here, we interpret `Move`, regardless of the player, as playing the perfect strategy by invoking the resumption *resume* with the value determined by the perfect strategy as implemented by ps . The application of *resume* effectively transfers control back to the invocation site of `Move` and substitutes its argument for the whole operation invocation term.

Using this handler, we can compute the winner of a single game, for instance:

$$ps_vs_ps \ (game \ 7) \rightsquigarrow^+ \text{Alice} \ \text{and} \ ps_vs_ps \ (game \ 8) \rightsquigarrow^+ \text{Bob}.$$

The handler handles *all* invocations of `Move`. This can be seen by examining the type of the resumption $resume: \text{Int} \rightarrow \alpha! \{ \varepsilon \}$. The type is determined by the enclosing handler and the signature of the operation. The input type is the return type of the operation `Move`, and the return type is the body type of the handler. Similarly, the effect signature is the same as its


enclosing handler. This reveals that *resume* handles any subsequent occurrences of *Move*. It handles those operations by implicitly re-wrapping the handler around the remaining computation after the operation was invoked, until the **return** clause is invoked by the computation finishing.

The following sketched reduction sequence illustrates how the handler is re-wrapped by giving the interesting steps of the computation ps_vs_ps (*game 7*). We let $H_{ps_vs_ps}$ denote the handler definition.

$$\begin{aligned}
& ps_vs_ps \text{ (game 7)} \\
\rightsquigarrow^+ & \text{ (definition of } ps_vs_ps) \\
& \mathbf{handle} \text{ (game 7) } \langle \rangle \mathbf{with} H_{ps_vs_ps} \\
\rightsquigarrow^+ & \text{ (eventually invokes Move with Alice and } n = 7) \\
& \mathbf{handle} \mathcal{E}[\mathbf{do} \text{ Move } \langle \text{Alice}, 7 \rangle] \mathbf{with} H_{ps_vs_ps} \\
\rightsquigarrow^+ & \text{ (Move-case definition)} \\
& (\mathit{resume} \text{ (ps 7)})[\lambda x. \mathbf{handle} \mathcal{E}[x] \mathbf{with} H_{ps_vs_ps} / \mathit{resume}] \\
\rightsquigarrow^+ & \text{ (resuming with } ps \ 7 = 3) \\
& \mathbf{handle} \mathcal{E}[3] \mathbf{with} H_{ps_vs_ps} \\
\rightsquigarrow^+ & \text{ (eventually invokes Move with Bob and } n = 4) \\
& \mathbf{handle} \mathcal{E}[\mathbf{do} \text{ Move } \langle \text{Bob}, 4 \rangle] \mathbf{with} H_{ps_vs_ps} \\
\rightsquigarrow^+ & \text{ (Move-case definition)} \\
& (\mathit{resume} \text{ (ps 4)})[\lambda x. \mathbf{handle} \mathcal{E}[x] \mathbf{with} H_{ps_vs_ps} / \mathit{resume}] \\
\rightsquigarrow^+ & \text{ (resuming with } ps \ 4 = 1) \\
& \mathbf{handle} \mathcal{E}[1] \mathbf{with} H_{ps_vs_ps} \\
\rightsquigarrow^+ & \text{ (eventually invokes Move with Alice again)} \\
& \mathbf{handle} \mathcal{E}[\mathbf{do} \text{ Move } \langle \text{Alice}, 3 \rangle] \mathbf{with} H_{ps_vs_ps} \\
\rightsquigarrow^+ & \text{ (Move-case definition)} \\
& (\mathit{resume} \text{ (ps 3)})[\lambda x. \mathbf{handle} \mathcal{E}[x] \mathbf{with} H_{ps_vs_ps} / \mathit{resume}] \\
\rightsquigarrow^+ & \text{ (resuming with } ps \ 3 = 3) \\
& \mathbf{handle} \mathcal{E}[3] \mathbf{with} H_{ps_vs_ps} \\
\rightsquigarrow^+ & \text{ (eventually returns Alice)} \\
& \mathbf{handle} \text{ Alice } \mathbf{with} H_{ps_vs_ps} \\
\rightsquigarrow^+ & \text{ (definition of the } \mathbf{return}\text{-case)} \\
& \text{Alice}
\end{aligned}$$

The handler forces evaluation of the suspended game computation. After some amount of standard reduction steps the redex is **do** Move $\langle \text{Alice}, 7 \rangle$. At this point control gets transferred to the handler, specifically the Move-case within the handler definition. The resumption *resume* is replaced by a lambda abstraction, whose body contains the same handler enclosing the remainder of the evaluation context \mathcal{E} . As a result, the invocations **do** Move $\langle \text{Bob}, 4 \rangle$ and **do** Move $\langle \text{Alice}, 3 \rangle$ are handled in the same manner. This handling idiom is known as *deep* handlers. An alternative strategy is to not always wrap the remaining continuation in the same handler, and to leave it to the programmer to decide how to handle further operations. This gives us *shallow* handlers, which we describe in §2.6.

We can assign the players different strategies by pattern matching on the player identifiers. For example, we can assign Bob a *cheating strategy* such as taking all the remaining sticks on the heap, thereby winning in a single move. The following handler, ps_vs_cs ,

Fig. 1. The game tree generated by `gameTree (game 3)`.

assigns the perfect strategy to Alice and the cheating strategy to Bob.

$$\begin{aligned}
 ps_vs_cs : (\langle \rangle \rightarrow \alpha! \{ \text{Move} : \langle \text{Player}, \text{Int} \rangle \rightarrow \text{Int}, \varepsilon \}) \rightarrow \alpha! \{ \varepsilon \} \\
 ps_vs_cs \stackrel{\text{def}}{=} \mathbf{handle} \ m \ \langle \rangle \ \mathbf{with} \\
 \left. \begin{array}{l}
 \mathbf{return} \ x \qquad \qquad \qquad \mapsto x \\
 \text{Move} \ \langle \text{Alice}, n \rangle \ \text{resume} \mapsto \text{resume} \ (ps \ n) \\
 \text{Move} \ \langle \text{Bob}, n \rangle \ \text{resume} \mapsto \text{resume} \ n
 \end{array} \right\}
 \end{aligned}$$

Using this handler, Bob wins whenever $n \geq 4$. In §2.4 we will show how to handle cheaters in a modular fashion using another effect handler.

2.3 Multi-shot Resumptions and Computing Game Data

The handlers `ps_vs_ps` and `ps_vs_cs` compute the winner of a single game under fixed strategies for the players. Since we are simulating a single play of the game, the resumption is always invoked once to return control in a single threaded manner. By invoking the resumption multiple times, we can explore and compute the outcomes of all possible legal strategies for a single game. As a concrete example we will demonstrate how to compute the game tree of a particular game. We define a type of game tree inductively as:

$$\text{GameTree} \stackrel{\text{def}}{=} [\text{Take} : \langle \text{Player}, \text{List} \ \langle \text{Int}, \text{GameTree} \rangle \rangle \mid \text{Winner} : \text{Player}].$$

Each path from the root of a game tree to one of its leaves induces a particular sequence of moves. The interior nodes are given by `Take` constructors, which carry them with information about which player's turn it was, and all the possible moves (and outcomes) that the player can possibly commit to. The leaves of a game tree are of the form `Winner p`, where p is the winning player resulting from that path through the tree. The following

handler computes the game tree for any given game.

$$\begin{aligned}
 &gameTree : (\langle \rangle \rightarrow \text{Player}! \{ \text{Move} : \langle \text{Player}, \text{Int} \rangle \rightarrow \text{Int}, \varepsilon \}) \rightarrow \text{GameTree}! \{ \varepsilon \} \\
 &gameTree\ m \stackrel{\text{def}}{=} \mathbf{handle}\ m\ \langle \rangle\ \mathbf{with} \\
 &\quad \left. \begin{array}{l}
 \mathbf{return}\ x \quad \mapsto \text{Winner}\ x \\
 \text{Move}\ \langle p, n \rangle\ \mathit{resume} \mapsto \mathbf{let}\ \mathit{subgames} \leftarrow \mathit{map}\ \mathit{resume}\ (\mathit{legalMoves}\ n)\ \mathbf{in} \\
 \quad \quad \quad \mathbf{let}\ \mathit{subtrees} \leftarrow \mathit{zip}\ [1, 2, 3]\ \mathit{subgames}\ \mathbf{in} \\
 \quad \quad \quad \text{Take}\ \langle p, \mathit{subtrees} \rangle
 \end{array} \right\}
 \end{aligned}$$

The **return** clause wraps the winning player x with a `Winner` constructor. The operation case computes every subgame by invoking the resumption resume with every possible legal move. The result of every subgame is reified as a subtree in the game tree. In order to compute the subgames and subtree, we make use of standard list functions map and zip for transforming a list and point-wise joining two lists, respectively. The auxiliary function $\mathit{legalMoves}$ ensures that the resumption resume is only applied to legal moves. For Nim, we define it using another standard list operator filter : $\mathit{legalMoves} \stackrel{\text{def}}{=} \lambda n. \mathit{filter}\ (\leq n)\ [1, 2, 3]$. Figure 1 visualises the result computed by $gameTree$ ($game\ 7$). Without modifying the underlying game model we have been able to compute data about particular games by simply reinterpreting the abstract operation `Move`.

2.4 Effect Forwarding and Cheat Detection

Thus far we have considered a single operation `Move`, but in general a computation will have more operations. We could define a monolithic handler that interprets every operation that may occur in a given computation. A more modular alternative is to define a collection of fine-grained, specialised handlers that each handle a particular operation, and then compose them together to fully interpret a computation. Composed handlers can cooperate to interpret an abstract computation. Each handler operates on a particular subset of the abstract operations, leaving the remainder for other handlers.

We will demonstrate how to implement a cheat detection mechanism for the game by composing handlers. The idea is to signal cheating via an abstract operation `Cheat`. We define a convenient function that raises the signal.

$$\begin{aligned}
 &\mathit{cheat} : \text{Player} \rightarrow \alpha! \{ \text{Cheat} : \text{Player} \rightarrow \text{Zero}, \varepsilon \} \\
 &\mathit{cheat}\ p \stackrel{\text{def}}{=} \mathbf{case}\ (\mathbf{do}\ \text{Cheat}\ p)\ \{ \}
 \end{aligned}$$

The operation `Cheat` is parameterised by the identifier of player that was caught cheating. The return type of the operation is the empty type `Zero`, which we define as the empty variant type $\text{Zero} \stackrel{\text{def}}{=} []$.

We eliminate values of type `Zero` using an empty **case** construct. This allows us to ascribe a polymorphic return type to cheat . From the point of view of the computation, an invocation of `Cheat` will never return. Correspondingly, since there are no values of type `Zero`, it is not possible for a handler to invoke the resumption to continue execution after `Cheat` is invoked. Thus, the operation `Cheat` acts like an exception, and an interpretation of `Cheat` in an effect handler amounts to implementing an exception handler. A potential implementation of such a handler handles cheating players by assigning victory to the

10

Daniel Hillerström, Sam Lindley, and Robert Atkey

opponent player, who wins by default:

$$\begin{aligned}
\text{defaultVictory} &: (\langle \rangle \rightarrow \text{Player!}\{\text{Cheat} : \text{Player} \rightarrow \text{Zero}, \varepsilon\}) \rightarrow (\langle \rangle \rightarrow \text{Player!}\{\varepsilon\}) \\
\text{defaultVictory } m &\stackrel{\text{def}}{=} \lambda \langle \rangle. \mathbf{handle } m \langle \rangle \mathbf{with} \\
&\quad \left\{ \begin{array}{l} \mathbf{return } x \quad \mapsto x \\ \text{Cheat Alice } _ \mapsto \text{Bob} \\ \text{Cheat Bob } _ \mapsto \text{Alice} \end{array} \right\}
\end{aligned}$$

Next, we implement a handler that monitors a given game and raises Cheat if any player is caught cheating.

$$\begin{aligned}
\text{monitor} &: (\langle \rangle \rightarrow \alpha!\{\text{Cheat} : \text{Player} \rightarrow \text{Zero}, \text{Move} : \langle \text{Player}, \text{Int} \rangle \rightarrow \text{Int}, \varepsilon\}) \\
&\quad \rightarrow (\langle \rangle \rightarrow \alpha!\{\text{Cheat} : \text{Player} \rightarrow \text{Zero}, \text{Move} : \langle \text{Player}, \text{Int} \rangle \rightarrow \text{Int}, \varepsilon\}) \\
\text{monitor } m &\stackrel{\text{def}}{=} \lambda \langle \rangle. \mathbf{handle } m \langle \rangle \mathbf{with} \\
&\quad \left\{ \begin{array}{l} \mathbf{return } x \quad \mapsto x \\ \text{Move } \langle p, n \rangle \text{ resume } \mapsto \mathbf{let } n' \leftarrow \mathbf{do } \text{Move } \langle p, n \rangle \mathbf{in} \\ \quad \quad \quad \quad \quad \quad \quad \quad \mathbf{if } n' \in \text{legalMoves } n \mathbf{then } \text{resume } n' \\ \quad \quad \quad \quad \quad \quad \quad \quad \mathbf{else } \text{cheat } p \end{array} \right\}
\end{aligned}$$

The **return** clause forwards on the result of the computation. The interesting case is the operation case. To handle $\text{Move } \langle p, n \rangle$, the handler re-performs Move with the same parameters. That is, the handler explicitly forwards the operation to another enclosing handler. The result is stored in n' which is checked against the legal moves. If n' is a legal move, then the game continues. Otherwise, the handler raises the Cheat signal.

The input and output effect rows of monitor are identical. The operation Move appears in both rows, because the handler handles invocations of Move in the input computation by performing another invocation of Move , thus introducing the operation into the output row. The Cheat operation appears in the output row, because the handler performs the operation. The operation propagates to the input row, because the input computation may perform at least as many operations as the handler. In our system, any handler has the property that it monotonically decreases information, thereby never increasing information. In other words, the output row mentions at least as many operations as the input row. One may regard this property as introducing imprecision. However, it is an artefact of the particular form of row polymorphism (Remy, 1993) that our system is based upon. Other effect systems have been designed which allow programmers to be more precise about effects generated by the input and output, for example in the Frank language (Lindley *et al.*, 2017).

Composing the handlers defaultVictory and monitor with ps_vs_cs means Bob is caught cheating whenever $n \geq 5$, and thus Alice is declared the winner. Regular function composition composes handlers:

$$(ps_vs_cs \circ \text{defaultVictory} \circ \text{monitor}) (\text{game } 7) \rightsquigarrow^+ \text{Alice}$$

The reader may have observed that the monitor handler does not handle the Move operation. The above composition works because all handlers implicitly forward operations that they do not handle to their dynamically enclosing handler. This implicit forwarding behaviour is known as *effect forwarding*. Unlike explicit forwarding, as in defaultVictory , implicit forwarding does not affect the typing of handlers.

2.5 Handling Stateful Computations and Instrumentation

In this section, we will show how to instrument a computation with logging using effect handlers. We provide an interface for accessing and updating the value of a state cell via two operations: $\text{Get} : \langle \rangle \rightarrow \beta$, which accesses the value of type β , and $\text{Put} : \beta \rightarrow \langle \rangle$, which updates the value. The following handler provides an implementation of this interface.

$$\begin{aligned} \text{runState} &: \beta \rightarrow (\langle \rangle \rightarrow \langle \alpha, \beta \rangle! \{ \text{Get} : \langle \rangle \rightarrow \beta, \text{Put} : \beta \rightarrow \langle \rangle, \varepsilon \}) \rightarrow (\langle \rangle \rightarrow \langle \alpha, \beta \rangle! \{ \varepsilon \}) \\ \text{runState } \text{init } m &\stackrel{\text{def}}{=} \lambda \langle \rangle. \mathbf{let } \text{run} \leftarrow \mathbf{handle } m \langle \rangle \mathbf{with} \\ &\quad \left\{ \begin{array}{l} \mathbf{return } x \quad \mapsto \lambda st. \langle x, st \rangle \\ \text{Get } \langle \rangle \text{ resume} \mapsto \lambda st. \text{resume } st \text{ } st \\ \text{Put } st' \text{ resume} \mapsto \lambda _ . \text{resume } \langle \rangle \text{ } st' \end{array} \right\} \\ &\quad \mathbf{in } \text{run } \text{init} \end{aligned}$$

The *runState* handler provides a generic way to interpret any stateful computation. It takes as its first parameter the initial value of the state cell. The second parameter is a stateful computation that may perform Get and Put operations. Ultimately, the handler returns the value of the input computation along with the current value of the state cell.

This formulation of state handling is analogous to the standard monadic implementation of state handling (Wadler, 1995). In the context of handlers, the implementation uses a technique known as *parameter-passing* (Pretnar, 2015). The operations Get and Put are interpreted as functions that take the current state as input. Consequently, *resume* returns a function that expects to be passed the state for the rest of the computation. For example, the type of *resume* in the Get case is $\beta \rightarrow \beta \rightarrow \langle \alpha, \beta \rangle! \{ \varepsilon \}$. The resumption threads the state value through to the subsequent activation of the handler via its second argument. In the Get case the state value is passed unchanged, whereas in the Put case the value of updated state is set to be the invoker provided value bound to st' . A similar interpretation is given to the **return** case, although, in this case the function takes the *final* state as input and returns a pair consisting of the return value and the final state value.

Operationally, evaluation of the sub-computation m gets suspended when it either invokes an operation or returns a value upon which the corresponding clause in the handler definition returns a state accepting function. This function gets bound to *run* which is subsequently applied to the initial state *init*, thereby continuing evaluation of the stateful fragment of m .

Next, we implement a stateful handler computation, which intercepts and records move operations.

$$\begin{aligned} \text{history} &: (\langle \rangle \rightarrow \alpha! \{ \text{Move} : \langle \text{Player}, \text{Int} \rangle \rightarrow \text{Int}, \\ &\quad \text{Get} : \langle \rangle \rightarrow \text{List } \langle \text{Player}, \text{Int} \rangle, \text{Put} : \text{List } \langle \text{Player}, \text{Int} \rangle \rightarrow \langle \rangle, \varepsilon \}) \\ &\rightarrow (\langle \rangle \rightarrow \alpha! \{ \text{Move} : \langle \text{Player}, \text{Int} \rangle \rightarrow \text{Int}, \\ &\quad \text{Get} : \langle \rangle \rightarrow \text{List } \langle \text{Player}, \text{Int} \rangle, \text{Put} : \text{List } \langle \text{Player}, \text{Int} \rangle \rightarrow \langle \rangle, \varepsilon \}) \\ \text{history } m &\stackrel{\text{def}}{=} \lambda \langle \rangle. \mathbf{handle } m \langle \rangle \mathbf{with} \\ &\quad \left\{ \begin{array}{l} \mathbf{return } x \quad \mapsto x \\ \text{Move } \langle p, n \rangle \text{ resume} \mapsto \mathbf{let } n' \leftarrow \mathbf{do } \text{Move } \langle p, n \rangle \mathbf{in} \\ \quad \mathbf{do } \text{Put } (\langle p, n' \rangle :: \mathbf{do } \text{Get } \langle \rangle); \text{resume } n' \end{array} \right\} \end{aligned}$$

The *history* handler uses Get and Put operations to accumulate a list of moves performed during a game. The handler works in a similar way to the *defaultVictory* handler from

the previous section. It intercepts the Move operation and immediately re-performs it. The result stored in n' . The interpretation gets paired with the active player p , and consed onto the current list of moves, which is accessed by Get. The resulting list is given as argument to Put, which performs the update. Finally, the original invocation of Move is resumed with n' . Plugging everything together, using $runState$ with the empty list $[]$ as the initial state, we obtain the winner of the game and the (reversed) list of moves performed by each player.

$$(ps_vs_ps \circ (runState [])) \circ history (game\ 7) \rightsquigarrow^+ \langle Alice, [\langle Alice, 3 \rangle, \langle Bob, 1 \rangle, \langle Alice, 3 \rangle] \rangle$$

Moreover, we can compose this logging infrastructure with the cheat detection machinery to witness that Bob is caught cheating.

$$(ps_vs_cs \circ (runState [])) \circ history \circ defaultVictory \circ monitor (game\ 7) \rightsquigarrow^+ \langle Alice, [\langle Bob, 4 \rangle, \langle Alice, 3 \rangle] \rangle$$

Alice wins by default after Bob makes the illegal move “4”.

Parameterised Handlers The parameter passing style used in $runState$ is common enough that it has its own specialised handling idiom known as *parameterised handlers*. A parameterised handler is an ordinary (deep) handler equipped with an explicit state parameter, instead of using functions to implement state passing. Using a parameterised handler, the $runState$ handler above may be written as follows.

$$\begin{aligned} runState' : \beta \rightarrow (\langle \rangle \rightarrow \langle \alpha, \beta \rangle)! \{ Get : \langle \rangle \rightarrow \beta, Put : \beta \rightarrow \langle \rangle, \varepsilon \} \rightarrow (\langle \rangle \rightarrow \langle \alpha, \beta \rangle)! \{ \varepsilon \} \\ runState' \text{ init } m \stackrel{\text{def}}{=} \lambda \langle \rangle. \mathbf{handle\ } m \ \langle \rangle \ \mathbf{with} \\ \left(st \leftarrow \text{init}, \left\{ \begin{array}{l} \mathbf{return\ } x \quad \mapsto \langle x, st \rangle \\ \text{Get } \langle \rangle \ \text{resume} \mapsto \text{resume } \langle st, st \rangle \\ \text{Put } st' \ \text{resume} \mapsto \text{resume } \langle \langle \rangle, st' \rangle \end{array} \right\} \right) \end{aligned}$$

As compared to the handlers we saw above, the handler definition here is paired with a variable st containing the current state value. Initially it is bound to $init$. The parameter st is now accessible in the **return** and operation clauses of the handler. Moreover, the resumption now takes a pair as input, whose first component is the result of the operation invocation, as before, and its second argument is the updated state value. Thus, from the handler writer’s point of view, we have uncurried the $resume$ function. The advantage of making parameterised handlers primitive instead of an idiomatic use of deep handlers is that they can be implemented more efficiently. The $runState$ handler above results in a large amount of closures being generated that can be avoided by a specialised implementation. We discuss parameterised handlers and their implementation more in §7.

2.6 Shallow Handlers and Streaming

The machinery that we have developed thus far is only capable of running a single game at any time. We now show how to support running multiple games concurrently. Various forms of concurrency can be implemented using effect handlers, for example cooperative multi-threading (Bauer & Pretnar, 2015), message-passing (Hillerström, 2016), the `async/await` idiom (Dolan *et al.*, 2017; Leijen, 2017a), and synchronous streams via

pipes (Kammar *et al.*, 2013). We will use the latter to implement a basic live score system. We will follow the Unix philosophy, i.e., decompose a game with a live scoring system into a collection of modular processes, and then combine them in an pipeline.

The natural implementation of pipes is in terms of two mutually recursive handlers, which handle production and consumption of values, respectively. Using the deep handler construct we used above to implement mutual recursion is at best cumbersome as it essentially amounts to encoding a mutomorphism using catamorphisms. Therefore, we switch to using *shallow* handlers rather than deep handlers to implement pipes. Unlike deep handlers, shallow handlers do not fix a particular recursion scheme. Consequently shallow handlers offer more flexibility in how subsequent operations by a computation are handled.

We mark shallow handlers in our calculus with a †. With shallow handlers we define a demand-driven Unix pipeline operator as follows.

$$\begin{aligned}
 & pipe : \langle \rangle \rightarrow \alpha! \{ \text{Yield} : \beta \rightarrow \langle \rangle, \varepsilon \}, \langle \rangle \rightarrow \alpha! \{ \text{Await} : \langle \rangle \rightarrow \beta, \varepsilon \} \rightarrow \alpha! \{ \varepsilon \} \\
 & copipe : \langle \beta \rightarrow \alpha! \{ \text{Await} : \langle \rangle \rightarrow \beta, \varepsilon \}, \langle \rangle \rightarrow \alpha! \{ \text{Yield} : \beta \rightarrow \langle \rangle, \varepsilon \} \rightarrow \alpha! \{ \varepsilon \} \\
 & pipe \langle p, c \rangle = \mathbf{handle}^\dagger c \langle \rangle \mathbf{with} \quad copipe \langle c, p \rangle = \mathbf{handle}^\dagger p \langle \rangle \mathbf{with} \\
 & \quad \left\{ \begin{array}{l} \mathbf{return} \ x \mapsto x \\ \text{Await} \ \langle r \mapsto copipe \ \langle r, p \rangle \end{array} \right\} \quad \left\{ \begin{array}{l} \mathbf{return} \ x \mapsto x \\ \text{Yield} \ p \ r \mapsto pipe \ \langle r, \lambda \langle \rangle. cp \rangle \end{array} \right\}
 \end{aligned}$$

A pipe takes two thunked computations, a producer p and a consumer c . Each of the thunks returns a value of type α . The producer can perform the Yield operation, which yields a value of type β and the consumer can perform the Await operation, which correspondingly awaits a value of type β . The shallow handler $pipe$ runs the consumer first. If the consumer terminates with a value, then the **return** clause is executed and returns that value as is. If the consumer performs the Await operation, then the $copipe$ handler is invoked with the resumption of the consumer (r) and the producer (p) as arguments.

The $copipe$ function runs the producer to get a value to feed to the waiting consumer. The arguments are swapped and the consumer component now expects a value. If the producer performs the Yield operation, then $pipe$ is invoked with the resumption of the producer along with a thunk that applies the consumer's resumption to the yielded value.

Next we implement some processes to pipe together. First, we implement a process that receives an integer, which is used as the starting value for a game. As output the process will yield the winner of the game.

$$\begin{aligned}
 & gameProc : \langle \rangle \rightarrow \alpha! \{ \text{Await} : \langle \rangle \rightarrow \text{Int}, \text{Yield} : \text{Player} \rightarrow \langle \rangle, \varepsilon \} \\
 & gameProc \stackrel{\text{def}}{=} \lambda \langle \rangle. \mathbf{let} \ n \leftarrow \mathbf{do} \ \text{Await} \ \langle \rangle \ \mathbf{in} \\
 & \quad \mathbf{let} \ winner \leftarrow (ps_vs_ps \circ defaultVictory \circ monitor) \ (game \ n) \ \mathbf{in} \\
 & \quad \mathbf{do} \ \text{Yield} \ winner; \ gameProc \ \langle \rangle
 \end{aligned}$$

From the signature of $gameProc$ we can see that the process will fit as an intermediate component in a pipeline, since it both Awaits and Yields values. The process first awaits the starting value n , which is used to start a new game with the cheat detection enabled and where Alice and Bob both adopt the perfect strategy. The winner of the game is yielded, before awaiting a new start value.

To produce start values for some games, we define a recursive process which produces a monotonically increasing sequence of integers on demand:

$$\begin{aligned} startFrom &: \text{Int} \rightarrow \langle \rangle \rightarrow \alpha! \{ \text{Yield} : \text{Int} \rightarrow \langle \rangle, \varepsilon \} \\ startFrom\ j &\stackrel{\text{def}}{=} \lambda \langle \rangle. \mathbf{do} \text{Yield } j; \text{startFrom } (j + 1) \langle \rangle \end{aligned}$$

Given an initial value j the *startFrom* produces the infinite sequence $j, j + 1, j + 2, j + 3, \dots$. From the signature we can tell that this process acts exclusively as a producer.

Next, we implement a stateful process that keeps track of the number of games won by each player, and upon receiving the winner of a game displays the current score. We represent the current score as a simple pair $\text{Score} \stackrel{\text{def}}{=} \langle \text{Int}, \text{Int} \rangle$, where the first component is the number of times Alice has won, and vice versa, the second component contains the number of times Bob has won.

$$\begin{aligned} livescore &: \langle \rangle \rightarrow \alpha! \{ \text{Await} : \langle \rangle \rightarrow \text{Player}, \text{Get} : \langle \rangle \rightarrow \text{Score}, \text{Put} : \text{Score} \rightarrow \langle \rangle, \varepsilon \} \\ livescore &\stackrel{\text{def}}{=} \lambda \langle \rangle. \mathbf{let} \langle fst = \text{aliceSc}, snd = \text{bobSc} \rangle = \\ &\quad \mathbf{case\ do} \text{Await } \langle \rangle \\ &\quad \left\{ \begin{array}{l} \text{Alice} \mapsto \langle \mathbf{do} \text{Get } \langle \rangle \mathbf{with} \text{fst} = (\mathbf{do} \text{Get } \langle \rangle).fst + 1 \rangle \\ \text{Bob} \mapsto \langle \mathbf{do} \text{Get } \langle \rangle \mathbf{with} \text{snd} = (\mathbf{do} \text{Get } \langle \rangle).snd + 1 \rangle \end{array} \right\} \\ &\quad \mathbf{in\ do} \text{Put } \langle \text{aliceSc}, \text{bobSc} \rangle; \text{display } \text{aliceSc } \text{bobSc}; \text{livescore } \langle \rangle \end{aligned}$$

The signature of *livescore* tells us not only that this process is a consumer, but also that it is stateful. First the process updates the current score by pattern matching on the winner, which is received via the *Await* operation. The current score is updated using functional record update. Subsequently, the value of the state cell is updated with the new score. The function *display* prints the current score using a primitive operation, e.g. writing to standard out. With the processes we have defined so far, we can produce a live score board for an infinite series of games. In order to make the overall process finite, we define another intermediate process, that halts the pipeline after a given number of steps:

$$\begin{aligned} take &: \text{Int} \rightarrow \langle \rangle \rightarrow \langle \rangle! \{ \text{Await} : \langle \rangle \rightarrow \beta, \text{Yield} : \beta \rightarrow \langle \rangle, \varepsilon \} \\ take\ j &\stackrel{\text{def}}{=} \lambda \langle \rangle. \mathbf{if} \ j \leq 0 \ \mathbf{then} \ \langle \rangle \ \mathbf{else\ do} \ \text{Yield } (\mathbf{do} \text{Await } \langle \rangle); \text{take } (j - 1) \langle \rangle \end{aligned}$$

This process uses explicit state passing to keep track of whether to halt. Alternatively, we could have used the state interface provided by *Get* and *Put*.

For convenience, we define an infix pipe operator for constructing pipelines, analogous the Unix shell's pipe operator $p1 \mid p2$.

$$\begin{aligned} \gg &: (\langle \rangle \rightarrow \alpha! \{ \text{Yield} : \beta \rightarrow \langle \rangle, \varepsilon \}) \rightarrow (\langle \rangle \rightarrow \alpha! \{ \text{Await} : \langle \rangle \rightarrow \beta, \varepsilon \}) \rightarrow (\langle \rangle \rightarrow \alpha! \{ \varepsilon \}) \\ p \gg c &\stackrel{\text{def}}{=} \lambda \langle \rangle. \text{pipe } \langle p, c \rangle \end{aligned}$$

Plugging everything together, we report the live score during a series of consecutive games.

$$\begin{aligned} &(\text{startFrom } 7 \gg \text{gameProc} \gg \text{take } 3 \gg \text{ignore} \circ (\text{runState } \langle 0, 0 \rangle \text{ livescore})) \langle \rangle \\ &\quad \text{Alice } 1 \ - \ 0 \ \text{Bob} \\ &\quad \text{Alice } 1 \ - \ 1 \ \text{Bob} \\ &\quad \text{Alice } 2 \ - \ 1 \ \text{Bob} \\ &\quad \rightsquigarrow^+ \langle \rangle \end{aligned}$$

We start an infinite series of games with increasing initial heap sizes, then we consume three of those games, and for each of the three games we report the winner. Here *ignore*

is the standard call-by-value function that ignores its argument and returns unit. We post-compose *ignore* to disregard the return value of *runState*.

Implementing Pipes with Deep Handlers As we have seen, shallow handlers provide a direct way to implement Unix-style pipes. It is also possible to implement pipes using deep handlers, albeit in a much more roundabout way. Indeed, shallow handlers can always be simulated by deep handlers, as we show in §4, though not in a straightforward way. With deep handlers we cannot use term level recursion and choose how to handle the next step of the computation, instead we effectively have to *defunctionalise* (Reynolds, 1998) the shallow version of pipes using recursive types. To introduce the general construction in §4, we carry this out for the pipes example here. Following Kammar *et al.* (2013) we define a pair of mutually recursive types for producers and consumers:

$$\begin{aligned} \text{Producer } \varepsilon \alpha \beta &\stackrel{\text{def}}{=} \langle \rangle \rightarrow (\text{Consumer } \varepsilon \alpha \beta \rightarrow \alpha! \{ \varepsilon \})! \{ \varepsilon \} \\ \text{Consumer } \varepsilon \alpha \beta &\stackrel{\text{def}}{=} \beta \rightarrow (\text{Producer } \varepsilon \alpha \beta \rightarrow \alpha! \{ \varepsilon \})! \{ \varepsilon \} \end{aligned}$$

The underlying idea is *state-passing*: the Producer type is an alias for a suspended computation which returns a computation parameterised by a Consumer computation. Correspondingly, Consumer is an alias for a function that consumes an element of type β and returns a computation parameterised by a Producer computation. The ultimate return value has type α . Both are parameterised by an effect variable ε , that denote the allowed effects. Using these recursive types, we can define the *pipe'* and *copipe'* implementations using deep handlers as follows:

$$\begin{aligned} \text{pipe}' &: (\langle \rangle \rightarrow \alpha! \{ \text{Await} : \langle \rangle \rightarrow \beta, \varepsilon \}) \rightarrow \text{Producer } \varepsilon \alpha \beta \rightarrow \alpha! \{ \varepsilon \} \\ \text{copipe}' &: (\langle \rangle \rightarrow \alpha! \{ \text{Yield} : \beta \rightarrow \langle \rangle, \varepsilon \}) \rightarrow \text{Consumer } \varepsilon \alpha \beta \rightarrow \alpha! \{ \varepsilon \} \\ \text{pipe}' c &\stackrel{\text{def}}{=} \text{handle } c \langle \rangle \text{ with} & \text{copipe}' p &\stackrel{\text{def}}{=} \text{handle } p \langle \rangle \text{ with} \\ &\quad \text{return } x \mapsto \lambda y. x & & \text{return } x \mapsto \lambda y. x \\ &\quad \text{Await } \langle \rangle r \mapsto \lambda p. p \langle \rangle r & & \text{Yield } p r \mapsto \lambda c. c p r \\ p \gg' c &\stackrel{\text{def}}{=} \lambda \langle \rangle. \text{pipe}' c (\lambda \langle \rangle. \text{copipe}' p) \end{aligned}$$

Application of the pipe operator is no longer direct as extra plumbing is required to connect the now decoupled handlers. The observable behaviour of \gg' is the same as \gg . Indeed, the example yields the same result.

```
(startFrom 7 >>' gameProc >>' take 3 >>' ignore ◦ (runState ⟨0,0⟩ livescore)) ⟨⟩
  Alice 1 - 0 Bob
  Alice 1 - 1 Bob
  Alice 2 - 1 Bob
  ~>+ ⟨⟩
```

This example shows that, while it is possible to define everything in terms of deep handlers, it is not always convenient to do so. Shallow handlers provide an extra level of flexibility that is missing with deep handlers. The calculus we introduce in the next section includes both deep and shallow handlers for this reason.

Value types	$A, B ::= A \rightarrow C \mid \forall \alpha^K. C \mid \langle R \rangle \mid [R] \mid \alpha$
Computation types	$C, D ::= A!E$
Effect types	$E ::= \{R\}$
Depth	$\delta ::= \mid \dagger$
Handler types	$F ::= C \Rightarrow^\delta D$
Row types	$R ::= \ell : P; R \mid \rho \mid \cdot$
Presence types	$P ::= \text{Pre}(A) \mid \text{Abs} \mid \theta$
Types	$T ::= A \mid C \mid E \mid F \mid R \mid P$
Kinds	$K ::= \text{Type} \mid \text{Comp} \mid \text{Effect} \mid \text{Handler} \mid \text{Row}_{\mathcal{L}} \mid \text{Presence}$
Label sets	$\mathcal{L} ::= \emptyset \mid \{\ell\} \uplus \mathcal{L}$
Type environments	$\Gamma ::= \cdot \mid \Gamma, x : A$
Kind environments	$\Delta ::= \cdot \mid \Delta, \alpha : K$

Fig. 2. Types, Kinds, and Environments

3 Handler Calculus

In this section, we present λ^\dagger , a Church-style row-polymorphic call-by-value calculus with effect handlers. To support comparison within a single language we include both deep and shallow handlers. The calculus is an extension of Hillerström and Lindley’s calculus of extensible deep handlers λ_{eff}^p (Hillerström & Lindley, 2016) with shallow handlers and recursive functions. We will further extend the language with parameterised handlers in §7. Following Hillerström and Lindley, λ^\dagger provides a row polymorphic effect type system and is based on fine-grain call-by-value (Levy *et al.*, 2003), which names each intermediate computation as in A-normal form (Flanagan *et al.*, 1993), but unlike A-normal form is closed under β -reduction.

3.1 Syntax of Types and Kinds, Kinding Rules

The syntax of types, kinds, and environments is given in Fig. 2.

Value Types Function types $A \rightarrow C$ classify functions that map values of type A to computations of type C . Polymorphic types $\forall \alpha^K. C$ quantify universally over a type variable α of kind K . Record types $\langle R \rangle$ represent records with fields constrained by the row R . Dually, variant types $[R]$ represents tagged sums constrained by the row R .

Computation Types and Effect Types The computation type $A!E$ is given by a value type A and an effect type E , which specifies the operations a computation inhabiting this type may perform.

Handler Types The handler type $C \Rightarrow^\delta D$ represent handlers that transform computations of type C into computations of type D (where δ empty denotes a deep handler and $\delta = \dagger$ a shallow handler).

Row Types Effect, record, and variant types are given by row types. A *row type* (or just *row*) describes a collection of distinct labels, each annotated by a presence type. A presence

$\frac{\text{TYVAR}}{\Delta, \alpha : K \vdash \alpha : K}$	$\frac{\text{FORALL}}{\Delta, \alpha : K \vdash C : \text{Comp}} \quad \Delta \vdash \forall \alpha^K. C : \text{Type}$	$\frac{\text{COMP}}{\Delta \vdash A : \text{Type}} \quad \Delta \vdash E : \text{Effect} \quad \Delta \vdash A!E : \text{Comp}$	$\frac{\text{FUN}}{\Delta \vdash A : \text{Type}} \quad \Delta \vdash C : \text{Comp} \quad \Delta \vdash A \rightarrow C : \text{Type}$
$\frac{\text{RECORD}}{\Delta \vdash R : \text{Row}_\theta} \quad \Delta \vdash \langle R \rangle : \text{Type}$	$\frac{\text{VARIANT}}{\Delta \vdash R : \text{Row}_\theta} \quad \Delta \vdash [R] : \text{Type}$	$\frac{\text{EFFECT}}{\Delta \vdash R : \text{Row}_\theta} \quad \Delta \vdash \{R\} : \text{Effect}$	
$\frac{\text{PRESENT}}{\Delta \vdash A : \text{Type}} \quad \Delta \vdash \text{Pre}(A) : \text{Presence}$	$\frac{\text{ABSENT}}{\Delta \vdash \text{Abs} : \text{Presence}}$	$\frac{\text{EMPTYROW}}{\Delta \vdash \cdot : \text{Row}_\mathcal{L}}$	$\frac{\text{EXTENDROW}}{\Delta \vdash P : \text{Presence}} \quad \Delta \vdash R : \text{Row}_{\mathcal{L} \uplus \{\ell\}} \quad \Delta \vdash \ell : P; R : \text{Row}_\mathcal{L}$
$\frac{\text{HANDLER}}{\Delta \vdash C : \text{Comp} \quad \Delta \vdash D : \text{Comp}} \quad \Delta \vdash C \Rightarrow^\delta D : \text{Handler}$			

Fig. 3. Kinding rules for λ^\dagger

type indicates whether a label is *present* with type A ($\text{Pre}(A)$), *absent* (Abs) or *polymorphic* in its presence (θ). Row types are either *closed* or *open*. A closed row type ends in \cdot , whilst an open row type ends with a *row variable* ρ . The row variable in an open row type can be instantiated with additional labels. We identify rows up to reordering of labels. For instance, we consider rows $\ell_1 : P_1; \dots; \ell_n : P_n; \cdot$ and $\ell_n : P_n; \dots; \ell_1 : P_1; \cdot$ equivalent. Closed rows are further considered equivalent up to inclusion of explicitly absent labels. The unit type is the empty closed record, that is, $\langle \cdot \rangle$. Dually, the empty type is the empty, closed variant $[\cdot]$. Often we omit the \cdot for closed rows.

Kinds We have six kinds: Type, Comp, Effect, Handler, $\text{Row}_\mathcal{L}$, Presence, which respectively classify value types, computation types, effect types, row types, presence types, and handler types. Row kinds are annotated with a set of labels \mathcal{L} . The kind of a complete row is Row_θ . More generally, $\text{Row}_\mathcal{L}$ denotes a partial row that may not mention labels in \mathcal{L} . We write $\ell : A$ as sugar for $\ell : \text{Pre}(A)$.

Type Variables We let α , ρ and θ range over type variables. By convention we write α for value type variables or for type variables of unspecified kind, ρ for type variables of row kind, and θ for type variables of presence kind.

Type and Kind environments Type environments (Γ) map term variables to their types and kind environments (Δ) map type variables to their kinds.

Kinding rules The kinding judgement $\Delta \vdash T : K$ states that type T has kind K in kind environment Δ . The kinding rules for λ^\dagger are given in Fig. 3.

Values	$V, W ::= x \mid \lambda x^A.M \mid \Lambda \alpha^K.M \mid \langle \rangle \mid \langle \ell = V; W \rangle \mid (\ell V)^R$ $\mid \mathbf{rec} g^{A \rightarrow C} x.M$
Computations	$M, N ::= VW \mid VT \mid \mathbf{let} \langle \ell = x; y \rangle = V \mathbf{in} N$ $\mid \mathbf{case} V \{ \ell x \mapsto M; y \mapsto N \} \mid \mathbf{absurd}^C V$ $\mid \mathbf{return} V \mid \mathbf{let} x \leftarrow M \mathbf{in} N$ $\mid (\mathbf{do} \ell V)^E \mid \mathbf{handle}^\delta M \mathbf{with} H$
Handlers	$H ::= \{ \mathbf{return} x \mapsto M \} \mid \{ \ell p r \mapsto M \} \uplus H$

Fig. 4. Term Syntax

3.2 Terms

The terms are given in Fig. 4. We let x, y, z, r, p range over term variables. By convention, we use r to denote resumption names. The syntax partitions terms into values, computations and handlers. Value terms comprise variables (x), lambda abstraction ($\lambda x^A.M$), type abstraction ($\Lambda \alpha^K.M$), the introduction forms for records and variants, and recursive functions ($\mathbf{rec} g^{A \rightarrow C} x.M$). Records are introduced using the empty record $\langle \rangle$ and record extension $\langle \ell = V; W \rangle$, whilst variants are introduced using injection $(\ell V)^R$, which injects a field with label ℓ and value V into a row whose type is R .

All elimination forms are computation terms. Abstraction and type abstraction are eliminated using application (VW) and type application (VT) respectively. The record eliminator ($\mathbf{let} \langle \ell = x; y \rangle = V \mathbf{in} N$) splits a record V into x , the value associated with ℓ , and y , the rest of the record. Non-empty variants are eliminated using the case construct ($\mathbf{case} V \{ \ell x \mapsto M; y \mapsto N \}$), which evaluates the computation M if the tag of V matches ℓ . Otherwise it falls through to y and evaluates N . The elimination form for empty variants is ($\mathbf{absurd}^C V$). A trivial computation ($\mathbf{return} V$) returns value V . The expression ($\mathbf{let} x \leftarrow M \mathbf{in} N$) evaluates M and binds the result to x in N .

Operation invocation $(\mathbf{do} \ell V)^E$ performs operation ℓ with value argument V . Handling ($\mathbf{handle}^\delta M \mathbf{with} H$) runs a computation M using deep (δ empty) or shallow ($\delta = \dagger$) handler H . A handler definition H consists of a return clause $\{ \mathbf{return} x \mapsto M \}$ and a possibly empty set of operation clauses $\{ \ell p r \mapsto N_\ell \}_{\ell \in \mathcal{L}}$. The return clause defines how to handle the final return value of the handled computation, which is bound to x in M . The operation clause for ℓ binds the operation parameter to p and the resumption r in N_ℓ .

We define three projections on handlers: H^{ret} yields the singleton set containing the return clause of H and H^ℓ yields the set of either zero or one operation clauses in H that handle the operation ℓ and H^{ops} yields the set of all operation clauses in H . We write $\text{dom}(H)$ for the set of operations handled by H . Various term forms are annotated with type or kind information; we sometimes omit such annotations. We write $\text{Id}(M)$ for $\mathbf{handle} M \mathbf{with} \{ \mathbf{return} x \mapsto \mathbf{return} x \}$.

Syntactic sugar We make use of standard syntactic sugar for pattern matching, n -ary record extension, n -ary case elimination, and n -ary tuples.

Values

$$\begin{array}{c} \text{T-VAR} \\ \frac{x : A \in \Gamma}{\Delta; \Gamma \vdash x : A} \end{array} \quad \begin{array}{c} \text{T-LAM} \\ \frac{\Delta; \Gamma, x : A \vdash M : C}{\Delta; \Gamma \vdash \lambda x^A. M : A \rightarrow C} \end{array} \quad \begin{array}{c} \text{T-POLYLAM} \\ \frac{\Delta, \alpha : K; \Gamma \vdash M : C \quad \alpha \notin FTV(\Gamma)}{\Delta; \Gamma \vdash \Lambda \alpha^K. M : \forall \alpha^K. C} \end{array}$$

$$\begin{array}{c} \text{T-UNIT} \\ \Delta; \Gamma \vdash \langle \rangle : \langle \rangle \end{array} \quad \begin{array}{c} \text{T-EXTEND} \\ \frac{\Delta; \Gamma \vdash V : A \quad \Delta; \Gamma \vdash W : \langle \ell : \text{Abs}; R \rangle}{\Delta; \Gamma \vdash \langle \ell = V; W \rangle : \langle \ell : \text{Pre}(A); R \rangle} \end{array} \quad \begin{array}{c} \text{T-INJECT} \\ \frac{\Delta; \Gamma \vdash V : A}{\Delta; \Gamma \vdash (\ell V)^R : [\ell : \text{Pre}(A); R]} \end{array}$$

Computations

$$\begin{array}{c} \text{T-APP} \\ \frac{\Delta; \Gamma \vdash V : A \rightarrow C \quad \Delta; \Gamma \vdash W : A}{\Delta; \Gamma \vdash VW : C} \end{array} \quad \begin{array}{c} \text{T-POLYAPP} \\ \frac{\Delta; \Gamma \vdash V : \forall \alpha^K. C \quad \Delta \vdash T : K}{\Delta; \Gamma \vdash VT : C[T/\alpha]} \end{array} \quad \begin{array}{c} \text{T-SPLIT} \\ \frac{\Delta; \Gamma \vdash V : \langle \ell : \text{Pre}(A); R \rangle \quad \Delta; \Gamma, x : A, y : \langle \ell : \text{Abs}; R \rangle \vdash N : C}{\Delta; \Gamma \vdash \mathbf{let} \langle \ell = x; y \rangle = V \mathbf{in} N : C} \end{array}$$

$$\begin{array}{c} \text{T-CASE} \\ \frac{\Delta; \Gamma \vdash V : [\ell : \text{Pre}(A); R] \quad \Delta; \Gamma, x : A \vdash M : C \quad \Delta; \Gamma, y : [\ell : \text{Abs}; R] \vdash N : C}{\Delta; \Gamma \vdash \mathbf{case} V \{ \ell x \mapsto M; y \mapsto N \} : C} \end{array} \quad \begin{array}{c} \text{T-ABSURD} \\ \frac{\Delta; \Gamma \vdash V : []}{\Delta; \Gamma \vdash \mathbf{absurd}^C V : C} \end{array}$$

$$\begin{array}{c} \text{T-RETURN} \\ \frac{\Delta; \Gamma \vdash V : A}{\Delta; \Gamma \vdash \mathbf{return} V : A!E} \end{array}$$

$$\begin{array}{c} \text{T-LET} \\ \frac{\Delta; \Gamma \vdash M : A!E \quad \Delta; \Gamma, x : A \vdash N : B!E}{\Delta; \Gamma \vdash \mathbf{let} x \leftarrow M \mathbf{in} N : B!E} \end{array}$$

$$\begin{array}{c} \text{T-DO} \\ \frac{\Delta; \Gamma \vdash V : A \quad E = \{ \ell : A \rightarrow B; R \}}{\Delta; \Gamma \vdash (\mathbf{do} \ell V)^E : B!E} \end{array}$$

$$\begin{array}{c} \text{T-HANDLE} \\ \frac{\Gamma \vdash M : C \quad \Gamma \vdash H : C \Rightarrow^\delta D}{\Gamma \vdash \mathbf{handle}^\delta M \mathbf{with} H : D} \end{array}$$

Handlers

$$\begin{array}{c} \text{T-HANDLER} \\ \frac{C = A! \{ (\ell_i : A_i \rightarrow B_i); R \} \quad D = B! \{ (\ell_i : P_i); R \} \quad H = \{ \mathbf{return} x \mapsto M \} \uplus \{ \ell_i p r \mapsto N_i \}_i \quad \Delta; \Gamma, x : A \vdash M : D \quad [\Delta; \Gamma, p : A_i, r : B_i \rightarrow D \vdash N_i : D]_i}{\Delta; \Gamma \vdash H : C \Rightarrow D} \end{array}$$

$$\begin{array}{c} \text{T-HANDLER}^\dagger \\ \frac{C = A! \{ (\ell_i : A_i \rightarrow B_i); R \} \quad D = B! \{ (\ell_i : P_i); R \} \quad H = \{ \mathbf{return} x \mapsto M \} \uplus \{ \ell_i p r \mapsto N_i \}_i \quad \Delta; \Gamma, x : A \vdash M : D \quad [\Delta; \Gamma, p : A_i, r : B_i \rightarrow C \vdash N_i : D]_i}{\Gamma \vdash H : C \Rightarrow^\dagger D} \end{array}$$

Fig. 5. Typing rules for λ^\dagger

3.3 Typing Rules

The typing rules are given in Fig. 5. The value typing judgement $\Delta; \Gamma \vdash V : A$ states that value term V has type A under kind environment Δ and type environment Γ . The computation typing judgement $\Delta; \Gamma \vdash M : C$ states that term M has computation type C under kind environment Δ and type environment Γ . The handler typing judgement $\Delta; \Gamma \vdash H : C \Rightarrow^\delta D$ states that handler H has type $C \Rightarrow^\delta D$ under kind environment Δ and type environment Γ . In the typing judgements, we implicitly assume that Γ , A , C , and

S-APP	$(\lambda x.M)V \rightsquigarrow M[V/x]$
S-TYAPP	$(\Lambda \alpha.M)A \rightsquigarrow M[A/\alpha]$
S-SPLIT	$\mathbf{let} \langle \ell = x; y \rangle = \langle \ell = V; W \rangle \mathbf{in} N \rightsquigarrow N[V/x, W/y]$
S-CASE ₁	$\mathbf{case} \ell V \{ \ell x \mapsto M; y \mapsto N \} \rightsquigarrow M[V/x]$
S-CASE ₂	$\mathbf{case} \ell V \{ \ell' x \mapsto M; y \mapsto N \} \rightsquigarrow N[\ell V/y], \quad \text{if } \ell \neq \ell'$
S-REC	$(\mathbf{rec} g x.M) V \rightsquigarrow M[(\mathbf{rec} g x.M)/g, V/x]$
S-LET	$\mathbf{let} x \leftarrow \mathbf{return} V \mathbf{in} N \rightsquigarrow N[V/x]$
S-RET	$\mathbf{handle}^\delta (\mathbf{return} V) \mathbf{with} H \rightsquigarrow N[V/x],$ where $H^{\text{ret}} = \{\mathbf{return} x \mapsto N\}$
S-OP	$\mathbf{handle} \mathcal{E} [\mathbf{do} \ell V] \mathbf{with} H \rightsquigarrow$ $N[V/p, \lambda y. \mathbf{handle} \mathcal{E} [\mathbf{return} y] \mathbf{with} H/r],$ where $\ell \notin BL(\mathcal{E})$ and $H^\ell = \{\ell p r \mapsto N\}$
S-OP [†]	$\mathbf{handle}^\dagger \mathcal{E} [\mathbf{do} \ell V] \mathbf{with} H \rightsquigarrow N[V/p, \lambda y. \mathcal{E} [\mathbf{return} y]/r],$ where $\ell \notin BL(\mathcal{E})$ and $H^\ell = \{\ell p r \mapsto N\}$
S-LIFT	$\mathcal{E}[M] \rightsquigarrow \mathcal{E}[N], \quad \text{if } M \rightsquigarrow N$

Evaluation contexts $\mathcal{E} ::= [] \mid \mathbf{let} x \leftarrow \mathcal{E} \mathbf{in} N \mid \mathbf{handle}^\delta \mathcal{E} \mathbf{with} H$

Fig. 6. Small-Step Operational Semantics

D , are well-kinded with respect to Δ . We define $FTV(\Gamma)$ to be the set of free type variables in Γ .

The interesting rules are those for performing and handling operations. The T-HANDLER and T-HANDLER[†] rules are where most of the work happens. The effect rows on the computation type C and the output computation type D must share the same suffix R . This means that the effect row of D must explicitly mention each of the operations ℓ_i to say whether an ℓ_i is present with a given type signature, absent, or polymorphic in its presence. The row R describes the operations that are forwarded. It may include a row-variable, in which case an arbitrary number of effects may be forwarded by the handler. The difference in typing deep and shallow handlers is that the resumption of the former has return type D , whereas the resumption of the latter has return type C .

3.4 Operational Semantics

Figure 6 gives a small-step operational semantics for λ^\dagger . The reduction relation \rightsquigarrow is defined on computation terms. The interesting rules are the handler rules. We write $BL(\mathcal{E})$ for the set of operation labels bound by \mathcal{E} .

$$\begin{aligned} BL([]) &= \emptyset & BL(\mathbf{let} x \leftarrow \mathcal{E} \mathbf{in} N) &= BL(\mathcal{E}) \\ BL(\mathbf{handle}^\delta \mathcal{E} \mathbf{with} H) &= BL(\mathcal{E}) \cup \text{dom}(H) \end{aligned}$$

The S-RET rule invokes the return clause of a handler. The S-OP^δ rules handle an operation by invoking the appropriate operation clause. The constraint $\ell \notin BL(\mathcal{E})$ asserts that no handler in the evaluation context handles the operation: a handler reaches past any other inner handlers that do not handle ℓ . The difference between S-OP and S-OP[†] is that the former rewraps the handler about the body of the resumption. We write R^+ for transitive closure of relation R .

Definition 1

We say that computation term N is normal with respect to effect E if N is either of the form **return** V or $\mathcal{E}[\mathbf{do} \ell W]$, where $\ell \in E$ and $\ell \notin BL(\mathcal{E})$.

Theorem 1 (Type Soundness)

If $\vdash M : A!E$ then either $M \not\rightsquigarrow^*$ or there exists $\vdash N : A!E$ such that $M \rightsquigarrow^+ N \not\rightsquigarrow$ and N is normal with respect to E .

4 Deep as Shallow and Shallow as Deep

In this section we show that shallow handlers and general recursion can simulate deep handlers up to congruence, and that deep handlers can simulate shallow handlers up to administrative reductions. The latter construction generalises the example of pipes implemented using deep handlers that we gave in §2.6.

4.1 Deep as Shallow

The implementation of deep handlers using shallow handlers (and recursive functions) is by a direct local translation, similar to how one would implement a fold (catamorphism) in terms of general recursion. Each handler is wrapped in a recursive function and each resumption has its body wrapped in a call to this recursive function. Formally, the translation $\mathcal{S}[-]$ is defined as the homomorphic extension of the following equations to all terms.

$$\begin{aligned} \mathcal{S}[\mathbf{handle} M \mathbf{with} H] &= (\mathbf{rec} \ h f. \mathbf{handle}^\dagger f \langle \rangle \mathbf{with} \ \mathcal{S}[H]h) (\lambda \langle \rangle. \mathcal{S}[M]) \\ \mathcal{S}[H]h &= \mathcal{S}[H^{\text{ret}}]h \uplus \mathcal{S}[H^{\text{ops}}]h \\ \mathcal{S}[\{\mathbf{return} \ x \mapsto N\}]h &= \{\mathbf{return} \ x \mapsto \mathcal{S}[N]\} \\ \mathcal{S}[\{\ell \ p \ r \mapsto N_\ell\}_{\ell \in \mathcal{L}}]h &= \{\ell \ p \ r \mapsto \mathbf{let} \ r \leftarrow \mathbf{return} \ \lambda x. h(\lambda \langle \rangle. r x) \mathbf{in} \ \mathcal{S}[N_\ell]\}_{\ell \in \mathcal{L}} \end{aligned}$$

Theorem 2

If $\Delta; \Gamma \vdash M : C$ then $\Delta; \Gamma \vdash \mathcal{S}[M] : C$.

In order to obtain a simulation result, we allow reduction in the simulated term to be performed under lambda abstractions (and indeed anywhere in a term), which is necessary because of the redefinition of the resumption to wrap the handler around its body. Nevertheless, the simulation proof makes minimal use of this power, merely using it to rename a single variable. We write R_{cong} for the compatible closure of relation R , that is the smallest relation including R and closed under term constructors for λ^\dagger .

Theorem 3 (Simulation up to Congruence)

If $M \rightsquigarrow N$ then $\mathcal{S}[M] \rightsquigarrow_{\text{cong}}^+ \mathcal{S}[N]$.

Proof

By induction on \rightsquigarrow using a substitution lemma. The interesting case is S-DEEP-OP, which is where we apply a single β -reduction, renaming a variable, under the lambda abstraction representing the resumption. \square

4.2 Shallow as Deep

Implementing shallow handlers in terms of deep handlers is slightly more involved than the other way round. It amounts to the encoding of a case split by a fold and involves a translation on handler types as well as handler terms. Formally, the translation $\mathcal{D}[-]$ is defined as the homomorphic extension of the following equations to all types, terms, and type environments.

$$\begin{aligned}
\mathcal{D}[C \Rightarrow D] &= \mathcal{D}[C] \Rightarrow \langle \rangle \rightarrow \mathcal{D}[C], \langle \rangle \rightarrow \mathcal{D}[D] \\
\mathcal{D}[\mathbf{handle}^\dagger M \mathbf{with} H] &= \mathbf{let} z \leftarrow \mathbf{handle} \mathcal{D}[M] \mathbf{with} \mathcal{D}[H] \mathbf{in} \\
&\quad \mathbf{let} \langle f, g \rangle = z \mathbf{in} g \langle \rangle \\
\mathcal{D}[H] &= \mathcal{D}[H^{\text{ret}}] \uplus \mathcal{D}[H^{\text{ops}}] \\
\mathcal{D}[\{\mathbf{return} x \mapsto N\}] &= \{\mathbf{return} x \mapsto \mathbf{return} \langle \lambda \langle \rangle. \mathbf{return} x, \lambda \langle \rangle. \mathcal{D}[N] \rangle\} \\
\mathcal{D}[\{\ell p r \mapsto N\}_{\ell \in \mathcal{L}}] &= \{\ell p r \mapsto \\
&\quad \mathbf{let} r = \lambda x. \mathbf{let} z \leftarrow r x \mathbf{in} \mathbf{let} \langle f, g \rangle = z \mathbf{in} f \langle \rangle \mathbf{in} \\
&\quad \mathbf{return} \langle \lambda \langle \rangle. \mathbf{let} x \leftarrow \mathbf{do} \ell p \mathbf{in} r x, \lambda \langle \rangle. \mathcal{D}[N] \rangle\}_{\ell \in \mathcal{L}}
\end{aligned}$$

Each shallow handler is encoded as a deep handler that returns a pair of thunks. The first forwards all operations, acting as the identity on computations. The second interprets a single operation before reverting to forwarding.

Theorem 4

If $\Delta; \Gamma \vdash M : C$ then $\mathcal{D}[\Delta]; \mathcal{D}[\Gamma] \vdash \mathcal{D}[M] : \mathcal{D}[C]$.

As with the implementation of deep handlers as shallow handlers, the implementation is again given by a local translation. However, this time the administrative overhead is more significant. Reduction up to congruence is insufficient and we require a more semantic notion of administrative reduction.

Definition 2 (Administrative Evaluation Contexts)

An evaluation context \mathcal{E} is administrative, $\mathit{admin}(\mathcal{E})$, iff

1. For all values V , we have: $\mathcal{E}[\mathbf{return} V] \rightsquigarrow^* \mathbf{return} V$
2. For all evaluation contexts \mathcal{E}' , operations $\ell \in BL(\mathcal{E}) \setminus BL(\mathcal{E}')$, values V :

$$\mathcal{E}[\mathcal{E}'[\mathbf{do} \ell V]] \rightsquigarrow^* \mathbf{let} x \leftarrow \mathbf{do} \ell V \mathbf{in} \mathcal{E}'[\mathbf{return} x]$$

The intuition is that an administrative evaluation context behaves like the empty evaluation context up to some amount of administrative reduction, which can only proceed once the term in the context becomes sufficiently evaluated. Values annihilate the evaluation context and handled operations are forwarded.

Definition 3 (Approximation up to Administrative Reduction)

Define \gtrsim as the compatible closure of the following inference rules.

$$\frac{}{M \gtrsim M} \qquad \frac{M \rightsquigarrow M' \quad M' \gtrsim N}{M \gtrsim N} \qquad \frac{\mathit{admin}(\mathcal{E}) \quad M \gtrsim N}{\mathcal{E}[M] \gtrsim N}$$

We say that M approximates N up to administrative reduction if $M \gtrsim N$.

Approximation up to administrative reduction captures the property that administrative reduction may occur anywhere within a term. The following lemma states that the forwarding component of the translation is administrative.

Lemma 1

For all shallow handlers H , the following context is administrative:

$$\text{let } z \leftarrow \text{handle } [] \text{ with } \mathcal{D}[[H]] \text{ in let } \langle f; _ \rangle = z \text{ in } f \langle _ \rangle$$

Theorem 5 (Simulation up to Administrative Reduction)

If $M' \gtrsim \mathcal{D}[[M]]$ and $M \rightsquigarrow N$ then there exists N' such that $N' \gtrsim \mathcal{D}[[N]]$ and $M' \rightsquigarrow^+ N'$.

Proof

By induction on \rightsquigarrow using a substitution lemma and Lemma 1. The interesting case is S-OP^\dagger , which uses Lemma 1 to approximate the body of the resumption up to administrative reduction. \square

5 Continuation Passing Style for Effect Handlers

We now show how our effect handler calculus λ^\dagger can be implemented via a continuation passing style (CPS) translation into a calculus without effect handlers. Beyond a practical implementation technique for λ^\dagger , the contribution of this section is the identification of the structure of generalised continuations that we need to correctly model the behaviour of dynamically nested handlers, and the way that deep and shallow handlers behave differently upon resumption. Once we have identified this structure in the CPS translation, we use it in to design an CEK-like abstract machine for deep and shallow handlers in §6.

The basic idea of the translation is as follows. We upgrade the continuation argument from a standard CPS translation to be a stack of continuations, similar to CPS translations for delimited continuations (Materzok & Biernacki, 2012). Special to handlers, this stack is composed of alternating pure and handler continuations. Returning from a computation invokes the pure continuation, and invoking an operation initiates a search through the handler frames to find the one that handles it. The frames skipped over in the search are remembered so they can be reinstated after the operation has been handled and execution resumed.

We define our untyped target calculus in §5.1. We then present our CPS translation in stages. We start with a basic translation for fine-grain call-by-value without handlers in §5.2. We then formulate a sequence of first-order translations that progressively move from representing the dynamic stack of handlers as functions to explicit stacks in §5.3, gaining support for both deep and shallow handlers as we do so. These steps prepare us for our final higher-order one-pass translation in §5.4 that uses static computation at translation time to avoid run time administrative reductions.

5.1 Target Calculus

The target calculus is given in Fig. 7. As in λ^\dagger there is a syntactic distinction between values (V) and computations (M). Values (V) comprise: lambda abstractions ($\lambda x.M$); recursive functions ($\text{rec } g.x.M$); empty tuples ($\langle \rangle$); pairs ($\langle V, W \rangle$); and first-class labels (ℓ). In

Syntax

Values	$V, W ::= x \mid \lambda x.M \mid \mathbf{rec} g.x.M \mid \langle \rangle \mid \langle V, W \rangle \mid \ell$
Computations	$M, N ::= V \mid MW \mid \mathbf{let} \langle x, y \rangle = V \mathbf{in} N \mid \mathbf{case} V \{ \ell \mapsto M; y \mapsto N \} \mid \mathbf{absurd} V$
Evaluation contexts	$\mathcal{E} ::= [] \mid \mathcal{E} W$

Reductions

U-APP	$(\lambda x.M)V \rightsquigarrow M[V/x]$
U-REC	$(\mathbf{rec} g.x.M)V \rightsquigarrow M[\mathbf{rec} g.x.M/g, V/x]$
U-SPLIT	$\mathbf{let} \langle x, y \rangle = \langle V, W \rangle \mathbf{in} N \rightsquigarrow N[V/x, W/y]$
U-CASE ₁	$\mathbf{case} \ell \{ \ell \mapsto M; y \mapsto N \} \rightsquigarrow M$
U-CASE ₂	$\mathbf{case} \ell \{ \ell' \mapsto M; y \mapsto N \} \rightsquigarrow N[\ell/y], \quad \text{if } \ell \neq \ell'$
U-LIFT	$\mathcal{E}[M] \rightsquigarrow \mathcal{E}[N], \quad \text{if } M \rightsquigarrow N$

Syntactic sugar

$\mathbf{let} x = V \mathbf{in} N \equiv N[V/x]$	$\langle \rangle \equiv \ell_{\langle \rangle}$	$[] \equiv \ell_{[]}$
$\ell V \equiv \langle \ell; V \rangle$	$\langle \ell = V; W \rangle \equiv \langle \ell, \langle V, W \rangle \rangle$	$V :: W \equiv \langle \ell ::, \langle V, W \rangle \rangle$
$\mathbf{case} V \{ \ell x \mapsto M; y \mapsto N \} \equiv$	$\mathbf{let} \langle \ell = x; y \rangle = V \mathbf{in} N \equiv$	
$\mathbf{let} y = V \mathbf{in} \mathbf{let} \langle z, x \rangle = y \mathbf{in}$	$\mathbf{let} \langle z, z' \rangle = V \mathbf{in} \mathbf{let} \langle x, y \rangle = z' \mathbf{in}$	
$\mathbf{case} z \{ \ell \mapsto M; z \mapsto N \}$	$\mathbf{case} z \{ \ell \mapsto N; z \mapsto \ell_{\perp} \}$	

Fig. 7. Untyped target calculus for the CPS translations

§5.3.3, we will extend the values to also include convenience constructors for building resumptions and invoking structured continuations. Computations (M) comprise: values (V); applications ($M V$); pair elimination ($\mathbf{let} \langle x, y \rangle = V \mathbf{in} N$); label elimination ($\mathbf{case} V \{ \ell \mapsto M; x \mapsto N \}$); and explicit marking of unreachable code (\mathbf{absurd}). We permit the function position of an application to be a computation (i.e., the application form is $M W$ rather than $V W$). This relaxation is used in our initial CPS translations, but will be ruled out in our final translation when we start to use explicit lists to represent stacks of handlers in §5.3.2.

The reductions for functions, pairs, and first-class labels are standard.

We define syntactic sugar for variant values, record values, list values, let binding, variant eliminators, and record eliminators. We assume standard n -ary generalisations and use pattern matching syntax for deconstructing variants, records, and lists.

5.2 CPS translation for fine-grain call-by-value

We start by giving a CPS translation of the operation and handler-free subset of λ^{\dagger} in Figure 8. Fine-grain call-by-value admits a particularly simple CPS translation due to the separation of values and computations. All constructs from the source language are translated homomorphically into the target language, except for \mathbf{return} , \mathbf{let} , and type abstraction (the translation performs type erasure). Lifting a value V to a computation $\mathbf{return} V$ is interpreted by passing the value to the current continuation. Sequencing computations with \mathbf{let} is translated in the usual continuation passing way. In addition, we explicitly η -expand the translation of a type abstraction in order to ensure that value terms in the source calculus translate to value terms in the target.

Values	Computations
$\llbracket x \rrbracket = x$	$\llbracket V W \rrbracket = \llbracket V \rrbracket \llbracket W \rrbracket$
$\llbracket \lambda x.M \rrbracket = \lambda x.\llbracket M \rrbracket$	$\llbracket V A \rrbracket = \llbracket V \rrbracket$
$\llbracket \Lambda \alpha.M \rrbracket = \lambda k.\llbracket M \rrbracket k$	$\llbracket \mathbf{let} \langle \ell = x; y \rangle = V \mathbf{in} N \rrbracket = \mathbf{let} \langle \ell = x; y \rangle = \llbracket V \rrbracket \mathbf{in} \llbracket N \rrbracket$
$\llbracket \mathbf{rec} g x.M \rrbracket = \mathbf{rec} g x.\llbracket M \rrbracket$	$\llbracket \mathbf{case} V \{ \ell x \mapsto M; y \mapsto N \} \rrbracket = \mathbf{case} \llbracket V \rrbracket \{ \ell x \mapsto \llbracket M \rrbracket; y \mapsto \llbracket N \rrbracket \}$
$\llbracket \langle \rangle \rrbracket = \langle \rangle$	$\llbracket \mathbf{absurd} V \rrbracket = \mathbf{absurd} \llbracket V \rrbracket$
$\llbracket \langle \ell = V; W \rangle \rrbracket = \langle \ell = \llbracket V \rrbracket; \llbracket W \rrbracket \rangle$	$\llbracket \mathbf{return} V \rrbracket = \lambda k.k \llbracket V \rrbracket$
$\llbracket \ell V \rrbracket = \ell \llbracket V \rrbracket$	$\llbracket \mathbf{let} x \leftarrow M \mathbf{in} N \rrbracket = \lambda k.\llbracket M \rrbracket(\lambda x.\llbracket N \rrbracket k)$

Fig. 8. First-order CPS translation of fine-grain call-by-value

5.3 First-order CPS translations of handlers

As is usual for CPS, the translation of a computation term by the basic CPS translation in §5.2 takes a single continuation parameter that represents the context. With effects and handlers in the source language, we must now keep track of two kinds of context in which each computation executes: a *pure context* that tracks the state of pure computation in the scope of the current handler, and an *effect context* that describes how to handle operations in the scope of the current handler. Correspondingly, we have both *pure continuations* (k) and *effect continuations* (h). As handlers can be nested, each computation executes in the context of a *stack* of pairs of pure and effect continuations.

On entry into a handler, the pure continuation is initialised to a representation of the return clause and the effect continuation to a representation of the operation clauses. As pure computation proceeds, the pure continuation may grow, for example when executing a **let**. If an operation is encountered then the effect continuation is invoked. The current continuation pair (k, h) is packaged up as a *resumption* and passed to the current handler along with the operation and its argument. The effect continuation then either handles the operation, invoking the resumption as appropriate, or forwards the operation to an outer handler. In the latter case, the resumption is modified to ensure that the context of the original operation invocation can be reinstated when the resumption is invoked.

The translations introduced in this subsection differ in how they represent stacks of pure and effect continuations, and how they represent resumptions. The first translation represents the stack of continuations using currying, and resumptions as functions (§5.3.1). Currying obstructs proper tail-recursion, so we move to an explicit representation of the stack (§5.3.2). Then, in order to avoid administrative reductions in our final higher-order one-pass translation we use an explicit representation of resumptions (§5.3.3). Finally, in order to support shallow handlers, we will use an explicit stack representation for pure continuations (§5.3.4).

5.3.1 Curried translation

Our first translation builds upon the CPS translation of Figure 8. The extension to operations and handlers is localised to the additional features because currying conveniently lets us get away with a shift in interpretation: rather than accepting a single continuation,

translated computation terms now accept an arbitrary even number of arguments representing the stack of pure and effect continuations. Thus, the translation of core constructs remain exactly the same as in Figure 8, where we imagine there being some number of extra continuation arguments that have been η -reduced. The translation of operations and handlers is as follows:

$$\begin{aligned} \llbracket \mathbf{do} \ell V \rrbracket &= \lambda k. \lambda h. h \langle \ell, \langle \llbracket V \rrbracket, \lambda x. k x h \rangle \rangle \\ \llbracket \mathbf{handle} M \mathbf{with} H \rrbracket &= \llbracket M \rrbracket \llbracket H^{\text{ret}} \rrbracket \llbracket H^{\text{ops}} \rrbracket, \text{ where} \\ \llbracket \{\mathbf{return} x \mapsto N\} \rrbracket &= \lambda x. \lambda h. \llbracket N \rrbracket \\ \llbracket \{\ell p r \mapsto N_\ell\}_{\ell \in \mathcal{L}} \rrbracket &= \lambda \langle z, \langle p, r \rangle \rangle. \mathbf{case} z \{ (\ell \mapsto \llbracket N_\ell \rrbracket)_{\ell \in \mathcal{L}}; y \mapsto M_{\text{forward}}(y, p, r) \} \\ M_{\text{forward}}(y, p, r) &= \lambda k. \lambda h. h \langle y, \langle p, \lambda x. r x k h \rangle \rangle \end{aligned}$$

Each operation is encoded as a value tagged with the name ℓ , where the value consists of a pair consisting of the parameter of the operation, and a resumption, which ensures that any subsequent operations are handled by the same effect continuation h .

The translation of **handle** M **with** H invokes the translation of M with new pure and effect continuation arguments for the return and operation clauses of H . The translation of a return clause is a term which garbage collects the current effect continuation h . The translation of a set of operation clauses is a function which dispatches on encoded operations, and in the default case forwards to an outer handler. In the forwarding case, the resumption is extended by the parent continuation pair in order to reinstate the handler stack, thereby ensuring subsequent invocations of the same operation are handled uniformly.

The translation of complete programs feeds the translated term the identity pure continuation (which discards its handler argument), and an effect continuation that is never intended to be called:

$$\top \llbracket M \rrbracket = \llbracket M \rrbracket (\lambda x. \lambda h. h.x) (\lambda \langle z, _ \rangle. \mathbf{absurd} z)$$

Conceptually, this translation of top-level programs encloses the translated program by a top-level handler with an empty collection of operation clauses and an identity return clause.

There are three shortcomings of this initial translation that we address below. First, it is not properly tail-recursive due to the curried representation of the continuation stack. We will rectify this using an explicit list representation in the next subsection. Second, it yields administrative redexes (redexes that could be reduced statically). We will rectify this with a higher-order one-pass translation in §5.4. Third, this translation cannot cope with shallow handlers. The pure continuations k are abstract and include the return clause of the corresponding handler. Shallow handlers require that the return clause of a handler is discarded when one of its operations is invoked. We will fix this in §5.3.4, where we will represent pure continuations as explicit stacks.

To illustrate the first two issues, consider the following example:

$$\begin{aligned} \top \llbracket \mathbf{return} \langle \rangle \rrbracket &= (\lambda k. k \langle \rangle) (\lambda x. \lambda h. h.x) (\lambda \langle z, _ \rangle. \mathbf{absurd} z) \\ &\rightsquigarrow ((\lambda x. \lambda h. h.x) \langle \rangle) (\lambda \langle z, _ \rangle. \mathbf{absurd} z) \\ &\rightsquigarrow (\lambda h. \langle \rangle) (\lambda \langle z, _ \rangle. \mathbf{absurd} z) \\ &\rightsquigarrow \langle \rangle \end{aligned}$$

The first reduction is administrative: it has nothing to do with the dynamic semantics of the original term and there is no reason not to eliminate it statically. The second and third reductions simulate handling **return** $\langle \rangle$ at the top level. The second reduction partially applies $\lambda x. \lambda h. x$ to $\langle \rangle$, which must return a value so that the third reduction can be applied: evaluation is not tail-recursive. The lack of tail-recursion is also apparent in our relaxation of fine-grain call-by-value in Figure 7: the function position of an application can be a computation, and the calculus makes use of evaluation contexts.

Remark We originally derived this curried CPS translation for effect handlers by composing Forster *et al.*'s translation from effect handlers to delimited continuations (2017) with Materzok & Biernacki's CPS translation for delimited continuations (2012).

5.3.2 Continuations as explicit stacks

Following Materzok & Biernacki we uncurry our CPS translation in order to obtain a properly tail-recursive translation, representing the stacks of pure and effect continuations explicitly as lists. The translation of return, let binding, operations, handlers, and top level programs is adjusted as follows for the new representation:

$$\begin{aligned}
\llbracket \mathbf{return} V \rrbracket &= \lambda (k :: ks). k \llbracket V \rrbracket ks \\
\llbracket \mathbf{let} x \leftarrow M \mathbf{in} N \rrbracket &= \lambda (k :: ks). \llbracket M \rrbracket ((\lambda x. \lambda ks. \llbracket N \rrbracket (k :: ks)) :: ks) \\
\llbracket \mathbf{do} \ell V \rrbracket &= \lambda (k :: h :: ks). h \langle \ell, \langle \llbracket V \rrbracket, \lambda x. \lambda ks. k x (h :: ks) \rangle \rangle ks \\
\llbracket \mathbf{handle} M \mathbf{with} H \rrbracket &= \lambda ks. \llbracket M \rrbracket (\llbracket H^{\text{ret}} \rrbracket :: \llbracket H^{\text{ops}} \rrbracket :: ks), \text{ where} \\
\llbracket \{\mathbf{return} x \mapsto N\} \rrbracket &= \lambda x. \lambda ks. \mathbf{let} (h :: ks') = ks \mathbf{in} \llbracket N \rrbracket ks' \\
\llbracket \{\ell p r \mapsto N_\ell\}_{\ell \in \mathcal{L}} \rrbracket &= \lambda \langle z, \langle p, r \rangle \rangle. \lambda ks. \mathbf{case} z \{ (\ell \mapsto \llbracket N_\ell \rrbracket ks)_{\ell \in \mathcal{L}}; \\
&\quad y \mapsto M_{\text{forward}}((y, p, r), ks) \} \\
M_{\text{forward}}((y, p, r), ks) &= \mathbf{let} (k' :: h' :: ks') = ks \mathbf{in} \\
&\quad h' \langle y, \langle p, \lambda x. \lambda ks''. r x (k' :: h' :: ks'') \rangle \rangle ks' \\
\top \llbracket M \rrbracket &= \llbracket M \rrbracket ((\lambda x ks. x) :: (\lambda \langle z, \langle p, r \rangle \rangle. \lambda ks. \mathbf{absurd} z) :: [])
\end{aligned}$$

The other cases are as in the original CPS translation in Figure 8. The stacks of continuations are now lists, where pure continuations and effect continuations occupy alternating positions.

Since we now use a list representation for the stacks of continuations, we have had to modify the translations of all the constructs that manipulate continuations. For **return** and **let**, we extract the top continuation k and manipulate it analogously to the original translation in Figure 8. For **do**, we extract the top pure continuation k and effect continuation h and invoke h in the same way as the curried translation, except that we explicitly maintain the stack ks of additional continuations. The translation of **handle**, however, pushes a continuation pair onto the stack instead of supplying them as arguments. Handling of operations is the same as before, except for explicit passing of the ks . Forwarding now pattern matches on the stack to extract the next continuation pair, rather than accepting them as arguments. Proper tail recursion coincides with a refinement of the target syntax. Now applications are either of the form VW or of the form UVW . We could also add a rule

for applying a two argument lambda abstraction to two arguments at once and eliminate the U-LIFT rule, but we defer this until our higher order translation in §5.4.

5.3.3 Resumptions as explicit reversed stacks

In the CPS translations of operations and handlers that we have defined so far, resumptions have been represented as functions, and forwarding has been implemented using function composition. In order to avoid the administrative redexes arising from function composition, we move to an explicit representation of resumptions as *reversed* stacks of pure and effect continuations. We convert these reversed stacks to actual functions on demand using a special **let** $r = \mathbf{res} V \mathbf{in} N$ computation term that reduces as follows:

$$\text{U-RES} \quad \mathbf{let} r = \mathbf{res} (V_n :: \dots :: V_1 :: []) \mathbf{in} N \rightsquigarrow N[\lambda x k. V_1 x (V_2 :: \dots :: V_n :: k) / r]$$

This reduction rule reverses the stack, pulls out the top continuation V_1 , and prepends the remainder onto the current stack W . The stack representing a resumption and the remaining stack W are reminiscent of the zipper data structure for representing cursors in lists (Huet, 1997). Resumptions can therefore be thought of as representing pointers into the stack of handlers.

The translations of **do**, handling, and forwarding need to be modified to handle the change in representation of resumptions. The translation of **do** builds a resumption stack, handling uses the **res** construct to convert the resumption stack into a function, and M_{forward} extends the resumption stack with the current continuation pair.

$$\begin{aligned} \llbracket \mathbf{do} \ell V \rrbracket &= \lambda k :: h :: ks. h \langle \ell, \langle \llbracket V \rrbracket, h :: k :: [] \rangle \rangle ks \\ \llbracket \{(\ell p r \mapsto N_\ell)_{\ell \in \mathcal{L}}\} \rrbracket &= \lambda \langle z, \langle p, rk \rangle \rangle. \lambda ks. \mathbf{case} z \{ (\ell \mapsto \mathbf{let} r = \mathbf{res} rk \mathbf{in} \llbracket N_\ell \rrbracket ks)_{\ell \in \mathcal{L}}; \\ &\quad y \mapsto M_{\text{forward}}((y, p, rk), ks) \} \\ M_{\text{forward}}((y, p, r), ks) &= \mathbf{let} (k' :: h' :: ks') = ks \mathbf{in} h' \langle y, \langle p, h' :: k' :: r \rangle \rangle ks' \end{aligned}$$

Since we have only changed the representation of resumptions, the translation of top-level programs remains the same.

5.3.4 Shallow Handlers: Pure continuations as explicit stacks

We now extend the CPS translation to allow deep and shallow handlers. Hillerström *et al.* (2017) sketched a translation based on the CPS translations given above, but this translation unfortunately contained a bug. The problem is that the return clause is integrated into the pure continuation of each stack frame, but the semantics of shallow handlers demands that this return clause is discarded when any of the operations is invoked. Using a functional representation of pure continuations means that there is no way to remove the (translation of the) return clause. Hillerström & Lindley (2018) fixed this by switching to a more intensional representation of pure continuations as explicit stacks. We present their solution again here, relating it to the CPS translations for only deep handlers presented above.

Stack frames now consist of triples $\langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle$, where fs is list of stack frames representing the pure continuation for the computation occurring between the current execution and the handler, h^{ret} is the (translation of the) return clause of the enclosing handler, and h^{ops} is the (translation of the) operation clauses.

Since pure continuations are no longer represented simply as functions, we cannot invoke them by simple function application. Instead, we must inspect the structure of the pure stack fs and act appropriately. To package this neatly, we introduce a computation form **app** $V W$ that feeds a value W into the continuation stack represented by V . There are two reduction rules:

$$\begin{array}{l} \text{U-KAPPNIL} \quad \mathbf{app} (\langle \langle \rangle, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: ks) W \rightsquigarrow h^{\text{ret}} W ks \\ \text{U-KAPPCONS} \quad \mathbf{app} (\langle f :: fs, h \rangle :: ks) W \rightsquigarrow f W (\langle fs, h \rangle :: ks) \end{array}$$

The first rule describes what happens when the pure continuation stack is exhausted and the return clause of the enclosing handler is invoked. The second rule describes the case when the pure continuation stack has at least one element: this continuation is invoked and the remainder of the stack is passed in as the new continuation.

Since the representation of stacks has changed, we must also change how resumptions (i.e. reversed stacks) are converted into functions that can be applied. Resumptions for deep handlers (**res** V) are similar to the previous section, except that we now use **app** to invoke the continuation. Resumptions for shallow handlers (**res**[†] V) are more complex. Instead of taking all the frames and reverse appending them to the current stack, we remove the current handler h and move the pure continuation $f_1 :: \dots :: f_m :: \langle \rangle$ into the next frame. This captures the intended behaviour of shallow handlers: they are removed from the stack once they have been invoked. The reduction rules describing the behaviour of resumptions are:

$$\begin{array}{l} \text{U-RES} \quad \mathbf{let} r = \mathbf{res} (V_n :: \dots :: V_1 :: \langle \rangle); \mathbf{in} N \rightsquigarrow N[\lambda x k. \mathbf{app} (V_1 :: \dots V_n :: k) x/r] \\ \text{U-RES}^\dagger \quad \mathbf{let} r = \mathbf{res}^\dagger (\langle V_{f_1} :: \dots :: V_{f_m} :: \langle \rangle, h \rangle :: V_n :: \dots :: V_1 :: \langle \rangle); \mathbf{in} N \rightsquigarrow \\ N[\lambda x k. \mathbf{let} \langle fs', h' \rangle :: k' = W \mathbf{in} \\ \mathbf{app} (V_1 :: \dots :: V_n :: \langle V_{f_1} :: \dots :: V_{f_m} :: fs', h' \rangle :: k') V/r] \end{array}$$

These constructs along with their reduction rules are macro-expressible in terms of the existing constructs. We choose to treat them as primitives in order to keep the presentation relatively concise.

The CPS translation is modified to take into account the new representation of stacks. We can now implement both deep and shallow handlers within a single translation by choosing the appropriate way to convert resumptions via the flag δ .

$$\begin{array}{l} \llbracket \mathbf{return} V \rrbracket = \lambda ks. \mathbf{app} ks \llbracket V \rrbracket \\ \llbracket \mathbf{let} x \leftarrow M \mathbf{in} N \rrbracket = \lambda \langle fs, h \rangle :: ks. \llbracket M \rrbracket (\langle \lambda x. \lambda ks. \llbracket N \rrbracket ks \rangle :: fs, h) :: ks \\ \llbracket \mathbf{do} \ell V \rrbracket = \lambda \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: ks. h^{\text{ops}} \langle \ell, \langle \llbracket V \rrbracket, \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: \langle \rangle \rangle ks \\ \llbracket \mathbf{handle}^\delta M \mathbf{with} H \rrbracket = \lambda ks. \llbracket M \rrbracket (\langle \langle \rangle, \langle \llbracket H^{\text{ret}} \rrbracket, \llbracket H^{\text{ops}} \rrbracket^\delta \rangle \rangle :: ks), \text{ where} \\ \llbracket \{\mathbf{return} x \mapsto N\} \rrbracket = \lambda x. \lambda ks. \llbracket N \rrbracket ks \\ \llbracket \{\ell p r \mapsto N_\ell\}_{\ell \in \mathcal{L}} \rrbracket^\delta = \lambda \langle z, \langle p, rk \rangle \rangle. \lambda ks. \mathbf{case} z \{ (\ell \mapsto \mathbf{let} r = \mathbf{res}^\delta rk \mathbf{in} \llbracket N_\ell \rrbracket ks)_{\ell \in \mathcal{L}}; \\ y \mapsto M_{\text{forward}}((y, p, rk), ks) \} \\ M_{\text{forward}}((y, p, rk), ks) = \mathbf{let} \langle s, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: ks' = ks \mathbf{in} \\ \mathbf{let} rk' = \langle s, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: rk \mathbf{in} \\ h^{\text{ops}} \langle y, \langle p, rk' \rangle \rangle ks' \end{array}$$

The translation of top-level programs feeds in an empty stack for the pure computation, the identity return clause, and an operations clause that never expects to be invoked:

$$\top \llbracket M \rrbracket = \llbracket M \rrbracket (\langle \langle \rangle, \langle \lambda x. \lambda ks. x, \lambda \langle z, \langle p, rk \rangle \rangle. \lambda ks. \mathbf{absurd} z \rangle \rangle :: \langle \rangle)$$

We now have a CPS translation of λ^\dagger that handles deep and shallow handlers, and is tail recursive. There still remains the problem of administrative reductions, making translated code less efficient than it could be. We rectify this in the next section by using a higher-order translation that eliminates administrative reductions statically.

5.4 A higher-order explicit stack translation

We now adapt the translation of §5.3.4 to a higher-order one-pass CPS translation (Danvy & Filinski, 1990) that partially evaluates administrative redexes at translation time. Following Danvy & Nielsen (2003), we adopt a two-level lambda calculus notation to distinguish between *static* lambda abstraction and application in the meta language and *dynamic* lambda abstraction and application in the target language: overline denotes a static syntax constructor; underline denotes a dynamic syntax constructor. The idea is that redexes marked as static are reduced as part of the translation (at compile time), whereas those marked as dynamic are reduced at runtime. To facilitate this notation we write application in both calculi with an infix “at” symbol (@).

5.4.1 Dynamic Terms: The Target Calculus

The target calculus is given in Fig. 9. This is essentially the same as the target calculus described in §5.1, except that the application form ($U @ V @ W$) comprises three values, and all applications take two arguments: a function argument and a parameter. The calculus also includes the **app** and **let** $r = \mathbf{res}^\delta V \mathbf{in} N$ constructs described in §5.3.4. There is a small difference in the reduction rules for the resumption constructs: for deep resumptions we do an additional pattern match on the current continuation stack (k). This is required to make the simulation proof for the CPS translation described below go through, because it makes the functions that resumptions get converted to have the same shape as the translation of source level functions – this is required because our operational semantics treats resumptions as special kinds of functions, not as first-class objects in their own right. As above, the **app** and resumption constructs, with their reduction rules, are macro-expressible in terms of the other constructs of the dynamic language. We have also taken care to colour dynamic red the constructors and eliminators for functions, pairs, and lists, because these are the features that overlap with the static language.

5.4.2 Static Terms

Static constructs are marked in static blue, and their redexes are reduced as part of the translation (at compile time). We make use of static lambda abstractions, pairs, and lists. Reflection of dynamic language values into the static language is written as $\uparrow V$. We use κ for variables representing statically known continuations (frame stacks), θ for variables representing pure frame stacks, and χ for variables representing handlers. We let \mathcal{V}, \mathcal{W} range over meta language values, \mathcal{M} range over static language expressions, and \mathcal{P}, \mathcal{Q} over static language patterns. We use list and record pattern matching in the meta language, which behaves as follows:

$$(\overline{\lambda}(\overline{\mathcal{P}}, \overline{\mathcal{Q}})..\overline{\mathcal{M}}) @ (\overline{\mathcal{V}}, \overline{\mathcal{W}}) = (\overline{\lambda}(\overline{\mathcal{P}}, \overline{\lambda}(\overline{\mathcal{Q}})..\overline{\mathcal{M}}) @ \overline{\mathcal{V}} @ \overline{\mathcal{W}}) = (\overline{\lambda}(\overline{\mathcal{P}} :: \overline{\mathcal{Q}})..\overline{\mathcal{M}}) @ (\overline{\mathcal{V}} :: \overline{\mathcal{W}})$$

Syntax

Values $V, W ::= x \mid \lambda x k.M \mid \mathbf{rec} g x k.M \mid \ell \mid \langle V, W \rangle$
 Computations $M, N ::= V \mid U @ V @ W \mid \mathbf{let} \langle x, y \rangle = V \mathbf{in} N$
 $\mid \mathbf{case} V \{ \ell \mapsto M; x \mapsto N \} \mid \mathbf{absurd} V$
 $\mid \mathbf{app} V W \mid \mathbf{let} r = \mathbf{res}^\delta V \mathbf{in} M$

Syntactic sugar

$\mathbf{let} x = V \mathbf{in} N \equiv N[V/x]$ $\langle \rangle \equiv \ell_\langle \rangle$ $\llbracket \rrbracket \equiv \ell_\llbracket \rrbracket$
 $\ell V \equiv \langle \ell, V \rangle$ $\langle \ell = V; W \rangle \equiv \ell \langle V, W \rangle$ $V :: W \equiv \ell :: \langle V, W \rangle$
 $\mathbf{case} V \{ \ell x \mapsto M; y \mapsto N \} \equiv \mathbf{let} \langle \ell = x; y \rangle = V \mathbf{in} N \equiv$
 $\mathbf{let} y = V \mathbf{in} \mathbf{let} \langle z, x \rangle = y \mathbf{in} \mathbf{let} \langle z, z' \rangle = V \mathbf{in} \mathbf{let} \langle x, y \rangle = z' \mathbf{in}$
 $\mathbf{case} z \{ \ell \mapsto M; z \mapsto N \}$ $\mathbf{case} z \{ \ell \mapsto N; z \mapsto \ell_\perp \}$

Reductions

U-APP $(\lambda x k.M) @ V @ W \rightsquigarrow M[V/x, W/k]$
 U-REC $(\mathbf{rec} g x k.M) @ V @ W \rightsquigarrow M[\mathbf{rec} g x k.M/g, V/x, W/k]$
 U-SPLIT $\mathbf{let} \langle x, y \rangle = \langle V, W \rangle \mathbf{in} N \rightsquigarrow N[V/x, W/y]$
 U-CASE₁ $\mathbf{case} \ell \{ \ell \mapsto M; x \mapsto N \} \rightsquigarrow M$
 U-CASE₂ $\mathbf{case} \ell \{ \ell' \mapsto M; x \mapsto N \} \rightsquigarrow N[\ell/x],$ if $\ell \neq \ell'$
 U-KAPPNIL $\mathbf{app} (\langle \llbracket \rrbracket, \langle v, e \rangle \rangle :: k) V \rightsquigarrow v @ V @ k$
 U-KAPPCONS $\mathbf{app} (\langle f :: s, h \rangle :: k) V \rightsquigarrow f @ V @ (\langle s, h \rangle :: k)$
 U-RES $\mathbf{let} r = \mathbf{res}(V_n :: \dots :: V_1 :: \llbracket \rrbracket) \mathbf{in} N \rightsquigarrow$
 $N[\lambda x k. \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in}$
 $\mathbf{app} (V_1 :: \dots :: V_n :: \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k') x/r]$
 U-RES[†] $\mathbf{let} r = \mathbf{res}^\dagger(\langle V_{f_1} :: \dots :: V_{f_m} :: \llbracket \rrbracket, h \rangle :: V_n :: \dots :: V_1 :: \llbracket \rrbracket) \mathbf{in} N \rightsquigarrow$
 $N[\lambda x k. \mathbf{let} \langle s', h' \rangle :: k' = k \mathbf{in}$
 $\mathbf{app} (q_1 :: \dots :: q_n :: \langle f_1 :: \dots :: f_m :: s', h' \rangle :: k') x/r]$

Fig. 9. Untyped Target Calculus for the Higher-order CPS translation

Static language values comprised of reflected values, pairs and list conses are reified as dynamic language values $\downarrow \mathcal{V}$ by induction on their structure:

$$\downarrow \uparrow V = V \quad \downarrow (\mathcal{V} :: \mathcal{W}) = \downarrow \mathcal{V} :: \downarrow \mathcal{W} \quad \downarrow \langle \mathcal{V}, \mathcal{W} \rangle = \langle \downarrow \mathcal{V}, \downarrow \mathcal{W} \rangle$$

We assume the static language is pure and hence respects the usual β and η equivalences.

5.4.3 The Translation

The CPS translation is given in Fig. 10. In essence, it is the same as the CPS translation for deep and shallow handlers we described in §5.3.4, albeit separated into static and dynamic parts. A major difference that has a large cosmetic effect on the presentation of the translation is that we maintain the invariant that the statically known stack (κ) always contains at least one frame, consisting of a triple $\langle \uparrow V_{fs}, \uparrow V_{ret}, \uparrow V_{ops} \rangle$ of reflected dynamic pure frame stacks, return handlers, and operation handlers. Maintaining this invariant ensures that all translations are uniform in whether they appear statically within the scope of a

Values

$$\begin{aligned}
\llbracket x \rrbracket &= x \\
\llbracket \lambda x.M \rrbracket &= \underline{\lambda} x k. \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \llbracket M \rrbracket @ (\overline{\langle \uparrow fs, \overline{\uparrow h^{\text{ret}}}, \uparrow h^{\text{ops}} \rangle} :: \uparrow k) \\
\llbracket \Lambda \alpha.M \rrbracket &= \underline{\lambda} z k. \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \llbracket M \rrbracket @ (\overline{\langle \uparrow fs, \overline{\uparrow h^{\text{ret}}}, \uparrow h^{\text{ops}} \rangle} :: \uparrow k) \\
\llbracket \mathbf{rec} g x.M \rrbracket &= \mathbf{rec} g x k. \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \llbracket M \rrbracket @ (\overline{\langle \uparrow fs, \overline{\uparrow h^{\text{ret}}}, \uparrow h^{\text{ops}} \rangle} :: \uparrow k) \\
\llbracket \langle \rangle \rrbracket &= \langle \rangle \quad \llbracket \langle \ell = V; W \rangle \rrbracket = \langle \ell = \llbracket V \rrbracket; \llbracket W \rrbracket \rangle \quad \llbracket \ell V \rrbracket = \ell \llbracket V \rrbracket
\end{aligned}$$

Computations

$$\begin{aligned}
\llbracket VW \rrbracket &= \underline{\lambda} \kappa. \llbracket V \rrbracket @ \llbracket W \rrbracket @ \downarrow \kappa \\
\llbracket VT \rrbracket &= \underline{\lambda} \kappa. \llbracket V \rrbracket @ \langle \rangle @ \downarrow \kappa \\
\llbracket \mathbf{let} \langle \ell = x; y \rangle = V \mathbf{in} N \rrbracket &= \underline{\lambda} \kappa. \mathbf{let} \langle \ell = x; y \rangle = \llbracket V \rrbracket \mathbf{in} \llbracket N \rrbracket @ \kappa \\
\llbracket \mathbf{case} V \{ \ell x \mapsto M; y \mapsto N \} \rrbracket &= \underline{\lambda} \kappa. \mathbf{case} \llbracket V \rrbracket \{ \ell x \mapsto \llbracket M \rrbracket @ \kappa; y \mapsto \llbracket N \rrbracket @ \kappa \} \\
\llbracket \mathbf{absurd} V \rrbracket &= \underline{\lambda} \kappa. \mathbf{absurd} \llbracket V \rrbracket \\
\llbracket \mathbf{return} V \rrbracket &= \underline{\lambda} \kappa. \mathbf{app} (\downarrow \kappa) \llbracket V \rrbracket \\
\llbracket \mathbf{let} x \leftarrow M \mathbf{in} N \rrbracket &= \underline{\lambda} \langle \theta, \langle \chi^{\text{ret}}, \chi^{\text{ops}} \rangle \rangle :: \kappa. \\
&\quad \llbracket M \rrbracket @ (\overline{\langle \uparrow (\underline{\lambda} x k. \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \\
&\quad \quad \quad \llbracket N \rrbracket @ (\overline{\langle \uparrow fs, \overline{\uparrow h^{\text{ret}}}, \uparrow h^{\text{ops}} \rangle} :: \uparrow k') \rangle} :: \downarrow \theta), \\
&\quad \quad \quad \langle \chi^{\text{ret}}, \chi^{\text{ops}} \rangle :: \kappa) \\
\llbracket \mathbf{do} \ell V \rrbracket &= \underline{\lambda} \langle \theta, \langle \chi^{\text{ret}}, \chi^{\text{ops}} \rangle \rangle :: \kappa. \downarrow \chi^{\text{ops}} @ \langle \ell, \langle \llbracket V \rrbracket, \langle \downarrow \theta, \langle \downarrow \chi^{\text{ret}}, \downarrow \chi^{\text{ops}} \rangle \rangle \rangle \rangle @ \downarrow \kappa \\
\llbracket \mathbf{handle}^\delta M \mathbf{with} H \rrbracket &= \underline{\lambda} \kappa. \llbracket M \rrbracket @ (\overline{\langle \uparrow \llbracket H \rrbracket \rangle}, \llbracket H \rrbracket^\delta) :: \kappa \\
\llbracket H \rrbracket^\delta &= \overline{\langle \uparrow \llbracket H^{\text{ret}} \rrbracket, \uparrow \llbracket H^{\text{ops}} \rrbracket \rangle}^\delta \\
\llbracket \mathbf{return} x \mapsto N \rrbracket &= \underline{\lambda} x k. \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \\
&\quad \llbracket N \rrbracket @ (\overline{\langle \uparrow fs, \overline{\uparrow h^{\text{ret}}}, \uparrow h^{\text{ops}} \rangle} :: \uparrow k') \\
\llbracket \{ (\ell p r \mapsto N_\ell)_{\ell \in \mathcal{L}} \} \rrbracket^\delta &= \underline{\lambda} \langle z, \langle p, rk \rangle \rangle k. \mathbf{case} z \{ (\ell \mapsto \mathbf{let} r = \mathbf{res}^\delta rk \mathbf{in} \\
&\quad \quad \quad \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \\
&\quad \quad \quad \llbracket N_\ell \rrbracket @ (\overline{\langle \uparrow fs, \overline{\uparrow h^{\text{ret}}}, \uparrow h^{\text{ops}} \rangle} :: \uparrow k') \}_{\ell \in \mathcal{L}} \\
&\quad \quad \quad y \mapsto M_{\text{forward}}((y, p, rk), k) \} \\
M_{\text{forward}}((y, p, rk), k) &= \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \\
&\quad \mathbf{let} rk' = \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: rk \mathbf{in} \\
&\quad h^{\text{ops}} @ \langle y, \langle p, rk' \rangle \rangle @ k'
\end{aligned}$$

Top-level program

$$\top \llbracket M \rrbracket = \llbracket M \rrbracket @ (\overline{\langle \uparrow \llbracket \rangle \rrbracket}, \overline{\langle \uparrow \underline{\lambda} x k. x, \uparrow \underline{\lambda} \langle z, \langle p, rk \rangle \rangle k. \mathbf{absurd} z \rangle} :: \uparrow \llbracket \rangle \rrbracket)$$

Fig. 10. Higher-Order Uncurried CPS Translation of λ^\dagger

handler or not, and this simplifies our correctness proof. To maintain the invariant, any place where a dynamically known stack is passed in (as a continuation parameter k), it is immediately decomposed using a dynamic language **let** and repackaged as a static value with reflected variable names. Unfortunately, this does add some clutter to the translation definition, as compared to the translations above. However, there is a payoff in the removal of administrative reductions at run time. The translations presented by Hillerström *et al.* (2017) and Hillerström & Lindley (2018) did not do this decomposition and repackaging step, which resulted in additional administrative reductions in the translation due to the translations of **let** and **do** being passed dynamic continuations when they were expecting statically known ones.

Example The following example illustrates how the higher-order CPS translation avoids generating administrative redexes by performing static reductions.

$$\begin{aligned} \top \llbracket \mathbf{handle} \ (\mathbf{do} \ \mathbf{Await} \ \langle \rangle) \ \mathbf{with} \ H \rrbracket &= \llbracket \mathbf{handle} \ (\mathbf{do} \ \mathbf{Await} \ \langle \rangle) \ \mathbf{with} \ H \rrbracket @ \overline{\mathcal{K}}_{\top} \\ &= \llbracket \mathbf{do} \ \mathbf{Await} \ \langle \rangle \rrbracket @ \langle \overline{\mathcal{K}}_{\top}, \llbracket H \rrbracket \rangle :: \overline{\mathcal{K}}_{\top} \\ &= \llbracket \mathbf{do} \ \mathbf{Await} \ \langle \rangle \rrbracket @ \langle \overline{\mathcal{K}}_{\top}, \langle \llbracket H^{\text{ret}} \rrbracket, \llbracket H^{\text{ops}} \rrbracket \rangle \rangle :: \overline{\mathcal{K}}_{\top} \\ &= \llbracket H^{\text{ops}} \rrbracket @ \mathbf{Await} \ \langle \langle \rangle, \langle \overline{\mathcal{K}}_{\top}, \llbracket H \rrbracket \rangle \rangle @ \downarrow \overline{\mathcal{K}}_{\top} \end{aligned}$$

where $\overline{\mathcal{K}}_{\top} = (\langle \overline{\mathcal{K}}_{\top}, \langle \uparrow \lambda x. \lambda k. x, \uparrow \lambda \langle z, \langle p, rk \rangle \rangle. \lambda k. \mathbf{absurd} \ z \rangle \rangle :: \uparrow \overline{\mathcal{K}}_{\top})$ is the top-level handler. The resulting term passes \mathbf{Await} directly to the dispatcher that implements the operation clauses of H .

5.4.4 Correctness

To prove the correctness of our CPS translation (Theorem 6), we first state several lemmas describing how translated terms behave. In view of the invariant of the translation that we described above, we state each of these lemmas in terms of static continuation stacks where the shape of the top element is always known statically, i.e., it is of the form $\langle \overline{\mathcal{V}}_{fs}, \langle \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops} \rangle \rangle :: \overline{\mathcal{W}}$. Moreover, the static values $\overline{\mathcal{V}}_{fs}$, $\overline{\mathcal{V}}_{ret}$, and $\overline{\mathcal{V}}_{ops}$ are all reflected dynamic terms (i.e., of the form $\uparrow V$). This fact is used implicitly in our proofs, which are given in Appendix A.

First, the higher-order CPS translation commutes with substitution in value and computation terms:

Lemma 2 (Substitution)

1. $(\llbracket M \rrbracket @ (\langle \overline{\mathcal{V}}_{fs}, \langle \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops} \rangle \rangle :: \overline{\mathcal{W}})) \llbracket [V/x] \rrbracket = \llbracket M[V/x] \rrbracket @ (\langle \overline{\mathcal{V}}_{fs}, \langle \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops} \rangle \rangle :: \overline{\mathcal{W}}) \llbracket [V/x] \rrbracket$
2. $\llbracket W \rrbracket \llbracket [V/x] \rrbracket = \llbracket W[V/x] \rrbracket$

In order to reason about the behaviour of the S-OP and S-OP[†] rules, which are defined in terms of evaluation contexts, we extend the CPS translation to evaluation contexts, using the same translations as for the corresponding constructs in λ^{\dagger} :

$$\begin{aligned} \llbracket [] \rrbracket &= \overline{\lambda} \kappa. \kappa \\ \llbracket \mathbf{let} \ x \leftarrow \mathcal{E} \ \mathbf{in} \ N \rrbracket &= \overline{\lambda} \langle \theta, \langle \overline{\mathcal{X}}^{\text{ret}}, \overline{\mathcal{X}}^{\text{ops}} \rangle \rangle :: \kappa. \\ &\quad \llbracket \mathcal{E} \rrbracket @ (\langle \uparrow ((\lambda x k. \mathbf{let} \ \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \ \mathbf{in} \\ &\quad \llbracket N \rrbracket @ (\langle \uparrow fs, \langle \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}} \rangle \rangle :: \uparrow k')) \rangle :: \downarrow \theta), \\ &\quad \langle \overline{\mathcal{X}}^{\text{ret}}, \overline{\mathcal{X}}^{\text{ops}} \rangle \rangle :: \kappa) \\ \llbracket \mathbf{handle}^{\delta} \ \mathcal{E} \ \mathbf{with} \ H \rrbracket &= \overline{\lambda} \kappa. \llbracket \mathcal{E} \rrbracket @ (\langle \overline{\mathcal{K}}_{\top}, \llbracket H \rrbracket^{\delta} \rangle :: \kappa) \end{aligned}$$

The following lemma is the characteristic property of the CPS translation on evaluation contexts. This allows us to focus on the computation within an evaluation context.

Lemma 3 (Decomposition)

$$\llbracket \mathcal{E} \llbracket M \rrbracket \rrbracket @ (\langle \overline{\mathcal{V}}_{fs}, \langle \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops} \rangle \rangle :: \overline{\mathcal{W}}) = \llbracket M \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\langle \overline{\mathcal{V}}_{fs}, \langle \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops} \rangle \rangle :: \overline{\mathcal{W}}))$$

By definition, reifying a reflected dynamic value is the identity ($\downarrow \uparrow V = V$), but we also need to reason about the inverse composition. As a result of the invariant that the translation always has static access to the top of the handler stack, the translated terms are insensitive to whether the remainder of the stack is statically known or is a reflected version of a

reified stack. This is captured by the following lemma. The proof is by induction on the structure of M (after generalising the statement to stacks of arbitrary depth), and relies on the observation that translated terms either access the top of the handler stack, or reify the stack to use dynamically, whereupon the distinction between reflected and reified becomes void. Again, this lemma holds when the top of the static continuation stack is known:

Lemma 4 (Reflect after reify)

$$\llbracket M \rrbracket @ (\overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \uparrow \downarrow \mathcal{W}) = \llbracket M \rrbracket @ (\overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \mathcal{W})$$

The next lemma states that the CPS translation correctly simulates forwarding. The proof is by inspection of how the translation of operation clauses treats non-handled operations.

Lemma 5 (Forwarding)

If $\ell \notin \text{dom}(H_1)$ then:

$$\llbracket H_1^{\text{ops}} \rrbracket^\delta @ \langle \ell, \langle V_p, V_{rk} \rangle \rangle @ (\langle V_{fs}, \llbracket H_2 \rrbracket^\delta \rangle :: W) \rightsquigarrow^+ \llbracket H_2^{\text{ops}} \rrbracket^\delta @ \langle \ell, \langle V_p, \langle V_{fs}, \llbracket H_2 \rrbracket^\delta \rangle :: V_{rk} \rangle \rangle @ W$$

The following lemma is central to our simulation theorem. It characterises the sense in which the translation respects the handling of operations. Note how the values substituted for the resumption variable r in both cases are in the image of the translation of λ -terms in the CPS translation. This is thanks to the precise way that the reductions rules for resumption construction computations works in our dynamic language, as described above.

Lemma 6 (Handling)

If $\ell \notin \text{BL}(\mathcal{E})$ and $H^\ell = \{\ell p r \mapsto N_\ell\}$ then:

1. $\llbracket \text{do } \ell V \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\langle \uparrow \square, \llbracket H \rrbracket \rangle :: \overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \mathcal{W})) \rightsquigarrow^+$
 $(\llbracket N_\ell \rrbracket @ \overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \mathcal{W})$
 $\llbracket [V]/p, \lambda y k. \text{let } \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \text{ in}$
 $\llbracket \text{return } y \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\langle \uparrow \square, \llbracket H \rrbracket \rangle :: \langle \uparrow s, \langle \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}} \rangle \rangle :: \uparrow k')) / r$
2. $\llbracket \text{do } \ell V \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\langle \uparrow \square, \llbracket H \rrbracket^\dagger \rangle :: \overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \mathcal{W})) \rightsquigarrow^+$
 $(\llbracket N_\ell \rrbracket @ \overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \mathcal{W})$
 $\llbracket [V]/p, \lambda y k. \text{let } \langle s, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \text{ in}$
 $\llbracket \text{return } y \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\langle \uparrow s, \langle \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}} \rangle \rangle :: \uparrow k')) / r$

Now our main result for the translation: a simulation result in the style of Plotkin (1975).

Theorem 6 (Simulation)

If $M \rightsquigarrow N$ then $\llbracket M \rrbracket @ (\overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \mathcal{W}) \rightsquigarrow^+ \llbracket N \rrbracket @ (\overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \mathcal{W})$.

Proof

The proof is by case analysis on the reduction relation using Lemmas 3–6. In particular, the S-OP and S-OP[†] cases follow from Lemma 6. \square

In common with most CPS translations, full abstraction does not hold (a function could count the number of handlers it is invoked within by examining the continuation stack, for example). However, as our semantics is deterministic it is straightforward to show a backward simulation result.

Lemma 7 (Backwards simulation)

If $\top \llbracket M \rrbracket \rightsquigarrow^+ V$ then there exists W such that $M \rightsquigarrow^* W$ and $\top \llbracket W \rrbracket = V$.

Corollary 1

$M \rightsquigarrow^* V$ iff $\top \llbracket M \rrbracket \rightsquigarrow^* \top \llbracket V \rrbracket$.

6 Abstract Machine

In this section we develop an abstract machine that supports deep and shallow handlers *simultaneously*, using the generalised continuation structure we identified in the previous section for the CPS translation. We also build upon prior work (Hillerström & Lindley, 2016) that developed an abstract machine for deep handlers by generalising the continuation structure of a CEK machine (Control, Environment, Kontinuation) (Felleisen & Friedman, 1986). Hillerström & Lindley (2016) sketched an adaptation for shallow handlers. It turns out that this adaptation had a subtle flaw, similar to the flaw in the sketched implementation of a CPS translation for shallow handlers given by Hillerström *et al.* (2017). We fix the flaw here with a full development of shallow handlers along with a statement of the correctness property.

6.1 The Machine

The informal account A machine continuation is a list of handler frames. A handler frame is a pair of a *handler closure* (handler definition) and a *pure continuation* (a sequence of let bindings), analogous to the structured frames used in the CPS translation in §5.4. Handling an operation amounts to searching through the continuation for a matching handler. The resumption is constructed during the search by reifying each handler frame. As in the CPS translation, the resumption is assembled in one of two ways depending on whether the matching handler is deep or shallow. For a deep handler, the current handler closure is included, and a deep resumption is a reified continuation. An invocation of a deep resumption amounts to concatenating it with the current machine continuation. For a shallow handler, the current handler closure must be discarded leaving behind a dangling pure continuation, and a shallow resumption is a pair of this pure continuation and the remaining reified continuation. (By contrast, the prior flawed adaptation prematurely precomposed the pure continuation with the outer handler in the current resumption.) An invocation of a shallow resumption again amounts to concatenating it with the current machine continuation, but taking care to concatenate the dangling pure continuation with that of the next frame.

The formal account The abstract machine syntax is given in Fig. 11. A configuration $\mathcal{C} = \langle M \mid \gamma \mid \kappa \circ \kappa' \rangle$ of our abstract machine is a quadruple of a computation term (M), an environment (γ) mapping free variables to values, and two continuations (κ) and (κ'). The latter continuation is always the identity, except when forwarding an operation, in which case it is used to keep track of the extent to which the operation has been forwarded. We write $\langle M \mid \gamma \mid \kappa \rangle$ as syntactic sugar for $\langle M \mid \gamma \mid \kappa \circ \square \rangle$ where \square is the identity continuation.

Values consist of function closures, type function closures, records, variants, and captured continuations. A continuation κ is a stack of frames $[\theta_1, \dots, \theta_n]$. We annotate captured continuations with input types in order to make the results of §6.2 easier to state.

Configurations	$\mathcal{C} ::= \langle M \mid \gamma \mid \kappa \circ \kappa' \rangle$
Value environments	$\gamma ::= \emptyset \mid \gamma[x \mapsto v]$
Values	$v, w ::= (\gamma, \lambda x^A.M) \mid (\gamma, \Lambda \alpha^K.M)$ $\mid \langle \rangle \mid \langle \ell = v; w \rangle \mid (\ell v)^R \mid \kappa^A \mid (\kappa, \sigma)^A$
Continuations	$\kappa ::= [] \mid \theta :: \kappa$
Continuation frames	$\theta ::= (\sigma, \chi)$
Handler closures	$\chi ::= (\gamma, H)^\delta$
Pure continuations	$\sigma ::= [] \mid \phi :: \sigma$
Pure continuation frames	$\phi ::= (\gamma, x, N)$

Fig. 11. Abstract Machine Syntax

Each frame $\theta = (\sigma, \chi)$ represents pure continuation σ , corresponding to a sequence of let bindings, inside handler closure χ . A pure continuation is a stack of pure frames. A pure frame (γ, x, N) closes a let-binding **let** $x = []$ **in** N over environment γ . A handler closure (γ, H) closes a handler definition H over environment γ . We write $[]$ for an empty stack, $x :: s$ for the result of pushing x on top of stack s , and $s ++ s'$ for the concatenation of stack s on top of s' . We use pattern matching to deconstruct stacks.

The abstract machine semantics defining the transition function \longrightarrow is given in Fig. 12. It depends on an interpretation function $\llbracket - \rrbracket$ for values. The machine is initialised (M-INIT) by placing a term in a configuration alongside the empty environment and identity continuation. The rules (M-APPCLOSURE), (M-APPREC), (M-APPCONT), (M-APPCONT[†]), (M-APPTYPE), (M-SPLIT), and (M-CASE) enact the elimination of values. The rules (M-LET) and (M-HANDLE) extend the current continuation with let bindings and handlers respectively. The rule (M-RETCONT) binds a returned value if there is a pure continuation in the current continuation frame; (M-RETHANDLER) invokes the return clause of a handler if the pure continuation is empty; and (M-RETTOP) returns a final value if the continuation is empty. The rule (M-DO) applies the current handler to an operation if the label matches one of the operation clauses. The captured continuation is assigned the forwarding continuation with the current frame appended to the end of it. The rule (M-DO[†]) is much like (M-DO), except it constructs a shallow resumption, discarding the current handler but keeping the current pure continuation. The rule (M-FORWARD) appends the current continuation frame onto the end of the forwarding continuation.

6.2 Correctness

The (M-INIT) rule provides a canonical way to map a computation term onto a configuration. Fig. 13 defines an inverse mapping $\langle - \rangle$ from configurations to computation terms via a collection of mutually recursive functions defined on configurations, continuations, computation terms, handler definitions, value terms, and values. We write $dom(\gamma)$ for the domain of γ and $\gamma \setminus \{x_1, \dots, x_n\}$ for the restriction of environment γ to $dom(\gamma) \setminus \{x_1, \dots, x_n\}$.

The $\langle - \rangle$ function enables us to classify the abstract machine reduction rules according to how they relate to the operational semantics. The rules (M-INIT) and (M-RETTOP) are concerned only with initial input and final output, neither a feature of the operational semantics. The rules (M-APPCONT^δ), (M-LET), (M-HANDLE), and

Transition function	
M-INIT	$M \rightarrow \langle M \mid \emptyset \mid [(), (\emptyset, \{\text{return}.x \mapsto x\})] \rangle$
M-APPCLOSURE	$\langle V \ W \mid \gamma \mid \kappa \rangle \rightarrow \langle M \mid \gamma[x \mapsto \llbracket W \rrbracket \gamma] \mid \kappa \rangle,$
M-APPREC	$\langle V \ W \mid \gamma \mid \kappa \rangle \rightarrow \langle M \mid \gamma[g \mapsto (\gamma', \text{rec } g^{A \rightarrow C}.x.M), x \mapsto \llbracket W \rrbracket \gamma] \mid \kappa \rangle,$
M-APPCONT	$\langle V \ W \mid \gamma \mid \kappa \rangle \rightarrow \langle \text{return } W \mid \gamma \mid \kappa' \dashv \vdash \kappa \rangle,$
M-APPCONT [†]	$\langle V \ W \mid \gamma \mid (\sigma, \mathcal{X}) :: \kappa \rangle \rightarrow \langle \text{return } W \mid \gamma \mid \kappa' \dashv \vdash ((\sigma' \dashv \vdash \sigma, \mathcal{X}) :: \kappa) \rangle,$
M-APPTYPE	$\langle V \ A \mid \gamma \mid \kappa \rangle \rightarrow \langle M[A/\alpha] \mid \gamma' \mid \kappa \rangle,$
M-SPLIT	$\langle \text{let } (\ell = x; y) = V \text{ in } N \mid \gamma \mid \kappa \rangle \rightarrow \langle N \mid \gamma[x \mapsto v, y \mapsto w] \mid \kappa \rangle,$
M-CASE	$\langle \text{case } V \{ \ell. x \mapsto M; y \mapsto N \} \mid \gamma \mid \kappa \rangle \rightarrow \begin{cases} \langle M \mid \gamma[x \mapsto v] \mid \kappa \rangle, \\ \langle N \mid \gamma[y \mapsto \ell' v] \mid \kappa \rangle, \end{cases}$
M-LET	$\langle \text{let } x \leftarrow M \text{ in } N \mid \gamma \mid (\sigma, \mathcal{X}) :: \kappa \rangle \rightarrow \langle M \mid \gamma \mid ((\gamma, x, N) :: \sigma, \mathcal{X}) :: \kappa \rangle$
M-HANDLE	$\langle \text{handle}^\delta M \text{ with } H \mid \gamma \mid \kappa \rangle \rightarrow \langle M \mid \gamma \mid ([, (\gamma, H)^\delta] :: \kappa) \rangle$
M-RETCONT	$\langle \text{return } V \mid \gamma \mid ((\gamma', x, N) :: \sigma, \mathcal{X}) :: \kappa \rangle \rightarrow \langle N \mid \gamma[x \mapsto \llbracket V \rrbracket \gamma] \mid (\sigma, \mathcal{X}) :: \kappa \rangle$
M-RETHANDLER	$\langle \text{return } V \mid \gamma \mid ([, (\gamma', H)] :: \kappa) \rangle \rightarrow \langle M \mid \gamma[x \mapsto \llbracket V \rrbracket \gamma] \mid \kappa \rangle,$
M-RETTOP	$\langle \text{return } V \mid \gamma \mid [] \rangle \rightarrow \llbracket V \rrbracket \gamma$
M-DO	$\langle (\text{do } \ell V)^E \mid \gamma \mid ((\sigma, (\gamma', H)) :: \kappa) \circ \kappa' \rangle \rightarrow \langle M \mid \gamma[x \mapsto \llbracket V \rrbracket \gamma, r \mapsto (\kappa' \dashv \vdash [(\sigma, (\gamma', H))]^B) \mid \kappa],$ if $\ell: A \rightarrow B \in E$ and $H^\ell = \{\ell.x.r \mapsto M\}$
M-DO [†]	$\langle (\text{do } \ell V)^E \mid \gamma \mid ((\sigma, (\gamma', H)^\dagger) :: \kappa) \circ \kappa' \rangle \rightarrow \langle M \mid \gamma[x \mapsto \llbracket V \rrbracket \gamma, r \mapsto (\kappa', \sigma)^B] \mid \kappa \rangle,$ if $\ell: A \rightarrow B \in E$ and $H^\ell = \{\ell.x.r \mapsto M\}$
M-FORWARD	$\langle (\text{do } \ell V)^E \mid \gamma \mid ((\sigma, (\gamma', H)^\delta) :: \kappa) \circ \kappa' \rangle \rightarrow \langle (\text{do } \ell V)^E \mid \gamma \mid \kappa \circ (\kappa' \dashv \vdash [(\sigma, (\gamma', H)^\delta)]),$ if $H^\ell = \emptyset$
Value interpretation	
$\llbracket x \rrbracket \gamma = \gamma(x)$	$\llbracket \Lambda \alpha^A.M \rrbracket \gamma = (\gamma, \Lambda \alpha^A.M)$
$\llbracket () \rrbracket \gamma = \diamond$	$\llbracket (\ell V)^R \rrbracket \gamma = (\ell = \llbracket V \rrbracket \gamma; \llbracket W \rrbracket \gamma)$
	$\llbracket \text{rec } g^{A \rightarrow C}.x.M \rrbracket \gamma = (\gamma, \text{rec } g^{A \rightarrow C}.x.M)$

Fig. 12. Abstract Machine Semantics

Configurations

$$\langle\langle M \mid \gamma \mid \kappa \circ \kappa' \rangle\rangle = \langle\langle \kappa' \text{ ++ } \kappa \rangle\rangle (\langle\langle M \rangle\rangle \gamma) = \langle\langle \kappa' \rangle\rangle (\langle\langle \kappa \rangle\rangle (\langle\langle M \rangle\rangle \gamma))$$

Pure continuations

$$\langle\langle [] \rangle\rangle M = M \quad \langle\langle (\gamma, x, N) :: \sigma \rangle\rangle M = \langle\langle \sigma \rangle\rangle (\mathbf{let} \ x \leftarrow M \ \mathbf{in} \ \langle\langle N \rangle\rangle (\gamma \setminus \{x\}))$$

Continuations

$$\langle\langle [] \rangle\rangle M = M \quad \langle\langle (\sigma, \chi) :: \kappa \rangle\rangle M = \langle\langle \kappa \rangle\rangle (\langle\langle \chi \rangle\rangle (\langle\langle \sigma \rangle\rangle (M)))$$

Handler closures

$$\langle\langle (\gamma, H) \rangle\rangle^\delta M = \mathbf{handle}^\delta M \ \mathbf{with} \ \langle\langle H \rangle\rangle \gamma$$

Computation terms

$$\begin{aligned} \langle\langle V \ W \rangle\rangle \gamma &= \langle\langle V \rangle\rangle \gamma \langle\langle W \rangle\rangle \gamma \\ \langle\langle V \ A \rangle\rangle \gamma &= \langle\langle V \rangle\rangle \gamma A \\ \langle\langle \mathbf{let} \ \langle \ell = x; y \rangle = V \ \mathbf{in} \ N \rangle\rangle \gamma &= \mathbf{let} \ \langle \ell = x; y \rangle = \langle\langle V \rangle\rangle \gamma \ \mathbf{in} \ \langle\langle N \rangle\rangle (\gamma \setminus \{x, y\}) \\ \langle\langle \mathbf{case} \ V \ \{ \ell \ x \mapsto M; y \mapsto N \} \rangle\rangle \gamma &= \mathbf{case} \ \langle\langle V \rangle\rangle \gamma \ \{ \ell \ x \mapsto \langle\langle M \rangle\rangle (\gamma \setminus \{x\}); y \mapsto \langle\langle N \rangle\rangle (\gamma \setminus \{y\}) \} \\ \langle\langle \mathbf{return} \ V \rangle\rangle \gamma &= \mathbf{return} \ \langle\langle V \rangle\rangle \gamma \\ \langle\langle \mathbf{let} \ x \leftarrow M \ \mathbf{in} \ N \rangle\rangle \gamma &= \mathbf{let} \ x \leftarrow \langle\langle M \rangle\rangle \gamma \ \mathbf{in} \ \langle\langle N \rangle\rangle (\gamma \setminus \{x\}) \\ \langle\langle \mathbf{do} \ \ell \ V \rangle\rangle \gamma &= \mathbf{do} \ \ell \ \langle\langle V \rangle\rangle \gamma \\ \langle\langle \mathbf{handle}^\delta M \ \mathbf{with} \ H \rangle\rangle \gamma &= \mathbf{handle}^\delta \langle\langle M \rangle\rangle \gamma \ \mathbf{with} \ \langle\langle H \rangle\rangle \gamma \end{aligned}$$

Handler definitions

$$\begin{aligned} \langle\langle \mathbf{return} \ x \mapsto M \rangle\rangle \gamma &= \{\mathbf{return} \ x \mapsto \langle\langle M \rangle\rangle (\gamma \setminus \{x\})\} \\ \langle\langle \ell \ x \ k \mapsto M \uplus H \rangle\rangle \gamma &= \{\ell \ x \ k \mapsto \langle\langle M \rangle\rangle (\gamma \setminus \{x, k\}) \uplus \langle\langle H \rangle\rangle \gamma\} \end{aligned}$$

Value terms and values

$$\begin{aligned} \langle\langle x \rangle\rangle \gamma &= \langle\langle v \rangle\rangle, & \text{if } \gamma(x) = v & \quad \langle\langle \kappa^A \rangle\rangle = \lambda x^A. \langle\langle \kappa \rangle\rangle (\mathbf{return} \ x) \\ \langle\langle x \rangle\rangle \gamma &= x, & \text{if } x \notin \text{dom}(\gamma) & \quad \langle\langle (\kappa, \sigma)^A \rangle\rangle = \lambda x^A. \langle\langle \sigma \rangle\rangle (\langle\langle \kappa \rangle\rangle (\mathbf{return} \ x)) \\ \langle\langle \lambda x^A. M \rangle\rangle \gamma &= \lambda x^A. \langle\langle M \rangle\rangle (\gamma \setminus \{x\}) & \quad \langle\langle (\gamma, \lambda x^A. M) \rangle\rangle = \lambda x^A. \langle\langle M \rangle\rangle (\gamma \setminus \{x\}) \\ \langle\langle \Lambda \alpha^K. M \rangle\rangle \gamma &= \Lambda \alpha^K. \langle\langle M \rangle\rangle \gamma & \quad \langle\langle (\gamma, \Lambda \alpha^K. M) \rangle\rangle = \Lambda \alpha^K. \langle\langle M \rangle\rangle \gamma \\ \langle\langle \langle \rangle \rangle \rangle \gamma &= \langle \rangle & \quad \langle\langle \langle \rangle \rangle \rangle = \langle \rangle \\ \langle\langle \langle \ell = V; W \rangle \rangle \rangle \gamma &= \langle \ell = \langle\langle V \rangle\rangle \gamma; \langle\langle W \rangle\rangle \gamma \rangle & \quad \langle\langle \langle \ell = v; w \rangle \rangle \rangle = \langle \ell = \langle\langle v \rangle\rangle; \langle\langle w \rangle\rangle \rangle \\ \langle\langle \langle \ell \ V \rangle^R \rangle \rangle \gamma &= \langle \ell \ \langle\langle V \rangle\rangle \gamma \rangle^R & \quad \langle\langle \langle \ell \ v \rangle^R \rangle \rangle = \langle \ell \ \langle\langle v \rangle\rangle \rangle^R \\ \langle\langle \mathbf{rec} \ g^{A \rightarrow C} \ x. M \rangle \rangle \gamma &= \mathbf{rec} \ g^{A \rightarrow C} \ x. \langle\langle M \rangle\rangle (\gamma \setminus \{g, x\}) = \langle\langle (\gamma, \mathbf{rec} \ g^{A \rightarrow C} \ x. M) \rangle \rangle \end{aligned}$$

Fig. 13. Mapping from Abstract Machine Configurations to Terms

(M-FORWARD) are administrative in that $\langle\langle - \rangle\rangle$ is invariant under them. This leaves β -rules (M-APPCLOSURE), (M-APPREC), (M-APPTYPE), (M-SPLIT), (M-CASE), (M-RETCONT), (M-RETHANDLER), (M-DO[†]), and (M-DO[†]), each of which corresponds directly to performing a reduction in the operational semantics. We write \longrightarrow_a for administrative steps, \longrightarrow_β for β -steps, and \Longrightarrow for a sequence of steps of the form $\longrightarrow_a^* \longrightarrow_\beta$.

Each reduction in the operational semantics is simulated by a sequence of administrative steps followed by a single β -step in the abstract machine. The *Id* handler (§3.2) implements the top-level identity continuation.

Theorem 7 (Simulation)

$$\begin{aligned}
M, N &::= \dots \mid \mathbf{handle} \ M \ \mathbf{with} \ H(-) \\
H(-) &::= q^A \leftarrow V, H
\end{aligned}$$

Fig. 14. Syntax Extensions for Parameterised Handlers

$$\begin{array}{c}
\text{T-PARAM-HANDLE} \\
\frac{\Gamma \vdash M : C \quad \Gamma \vdash H(-) : C \Rightarrow D}{\Gamma \vdash \mathbf{handle}^{\ddagger} M \ \mathbf{with} \ H(-) : D}
\end{array}$$

Handlers

$$\begin{array}{c}
\text{T-PARAM-HANDLER} \\
C = A! \{ (\ell_i : A_i \rightarrow B_i)_i ; R \} \\
D = B! \{ (\ell_i : P_i)_i ; R \} \\
H = \{ \mathbf{return} \ x \mapsto M \} \uplus \{ \ell_i \ p_i \ r_i \mapsto N_i \}_i \\
\frac{\Gamma \vdash W : A' \quad \Delta; \Gamma, q : A', x : A \vdash M : D \quad [\Delta; \Gamma, q : A', p_i : A_i, r_i : \langle B_i, A' \rangle \rightarrow D \vdash N_i : D]_i}{\Delta; \Gamma \vdash H(q^A \leftarrow W) : C \Rightarrow D}
\end{array}$$

Fig. 15. Typing Rules for Parameterised Handlers

If $M \rightsquigarrow N$, then for any \mathcal{C} such that $\langle \mathcal{C} \rangle = Id(M)$ there exists \mathcal{C}' such that $\mathcal{C} \Longrightarrow \mathcal{C}'$ and $\langle \mathcal{C}' \rangle = Id(N)$.

Proof

By induction on the derivation of $M \rightsquigarrow N$. \square

Corollary 2

If $\vdash M : A!E$ and $M \rightsquigarrow^+ N \not\rightsquigarrow$, then $M \longrightarrow^+ \mathcal{C}$ with $\langle \mathcal{C} \rangle = N$.

7 Parameterised Handlers

In §2.5 we informally presented parameterised handlers as useful idiom for handling stateful computations. We now consider parameterised handlers as a primitive kind of handler in λ^\dagger , and show how to extend the CPS and abstract machine implementations to them. We also show that parameterised handlers can always be simulated by deep handlers.

7.1 Syntax and Semantics

Syntax Figure 14 extends the syntax of λ^\dagger with parameterised handlers. Syntactically a parameterised handler is a binding of value V to a name q and an ordinary handler definition H . The variable q may appear free in H , as such, a parameterised handler is a form of closure over an ordinary handler. We shall use the more suggestive notation $H(q \leftarrow V)$ to mean $(q \leftarrow V, H)$.

Typing and Dynamic Semantics Adding parameterised handlers to the typing rules is entirely modular: we only need to add the rules in Figure 15. The return and operation cases

$$\begin{aligned}
& \text{Computations} \\
\llbracket \text{do } \ell V \rrbracket &= \overline{\lambda} \langle \theta, \langle \chi^{\text{ret}}, \chi^{\text{ops}}, \xi \rangle \rangle \ddot{\vdash} \kappa. \\
& \quad \downarrow \chi^{\text{ops}} @ \langle \ell \langle \llbracket V \rrbracket, \langle \downarrow \theta, \langle \downarrow \chi^{\text{ret}}, \downarrow \chi^{\text{ops}}, \downarrow \xi \rangle \rangle \ddot{\vdash} \llbracket \cdot \rrbracket, \downarrow \xi \rangle @ \downarrow \kappa \\
\llbracket \text{handle}^{\ddot{\ddagger}} M \text{ with } H(q \leftarrow V) \rrbracket &= \overline{\lambda} \kappa. \llbracket M \rrbracket @ \langle \uparrow \llbracket \cdot \rrbracket, \llbracket H(q \leftarrow V) \rrbracket \rangle \ddot{\vdash} \kappa \\
\llbracket H(q \leftarrow V) \rrbracket &= \langle \uparrow \llbracket H^{\text{ret}} \rrbracket_q^{\ddot{\ddagger}}, \uparrow \llbracket H^{\text{ops}} \rrbracket_q^{\ddot{\ddagger}}, \uparrow \llbracket V \rrbracket \rangle \\
\llbracket \{\text{return } x \mapsto N\} \rrbracket_q^{\ddot{\ddagger}} &= \overline{\lambda} \langle x, q \rangle k. \text{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}}, q \rangle \rangle \ddot{\vdash} k' = k \text{ in} \\
& \quad \llbracket N \rrbracket @ \langle \langle \uparrow fs, \langle \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}}, \uparrow q \rangle \rangle \ddot{\vdash} \uparrow k' \rangle \\
\llbracket \{(\ell p r \mapsto N_\ell)_{\ell \in \mathcal{L}}\} \rrbracket_q^{\ddot{\ddagger}} &= \overline{\lambda} \langle x, q \rangle k. \text{let} \langle z, \langle p, rk \rangle \rangle = x \text{ in} \\
& \quad \text{case } z \{ (\ell \mapsto \text{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}}, q \rangle \rangle \ddot{\vdash} k' = k \text{ in} \\
& \quad \quad \text{let } r = \text{res}^{\ddot{\ddagger}} rk \text{ in} \\
& \quad \quad \llbracket N_\ell \rrbracket @ \langle \langle \uparrow fs, \langle \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}}, \uparrow q \rangle \rangle \ddot{\vdash} \uparrow k' \rangle)_{\ell \in \mathcal{L}} \\
& \quad \quad y \mapsto M_{\text{forward}}((y, p, rk), k) \} \\
M_{\text{forward}}((y, p, rk), k) &= \text{let} \langle s', \langle h^{\text{ret}}, h^{\text{ops}}, q \rangle \rangle \ddot{\vdash} k' = k \text{ in} \\
& \quad h^{\text{ops}} @ \langle y \langle p, \langle s', \langle h^{\text{ret}}, h^{\text{ops}}, q \rangle \rangle \ddot{\vdash} rk \rangle, q \rangle @ k' \\
& \text{Top-level program} \\
\top \llbracket M \rrbracket &= \llbracket M \rrbracket @ \langle \langle \llbracket \cdot \rrbracket, \langle \uparrow \lambda \langle x, _ \rangle k.x, \uparrow \lambda \langle z, _ \rangle k. \text{absurd } z \rangle \rangle \ddot{\vdash} \uparrow \llbracket \cdot \rrbracket \rangle
\end{aligned}$$

Fig. 16. CPS Translation for Parameterised Handlers

are typed with respect to the parameter. The key difference is that the resumption is typed as a function accepting a pair as input. Operationally, the resumption takes the first component as the return value of the operation, and the second component as the updated value of the handler parameter. This operational behaviour is formalised by following reduction rule S-OP[‡].

$$\begin{aligned}
& \text{handle}^{\ddot{\ddagger}} \mathcal{E}[\text{do } \ell V] \text{ with } H(q \leftarrow W) \\
& \rightsquigarrow N[V/p, W/q, \lambda \langle x, q' \rangle. \text{handle } \mathcal{E}[\text{return } y] \text{ with } H(q \leftarrow q')/r] \\
& \text{where } \ell \notin BL(\mathcal{E}) \text{ and } H^\ell = \{\ell p r \mapsto N\}
\end{aligned}$$

The value W of the parameter q is substituted into the body. As with ordinary deep handlers, the resumption is implicitly rewraps its handler, but with the slight twist that value of the parameter is updated with q' . The reduction rule for handling the return of a computation as follows.

$$\text{handle}^{\ddot{\ddagger}}(\text{return } V) \text{ with } H(q \leftarrow W) \rightsquigarrow N[V/x, W/q], \text{ where } H^{\text{ret}} = \{\text{return } x \mapsto N\}$$

In addition to the return value V , the value of the parameter is substituted into the body.

7.2 Implementing Parameterised Handlers

Continuation Passing Style To accommodate parameterised handlers, we generalise the notion of continuations once more. A continuation becomes a triple consisting of a pure continuation, effect continuation, and the handler parameter. This effectively amounts to explicit state passing as the parameter value gets threaded every function application. The pure continuation invocation rule U-KAPPNIL is slightly modified to account for the third

component.

$$\mathbf{app} (\langle \langle \square, \langle h^{\text{ret}}, h^{\text{ops}}, q \rangle \rangle :: k \rangle V \rightsquigarrow h^{\text{ret}} @ \langle V, q \rangle @ k$$

The pure continuation v is now applied to a pair consisting of the return value V and the current value of the handler parameter q . The resumption rule U-RES is adapted to update the value of the handler parameter.

$$\mathbf{let} r = \mathbf{res} (\langle \langle h^{\text{ret}}, h^{\text{ops}}, _ \rangle \rangle :: \dots :: q_1 :: \square \rangle \mathbf{in} N \rightsquigarrow N[\lambda \langle x, p \rangle k. \mathbf{app} (q_1 :: \dots :: \langle h^{\text{ret}}, h^{\text{ops}}, p \rangle :: k) x/r]$$

Thus, the parameter of the top-most handler in the resumption stack is ignored and replaced by a new value p . The translation is updated accordingly to account for the triple structure. This involves updating all the parts that previously dynamically decomposed and statically recompose frames to now include the additional state parameter. The key updated translation clauses are shown in Figure 16. The translation of **do** invokes the effect continuation $\downarrow \chi^{\text{ops}}$ with a pair consisting of the operation and the value of the handler parameter. The parameter is also pushed onto the reversed resumption stack. This is necessary to account for the case where the effect continuation $\downarrow \chi^{\text{ops}}$ does not handle operation ℓ .

The translation of the return and operation clauses yields functions that take a pair as input in addition to the current continuation. The forwarding case is adjusted in much the same way as the translation for **do**. The current continuation k is destructured in order to identify the next effect continuation h^{ops} and its parameter q . Then h^{ops} is invoked with the updated resumption stack and the value of its parameter q .

The amended CPS translation for parameterised handlers is not a zero cost translation for shallow and ordinary deep handlers as they will have to thread a “dummy” parameter value through. In contrast, the abstract machine implementation of parameterised handlers does not impose an overhead on shallow and deep handlers.

Abstract Machine Semantics The abstract machine requires two modest changes to accommodate parameterised handlers. The handler installation transition rule M-HANDLE now binds the parameter in the closure environment.

$$\langle \mathbf{handle}^{\ddagger} M \mathbf{with} H(q \leftarrow V) \mid \gamma \mid \kappa \rangle \longrightarrow \langle M \mid \gamma \mid (\square, (\gamma[q \mapsto \llbracket V \rrbracket \gamma], H)) :: \kappa \rangle$$

The parameter q is bound to the interpretation of its initial value V . Otherwise there are no differences from installing an ordinary deep handler.

The resumption application rule M-APPCONT is adapted to update the value of parameter in the handler closure environment.

$$\langle V \langle W, W' \rangle \mid \gamma \mid \kappa \rangle \longrightarrow \langle \mathbf{return} W \mid \gamma \mid (\kappa' ++ [(\sigma, (\gamma'[q \mapsto \llbracket W' \rrbracket \gamma], H))] ++ \kappa), \text{if } \llbracket V \rrbracket \gamma = (\kappa' ++ [(\sigma, (\gamma', H))]^A \rangle$$

Besides the environment update, the rule is the same as for ordinary deep handlers. In contrast to the CPS translation, the extension of the abstract machine does implement parameterised handlers as a zero-cost abstraction. This is because the abstract machine has intensional access to the environments that a CPS translation does not.

7.3 Parameterised Handlers as Deep Handlers

Parameterised handlers are not any more expressive than ordinary deep handlers. In fact, one may think of parameterised handlers as syntactic sugar for handlers using parameter-passing, as we showed by example in §2.5. We define a local transformation $\mathcal{P}[-]$ that desugars parameterised handlers into ordinary deep handlers. Below we omit the homomorphic cases and show only the interesting cases.

$$\begin{aligned} \mathcal{P}[\mathbf{handle}^\ddagger M \text{ with } H(q \leftarrow V)] &= (\mathbf{handle} \ \mathcal{P}[M] \ \text{with} \ \mathcal{P}[H]_q) \ \mathcal{P}[V] \\ \mathcal{P}[\{\mathbf{return} \ x \mapsto M\}]_q &= \{\mathbf{return} \ x \mapsto \lambda q. \mathcal{P}[M]\} \\ \mathcal{P}[\{\ell \ p \ r \mapsto M\}]_q &= \left\{ \ell \ p \ r \mapsto \lambda q. \mathbf{let} \ r' \leftarrow \mathbf{return} \ \lambda \langle x, q' \rangle. r \ x \ q' \right. \\ &\quad \left. \mathbf{in} \ \mathcal{P}[M][r'/r] \right\} \end{aligned}$$

The parameterised \mathbf{handle}^\ddagger construct becomes an application, where the abstractor is an ordinary deep handler and the argument is the translation of the value of the handler parameter. The bodies of return and operation cases get enclosed in a lambda abstraction whose formal parameter is the handler parameter q . As a result the ordinary deep resumption r is a curried function. However, the uses of r in M expects a binary function. To repair this discrepancy, we construct an uncurried interface of r via the function r' .

This translation of parameterised handlers simulates the native semantics. As with the simulation of deep handlers via shallow handlers in §4.1, this simulation is only up to congruence due to the need for an application of a pure function to a variable to be reduced. The interesting cases of the proof appear in Appendix B.

Theorem 8 (Simulation of Parameterised Handlers by Deep Handlers)

If $M \rightsquigarrow N$ then $\mathcal{P}[M] \rightsquigarrow_{\text{cong}}^+ \mathcal{P}[N]$.

8 Implementation

In this section we briefly discuss our experiences with using the CPS transforms from Section 5 and the abstract machine from Section 6 as implementation techniques in practice. Our implementation in Links (available at <https://github.com/links-lang/links>) relies on both the higher-order CPS translation and abstract machine.

We retrofitted Links with effect handlers by leveraging most of the infrastructure that was already in place. Server-side code were interpreted by an abstract machine, which was reminiscent of the CEK machine by Felleisen & Friedman (1986). By modest effort we were to generalise the machine's notion of continuation to support handlers. The machine is actually parameterised by the notion of continuation, allowing us to switch effect handlers on and off as a language extension.

On the client-side, Links has long used a CPS translation to JavaScript, relying on a trampoline for supporting lightweight concurrency and responsive user-interfaces. The trampoline periodically discards the call stack, therefore it is essential that the CPS translation is properly tail-recursive. Initially we attempted to implement a higher-order curried translation. We then realised that it is unclear whether it is even possible to define a higher-order curried translation for effect handlers, so we began implementing a first-order curried translation. It quickly became apparent that this approach could not work given the need to be properly tail-recursive. At this point we changed track and successfully

implemented a properly tail-recursive higher-order uncurried translation along the lines of the one described in Section 5.4. Our implementation selectively CPS transform terms based on their purity, which is crucial in practice for performance. The CPS compiler is also parameterised by the notion of continuation in order to support toggling of handlers.

Our implementation also supports n -ary parameterised handlers. Initially, we desugared parameterised handlers into ordinary deep handlers using a source-to-source translation along the lines of the translation presented in Section 7.3. Now, we provide native support for them in the abstract machine and CPS transform. Anecdotally, we have observed a performance boost when handling stateful computations using parameterised handlers.

9 Conclusions and Future Work

In this paper we have examined effect handlers and their implementation in depth. We have explored the design space of handlers: deep, shallow, and parameterised, and formally and informally compared their expressiveness. We have also given two formally presented implementation strategies for all the different kinds effect handlers: a CPS translation into a calculus without effect handlers, and an abstract machine designed explicitly for executing languages with effect handlers. This is the first full CPS translations for effect handlers: our translations go all the way to lambda calculus without relying on a special low-level handling construct as Leijen (2017b) does. As well as the formal development, we have also demonstrated the practicality of our implementation techniques by implementing them in the Links programming language.

A key finding of this work is the structure of generalised continuations needed to correctly implement effect handlers in both the CPS translation and the abstract machine. For us, this turned out to be surprisingly subtle, and we had several broken designs before arriving at the ones presented here. The presence of an implementation in the Links interpreter/compiler made the process of discovering buggy translations much easier.

Our formal translations between the different kinds of handlers shows that they are, in a sense, equally expressive, and one might consider a language with only deep handlers as this most closely matches Plotkin and Pretnar’s original vision. However, as we demonstrated in §2, shallow handlers allow more natural programming for some problems. Moreover, parameterised handlers appear to offer an efficiency boost for a common idiomatic use of deep handlers. Comprehensive benchmarking is still required to prove this conclusively though.

For future work, we wish to further explore the range of possible effect handler idioms and their implementations. Of particular interest are handlers that use their resumptions *linearly* (exactly once), or *affine linearly* (at most once). The latter restriction is enforced dynamically in Multicore OCaml (Dolan *et al.*, 2017) because it allows an implementation that does not have to copy runtime stacks for multiple resumptions after an operation. Extending the abstract machine we presented in §6 to accurately model linearly used continuations seems feasible, as does attempting to linearly type the CPS translation of §5, following the linearly used continuation passing style described by Berdine *et al.* (2002).

We would also like to make our CPS translation typed, so that the type safety guarantees of the source language are carried through automatically to the translation. The appendix

of Hillerström *et al.* (2017) sketches a type preserving CPS translation for deep handlers, but it remains to extend this to shallow and parameterised handlers.

Finally, there is now a wide diversity of implementation strategies for a wide variety of styles of effect handler. We plan to do comprehensive benchmarking of competing implementation strategies, especially in the setting of “advanced control abstraction hostile” environments, such JavaScript.

Bibliography

- Appel, Andrew W. (1992). *Compiling with continuations*. Cambridge University Press.
- Bauer, Andrej, & Pretnar, Matija. (2015). Programming with algebraic effects and handlers. *J. log. algebr. meth. program.*, **84**(1), 108–123.
- Berdine, Josh, O’Hearn, Peter W., Reddy, Uday S., & Thielecke, Hayo. (2002). Linear continuation-passing. *Higher-order and symbolic computation*, **15**(2-3), 181–208.
- Biernacki, Dariusz, Piróg, Maciej, Polesiuk, Piotr, & Sieczkowski, Filip. (2019). Abstracting algebraic effects. *PACMPL*, **3**(POPL), 6:1–6:28.
- Bingham, Eli, Chen, Jonathan P., Jankowiak, Martin, Obermeyer, Fritz, Pradhan, Neeraj, Karaletsos, Theofanis, Singh, Rohit, Szerlip, Paul, Horsfall, Paul, & Goodman, Noah D. (2018). Pyro: Deep Universal Probabilistic Programming. *Journal of machine learning research*.
- Bouton, Charles L. (1901). Nim, a game with a complete mathematical theory. *Annals of mathematics*, **3**(1/4), 35–39.
- Brachthäuser, Jonathan Immanuel, Schuster, Philipp, & Ostermann, Klaus. (2018). Effect handlers for the masses. *PACMPL*, **2**(OOPSLA), 111:1–111:27.
- Bruggeman, Carl, Waddell, Oscar, & Dybvig, R. Kent. (1996). Representing control in the presence of one-shot continuations. *Pages 99–107 of: Fischer, Charles N. (ed), Proceedings of the ACM SIGPLAN’96 Conference on Programming Language Design and Implementation (PLDI), Philadelphia, Pennsylvania, May 21-24, 1996*. ACM.
- Cooper, Ezra, Lindley, Sam, Wadler, Philip, & Yallop, Jeremy. (2006). Links: Web programming without tiers. *Pages 266–296 of: FMCO*. LNCS, vol. 4709. Springer.
- Danvy, Olivier, & Filinski, Andrzej. (1990). Abstracting control. *Pages 151–160 of: LISP and Functional Programming*.
- Danvy, Olivier, & Nielsen, Lasse R. (2003). A first-order one-pass CPS transformation. *Theor. comput. sci.*, **308**(1-3), 239–257.
- Dolan, Stephen, White, Leo, Sivaramakrishnan, KC, Yallop, Jeremy, & Madhavapeddy, Anil. (2015). *Effective concurrency through algebraic effects*. OCaml Workshop.
- Dolan, Stephen, Eliopoulos, Spiros, Hillerström, Daniel, Madhavapeddy, Anil, Sivaramakrishnan, K. C., & White, Leo. (2017). Concurrent system programming with effect handlers. *Pages 98–117 of: TFP*. Lecture Notes in Computer Science, vol. 10788. Springer.
- Felleisen, Matthias, & Friedman, Daniel P. (1986). Control operators, the SECD-machine, and the λ -calculus. *Pages 193–217 of: Formal Description of Programming Concepts III*. Elsevier.
- Flanagan, Cormac, Sabry, Amr, Duba, Bruce F., & Felleisen, Matthias. (1993). The essence of compiling with continuations. *Pages 237–247 of: PLDI*. ACM.

- Forster, Yannick, Kammar, Ohad, Lindley, Sam, & Pretnar, Matija. (2017). On the expressive power of user-defined effects: Effect handlers, monadic reflection, delimited control. *PACMPL*, **1**(ICFP).
- Hillerström, Daniel, & Lindley, Sam. (2016). Liberating effects with rows and handlers. *Pages 15–27 of: TyDe@ICFP*. ACM.
- Hillerström, Daniel, & Lindley, Sam. (2018). Shallow effect handlers. *Pages 415–433 of: APLAS*, vol. 11275. Springer International Publishing.
- Hillerström, Daniel, Lindley, Sam, Atkey, Robert, & Sivaramakrishnan, K. C. (2017). Continuation passing style for effect handlers. *Pages 18:1–18:19 of: FSCD*. LIPIcs, vol. 84. Schloss Dagstuhl - Leibniz-Zentrum fuer Informatik.
- Hillerström, Daniel. (2015). *Handlers for algebraic effects in Links*. M.Phil. thesis, The University of Edinburgh, Scotland.
- Hillerström, Daniel. (2016). *Compilation of effect handlers and their applications in concurrency*. M.Phil. thesis, The University of Edinburgh, Scotland.
- Huet, Gérard P. (1997). The zipper. *J. funct. program.*, **7**(5), 549–554.
- James, Roshan P, & Sabry, Amr. (2011). Yield: Mainstream delimited continuations. *TPDC*.
- Kammar, Ohad, Lindley, Sam, & Oury, Nicolas. (2013). Handlers in action. *Pages 145–158 of: ICFP*. ACM.
- Kennedy, Andrew. (2007). Compiling with continuations, continued. *Pages 177–190 of: ICFP*. ACM.
- Kiselyov, Oleg, & Sivaramakrishnan, KC. (2016). *Eff directly in OCaml*. ML Workshop.
- Leijen, Daan. (2017a). Structured asynchrony with algebraic effects. *Pages 16–29 of: TyDe@ICFP*. ACM.
- Leijen, Daan. (2017b). Type directed compilation of row-typed algebraic effects. *Pages 486–499 of: POPL*. ACM.
- Levy, Paul Blain, Power, John, & Thielecke, Hayo. (2003). Modelling environments in call-by-value programming languages. *Inf. comput.*, **185**(2), 182–210.
- Lindley, Sam, McBride, Conor, & McLaughlin, Craig. (2017). Do be do be do. *Pages 500–514 of: POPL*. ACM.
- Materzok, Marek, & Biernacki, Dariusz. (2012). A dynamic interpretation of the CPS hierarchy. *Pages 296–311 of: APLAS*. LNCS, vol. 7705. Springer.
- McBride, Conor. (2016). *Shonky*. <https://github.com/pigworker/shonky>.
- Meijer, Erik, Fokkinga, Maarten M., & Paterson, Ross. (1991). Functional programming with bananas, lenses, envelopes and barbed wire. *Pages 124–144 of: FPCA*. Lecture Notes in Computer Science, vol. 523. Springer.
- Plotkin, Gordon D. (1975). Call-by-name, call-by-value and the lambda-calculus. *Theor. comput. sci.*, **1**(2), 125–159.
- Plotkin, Gordon D., & Power, John. (2001). Adequacy for algebraic effects. *Pages 1–24 of: FoSSaCS*. LNCS, vol. 2030. Springer.
- Plotkin, Gordon D., & Pretnar, Matija. (2013). Handling algebraic effects. *Logical methods in computer science*, **9**(4).
- Pretnar, Matija. (2015). An introduction to algebraic effects and handlers. *Electr. notes theor. comput. sci.*, **319**, 19–35. Invited tutorial paper.
- Remy, Didier. (1993). *Syntactic theories and the algebra of record terms*. Tech. rept. RR-1869. INRIA.

- Reynolds, John C. (1998). Definitional interpreters for higher-order programming languages. *Higher-order and symbolic computation*, **11**(4), 363–397.
- Wadler, Philip. (1995). Monads for functional programming. *Pages 24–52 of: Advanced Functional Programming*. Lecture Notes in Computer Science, vol. 925. Springer.
- Wu, Nicolas, & Schrijvers, Tom. (2015). Fusion for free - efficient algebraic effect handlers. *Pages 302–322 of: MPC*. Lecture Notes in Computer Science, vol. 9129. Springer.
- Yallop, Jeremy. (2017). Staged generic programming. *PACMPL*, **1**(ICFP), 29:1–29:29.

A Proofs of correctness of the higher-order uncurried CPS translation

Lemma 2 (Substitution)

1. $(\llbracket M \rrbracket @ (\overline{\langle \mathcal{V}_{fs}, \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} :: \mathcal{W})) \llbracket [V] / x \rrbracket = \llbracket M[V/x] \rrbracket @ (\overline{\langle \mathcal{V}_{fs}, \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} :: \mathcal{W}) \llbracket [V] / x \rrbracket$
2. $\llbracket W \rrbracket \llbracket [V] / x \rrbracket = \llbracket W[V/x] \rrbracket$

Proof

The proof is by mutual induction on the structure of the computation term M and the value term W . For most of the cases, the existence of the top level frame on the stack is not important, so we just refer to the whole static continuation stack as \mathcal{W} . Note that we make implicit use of the fact that the parts of the continuation stack that are statically known are all of the form of right nested triples of reflected dynamic terms.

Case $M = V' W$.

$$\begin{aligned}
& (\llbracket V' W \rrbracket @ \mathcal{W}) \llbracket [V] / x \rrbracket \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& (\overline{\lambda \kappa. \llbracket V' \rrbracket @ \llbracket W \rrbracket @ \downarrow \kappa} @ \mathcal{W}) \llbracket [V] / x \rrbracket \\
&= \text{(static } \beta \text{-conversion)} \\
& (\llbracket V' \rrbracket @ \llbracket W \rrbracket @ \downarrow \mathcal{W}) \llbracket [V] / x \rrbracket \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& (\llbracket V' \rrbracket \llbracket [V] / x \rrbracket) @ (\llbracket W \rrbracket \llbracket [V] / x \rrbracket) @ \downarrow \mathcal{W} \llbracket [V] / x \rrbracket \\
&= \text{(IH 2, twice)} \\
& \llbracket V'[V/x] \rrbracket @ \llbracket W[V/x] \rrbracket @ \downarrow \mathcal{W} \llbracket [V] / x \rrbracket \\
&= \text{(static } \beta \text{-conversion)} \\
& (\overline{\lambda \kappa. \llbracket V'[V/x] \rrbracket @ \llbracket W[V/x] \rrbracket @ \downarrow \kappa} @ \mathcal{W}) \llbracket [V] / x \rrbracket \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket (V'[V/x]) (W[V/x]) \rrbracket @ \mathcal{W} \llbracket [V] / x \rrbracket \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket (V' W)[V/x] \rrbracket @ \mathcal{W} \llbracket [V] / x \rrbracket
\end{aligned}$$

Case $M = WT$.

$$\begin{aligned}
& \llbracket WT \rrbracket @ \mathscr{H} \llbracket V \rrbracket / x \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& ((\bar{\lambda} \kappa. \llbracket W \rrbracket @ \langle \rangle @ \downarrow \kappa) @ \mathscr{H}) \llbracket V \rrbracket / x \\
= & \text{(static } \beta\text{-conversion)} \\
& \llbracket W \rrbracket @ \langle \rangle @ \downarrow \mathscr{H} \llbracket V \rrbracket / x \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket W \rrbracket \llbracket V \rrbracket / x @ \langle \rangle @ \downarrow \mathscr{H} \llbracket V \rrbracket / x \\
= & \text{(IH 2)} \\
& \llbracket W[V/x] \rrbracket @ \langle \rangle @ \downarrow \mathscr{H} \llbracket V \rrbracket / x \\
= & \text{(static } \beta\text{-conversion)} \\
& (\bar{\lambda} \kappa. \llbracket W[V/x] \rrbracket @ \langle \rangle @ \downarrow \kappa) @ \mathscr{H} \llbracket V \rrbracket / x \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket W[V/x] T \rrbracket @ \mathscr{H} \llbracket V \rrbracket / x \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket (WT)[V/x] \rrbracket @ \mathscr{H} \llbracket V \rrbracket / x
\end{aligned}$$

Case $M = \mathbf{let} \langle \ell = x'; y \rangle = W \mathbf{in} N$.

$$\begin{aligned}
& \llbracket \mathbf{let} \langle \ell = x'; y \rangle = W \mathbf{in} N \rrbracket @ \mathscr{H} \llbracket V \rrbracket / x \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& ((\bar{\lambda} \kappa. \mathbf{let} \langle \ell = x'; y \rangle = \llbracket W \rrbracket \mathbf{in} \llbracket N \rrbracket @ \kappa) @ \mathscr{H}) \llbracket V \rrbracket / x \\
= & \text{(static } \beta\text{-conversion)} \\
& \llbracket \mathbf{let} \langle \ell = x'; y \rangle = \llbracket W \rrbracket \mathbf{in} \llbracket N \rrbracket @ \mathscr{H} \rrbracket \llbracket V \rrbracket / x \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \mathbf{let} \langle \ell = x'; y \rangle = \llbracket W \rrbracket \llbracket V \rrbracket / x \mathbf{in} (\llbracket N \rrbracket @ \mathscr{H}) \llbracket V \rrbracket / x \\
= & \text{(IH 1 and IH 2)} \\
& \mathbf{let} \langle \ell = x'; y \rangle = \llbracket W[V/x] \rrbracket \mathbf{in} \llbracket N[V/x] \rrbracket @ \mathscr{H} \llbracket V \rrbracket / x \\
= & \text{(static } \beta\text{-conversion)} \\
& (\bar{\lambda} \kappa. \mathbf{let} \langle \ell = x'; y \rangle = \llbracket W[V/x] \rrbracket \mathbf{in} \llbracket N[V/x] \rrbracket @ \kappa) @ \mathscr{H} \llbracket V \rrbracket / x \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket \mathbf{let} \langle \ell = x'; y \rangle = W[V/x] \mathbf{in} N[V/x] \rrbracket @ \mathscr{H} \llbracket V \rrbracket / x \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket (\mathbf{let} \langle \ell = x'; y \rangle = W \mathbf{in} N)[V/x] \rrbracket @ \mathscr{H} \llbracket V \rrbracket / x
\end{aligned}$$

Case $M = \mathbf{case} V \{ \ell x \mapsto M; y \mapsto N \}$. Similar to the $M = \mathbf{let} \langle \ell = x; y \rangle = V \mathbf{in} N$ case.

Case $M = \mathbf{absurd} W$.

$$\begin{aligned}
& ((\mathbf{absurd} W) \overline{\textcircled{\mathscr{H}}})[[V]/x] \\
= & \text{(definition of } \overline{\textcircled{\mathscr{H}}}\text{)} \\
& ((\overline{\lambda \kappa} \mathbf{absurd} W) \overline{\textcircled{\mathscr{H}}})[[V]/x] \\
= & \text{(static } \beta\text{-conversion)} \\
& (\mathbf{absurd} [[W]])[[V]/x] \\
= & \text{(definition of } \overline{\textcircled{\mathscr{H}}}\text{)} \\
& \mathbf{absurd} [[W]][[V]/x] \\
= & \text{(IH 2)} \\
& \mathbf{absurd} [[W[V/x]]] \\
= & \text{(static } \beta\text{-conversion)} \\
& (\overline{\lambda \kappa} \mathbf{absurd} [[W[V/x]]]) \overline{\textcircled{\mathscr{H}}}\text{)}[[V]/x] \\
= & \text{(definition of } \overline{\textcircled{\mathscr{H}}}\text{)} \\
& [[\mathbf{absurd} W[V/x]] \overline{\textcircled{\mathscr{H}}}\text{)}[[V]/x] \\
= & \text{(definition of } \overline{\textcircled{\mathscr{H}}}\text{)} \\
& [[(\mathbf{absurd} W)[V/x]] \overline{\textcircled{\mathscr{H}}}\text{)}[[V]/x]
\end{aligned}$$

Case $M = \mathbf{return} W$.

$$\begin{aligned}
& ((\mathbf{return} W) \overline{\textcircled{\mathscr{H}}})[[V]/x] \\
= & \text{(definition of } \overline{\textcircled{\mathscr{H}}}\text{)} \\
& ((\overline{\lambda \kappa} \mathbf{app} \downarrow \kappa [[W]]) \overline{\textcircled{\mathscr{H}}})[[V]/x] \\
= & \text{(static } \beta\text{-conversion)} \\
& (\mathbf{app} \downarrow \mathscr{H} [[W]])[[V]/x] \\
= & \text{(definition of } \overline{\textcircled{\mathscr{H}}}\text{)} \\
& \mathbf{app} \downarrow (\mathscr{H} [[V]/x]) ([[W]][[V]/x]) \\
= & \text{(IH 2)} \\
& \mathbf{app} \downarrow (\mathscr{H} [[V]/x]) [[W[V/x]]] \\
= & \text{(static } \beta\text{-conversion)} \\
& (\overline{\lambda \kappa} \mathbf{app} \downarrow \kappa [[W[V/x]])} \overline{\textcircled{\mathscr{H}}}\text{)}[[V]/x] \\
= & \text{(definition of } \overline{\textcircled{\mathscr{H}}}\text{)} \\
& [[\mathbf{return} (W[V/x])] \overline{\textcircled{\mathscr{H}}}\text{)}[[V]/x] \\
= & \text{(definition of } \overline{\textcircled{\mathscr{H}}}\text{)} \\
& [[(\mathbf{return} W)[V/x]] \overline{\textcircled{\mathscr{H}}}\text{)}[[V]/x]
\end{aligned}$$

Case $M = \mathbf{let} \ y \leftarrow M' \ \mathbf{in} \ N$. We have:

$$\begin{aligned}
& (\llbracket \mathbf{let} \ y \leftarrow M' \ \mathbf{in} \ N \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) \overline{\mathcal{W}}) \llbracket [V] / x \rrbracket \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& (\overline{\lambda} \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops}) \overline{\kappa}. \\
& \quad \llbracket M' \rrbracket @ (\overline{\uparrow}((\overline{\lambda} y k. \mathbf{let} \ \underline{fs}, \underline{h}^{ret}, \underline{h}^{ops}) \overline{\mathcal{W}} \overline{\kappa} = k \ \mathbf{in} \ \llbracket N \rrbracket @ (\overline{\uparrow} fs, \overline{\uparrow} h^{ret}, \overline{\uparrow} h^{ops}) \overline{\mathcal{W}} \overline{\kappa})) \overline{\downarrow} \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops}) \overline{\kappa} \\
& \quad @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) \overline{\mathcal{W}}) \llbracket [V] / x \rrbracket \\
= & \text{(static } \beta\text{-conversion)} \\
& (\llbracket M' \rrbracket @ (\overline{\uparrow}((\overline{\lambda} y k. \mathbf{let} \ \underline{fs}, \underline{h}^{ret}, \underline{h}^{ops}) \overline{\mathcal{W}} \overline{\kappa} = k \ \mathbf{in} \ \llbracket N \rrbracket @ (\overline{\uparrow} fs, \overline{\uparrow} h^{ret}, \overline{\uparrow} h^{ops}) \overline{\mathcal{W}} \overline{\kappa})) \overline{\downarrow} \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops}) \overline{\kappa} \\
= & \text{(IH 1 on } M') \\
& \llbracket M'[V/x] \rrbracket @ \\
& \quad (\overline{\uparrow}((\overline{\lambda} y k. \mathbf{let} \ \underline{fs}, \underline{h}^{ret}, \underline{h}^{ops}) \overline{\mathcal{W}} \overline{\kappa} = k \ \mathbf{in} \ \llbracket N \rrbracket @ (\overline{\uparrow} fs, \overline{\uparrow} h^{ret}, \overline{\uparrow} h^{ops}) \overline{\mathcal{W}} \overline{\kappa})) \overline{\downarrow} \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops}) \overline{\kappa} \\
= & \text{(definition of } \llbracket - / - \rrbracket \text{)} \\
& \llbracket M'[V/x] \rrbracket @ \\
& \quad (\overline{\uparrow}((\overline{\lambda} y k. \mathbf{let} \ \underline{fs}, \underline{h}^{ret}, \underline{h}^{ops}) \overline{\mathcal{W}} \overline{\kappa} = k \ \mathbf{in} \\
& \quad \quad (\llbracket N \rrbracket @ (\overline{\uparrow} fs, \overline{\uparrow} h^{ret}, \overline{\uparrow} h^{ops}) \overline{\mathcal{W}} \overline{\kappa})) \overline{\downarrow} \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops}) \overline{\kappa} \\
= & \text{(IH 1 on } N) \\
& \llbracket M'[V/x] \rrbracket @ \\
& \quad (\overline{\uparrow}((\overline{\lambda} y k. \mathbf{let} \ \underline{fs}, \underline{h}^{ret}, \underline{h}^{ops}) \overline{\mathcal{W}} \overline{\kappa} = k \ \mathbf{in} \\
& \quad \quad \llbracket N[V/x] \rrbracket @ (\overline{\uparrow} fs, \overline{\uparrow} h^{ret}, \overline{\uparrow} h^{ops}) \overline{\mathcal{W}} \overline{\kappa})) \overline{\downarrow} \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops}) \overline{\kappa} \\
= & \text{(static } \beta\text{-conversion and definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket \mathbf{let} \ y \leftarrow M'[V/x] \ \mathbf{in} \ N[V/x] \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) \overline{\mathcal{W}}) \llbracket [V] / x \rrbracket \\
= & \text{(definition of } \llbracket - / - \rrbracket \text{)} \\
& \llbracket (\mathbf{let} \ y \leftarrow M' \ \mathbf{in} \ N)[V/x] \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) \overline{\mathcal{W}}) \llbracket [V] / x \rrbracket
\end{aligned}$$

Case $M = \mathbf{do} \ (\ell W)^E$. We have:

$$\begin{aligned}
& (\llbracket \mathbf{do} \ (\ell W)^E \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) \overline{\mathcal{W}}) \llbracket [V] / x \rrbracket \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& ((\overline{\lambda} \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops}) \overline{\kappa}. \overline{\downarrow} \overline{\chi}^{ops} @ \langle \ell, \llbracket W \rrbracket, \overline{\downarrow} \overline{\theta}, \overline{\downarrow} \overline{\chi}^{ret}, \overline{\downarrow} \overline{\chi}^{ops} \rangle \overline{\mathcal{W}}) @ \overline{\downarrow} \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops}) \overline{\kappa} @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) \overline{\mathcal{W}}) \llbracket [V] / x \rrbracket \\
= & \text{(static } \beta\text{-conversion)} \\
& (\overline{\downarrow} \overline{\chi}^{ops} @ \langle \ell, \llbracket W \rrbracket, \overline{\downarrow} \overline{\chi}^{ops} \rangle \overline{\mathcal{W}}) @ \overline{\downarrow} \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops}) \overline{\kappa} @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) \overline{\mathcal{W}}) \llbracket [V] / x \rrbracket \\
= & \text{(definition of } \llbracket - / - \rrbracket \text{)} \\
& \overline{\downarrow} \overline{\chi}^{ops} \llbracket [V] / x \rrbracket @ \langle \ell, \llbracket W[V/x] \rrbracket, \overline{\downarrow} \overline{\chi}^{ops} \llbracket [V] / x \rrbracket, \overline{\downarrow} \overline{\chi}^{ret} \llbracket [V] / x \rrbracket, \overline{\downarrow} \overline{\chi}^{ops} \llbracket [V] / x \rrbracket \rangle \overline{\mathcal{W}} @ \overline{\downarrow} \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops}) \overline{\kappa} \\
= & \text{(IH 2 on } W) \\
& \overline{\downarrow} \overline{\chi}^{ops} \llbracket [V] / x \rrbracket @ \langle \ell, \llbracket W[V/x] \rrbracket, \overline{\downarrow} \overline{\chi}^{ops} \llbracket [V] / x \rrbracket, \overline{\downarrow} \overline{\chi}^{ret} \llbracket [V] / x \rrbracket, \overline{\downarrow} \overline{\chi}^{ops} \llbracket [V] / x \rrbracket \rangle \overline{\mathcal{W}} @ \overline{\downarrow} \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops}) \overline{\kappa} \\
= & \text{(static } \beta\text{-conversion)} \\
& (\overline{\lambda} \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops}) \overline{\kappa}. \overline{\downarrow} \overline{\chi}^{ops} @ \langle \ell, \llbracket W[V/x] \rrbracket, \overline{\downarrow} \overline{\theta}, \overline{\downarrow} \overline{\chi}^{ret}, \overline{\downarrow} \overline{\chi}^{ops} \rangle \overline{\mathcal{W}}) @ \overline{\downarrow} \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops}) \overline{\kappa} @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) \overline{\mathcal{W}}) \llbracket [V] / x \rrbracket \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& (\llbracket \mathbf{do} \ (\ell W[V/x])^E \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) \overline{\mathcal{W}}) \llbracket [V] / x \rrbracket \\
= & \text{(definition of } \llbracket - / - \rrbracket \text{)} \\
& (\llbracket (\mathbf{do} \ (\ell W)^E)[V/x] \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) \overline{\mathcal{W}}) \llbracket [V] / x \rrbracket
\end{aligned}$$

Case $M = \mathbf{handle}^\delta M' \ \mathbf{with} \ H$. We make use of two auxiliary results.

1. $\llbracket H^{ret} \rrbracket \llbracket [V] / x \rrbracket = \llbracket H^{ret}[V/x] \rrbracket$
2. $\llbracket H^{ops} \rrbracket^\delta \llbracket [V] / x \rrbracket = \llbracket H^{ops}[V/x] \rrbracket^\delta$

50

Daniel Hillerström, Sam Lindley, and Robert Atkey

*Proof*Suppose $H^{\text{ret}} = \{\mathbf{return} \ y \mapsto N\}$.

$$\begin{aligned}
& \llbracket H^{\text{ret}} \rrbracket \llbracket [V] / x \rrbracket \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \quad (\underline{\lambda} y k. \mathbf{let} \ \langle \underline{fs}, \underline{h^{\text{ret}}}, \underline{h^{\text{ops}}} \rangle \ :: k' = k \ \mathbf{in} \ \llbracket N \rrbracket \ @ \ (\overline{\langle \uparrow fs, \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}} \rangle} \ :: \uparrow k')) \llbracket [V] / x \rrbracket \\
&= \text{(definition of } \llbracket - / - \rrbracket \text{)} \\
& \quad \underline{\lambda} y k. \mathbf{let} \ \langle \underline{fs}, \underline{h^{\text{ret}}}, \underline{h^{\text{ops}}} \rangle \ :: k' = k \ \mathbf{in} \ (\llbracket N \rrbracket \ @ \ (\overline{\langle \uparrow fs, \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}} \rangle} \ :: \uparrow k')) \llbracket [V] / x \rrbracket \\
&= \text{(IH 1 for } N \text{)} \\
& \quad \underline{\lambda} y k. \mathbf{let} \ \langle \underline{fs}, \underline{h^{\text{ret}}}, \underline{h^{\text{ops}}} \rangle \ :: k' = k \ \mathbf{in} \ \llbracket N[V/x] \rrbracket \ @ \ (\overline{\langle \uparrow fs, \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}} \rangle} \ :: \uparrow k') \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \quad \llbracket H^{\text{ret}}[V/x] \rrbracket
\end{aligned}$$

The $H^{\text{ops}} = \{(\ell pr \mapsto N_\ell)_{\ell \in \mathcal{L}}\}$ case goes through similarly. \square

We can now prove that substitution commutes with the translation of handlers:

$$\begin{aligned}
& (\llbracket \mathbf{handle}^\delta \ M' \ \mathbf{with} \ H \rrbracket \ @ \ \mathscr{H}) \llbracket [V] / x \rrbracket \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \quad ((\underline{\lambda} \kappa. \llbracket M' \rrbracket \ @ \ (\overline{\langle \uparrow \square, \overline{\langle \llbracket H^{\text{ret}} \rrbracket}, \llbracket H^{\text{ops}} \rrbracket^\delta \rangle} \ :: \kappa}) \ @ \ \mathscr{H}) \llbracket [V] / x \rrbracket \\
&= \text{(static } \beta \text{-conversion)} \\
& \quad (\llbracket M' \rrbracket \ @ \ (\overline{\langle \uparrow \square, \overline{\langle \llbracket H^{\text{ret}} \rrbracket}, \llbracket H^{\text{ops}} \rrbracket^\delta \rangle} \ :: \mathscr{H})) \llbracket [V] / x \rrbracket \\
&= \text{(IH 1 for } M' \text{)} \\
& \quad \llbracket M'[V/x] \rrbracket \ @ \ (\overline{\langle \uparrow \square, \overline{\langle \llbracket H^{\text{ret}} \rrbracket \llbracket [V] / x \rrbracket}, \llbracket H^{\text{ops}} \rrbracket^\delta \llbracket [V] / x \rrbracket \rangle} \ :: \mathscr{H} \llbracket [V] / x \rrbracket}) \\
&= \text{(by (1) and (2))} \\
& \quad \llbracket M'[V/x] \rrbracket \ @ \ (\overline{\langle \uparrow \square, \overline{\langle \llbracket H^{\text{ret}}[V/x] \rrbracket}, \llbracket H^{\text{ops}}[V/x] \rrbracket^\delta \rangle} \ :: \mathscr{H} \llbracket [V] / x \rrbracket}) \\
&= \text{(static } \beta \text{-conversion)} \\
& \quad ((\underline{\lambda} \kappa. \llbracket M'[V/x] \rrbracket \ @ \ (\overline{\langle \uparrow \square, \overline{\langle \llbracket H^{\text{ret}}[V/x] \rrbracket}, \llbracket H^{\text{ops}}[V/x] \rrbracket^\delta \rangle} \ :: \kappa}) \ @ \ \mathscr{H} \llbracket [V] / x \rrbracket) \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \quad \llbracket \mathbf{handle}^\delta \ M'[V/x]; \ \mathbf{with} \ H[V/x] \rrbracket \ @ \ \mathscr{H} \llbracket [V] / x \rrbracket \\
&= \text{(definition of } \llbracket - / - \rrbracket \text{)} \\
& \quad \llbracket (\mathbf{handle}^\delta \ M' \ \mathbf{with} \ H)[V/x] \rrbracket \ @ \ \mathscr{H} \llbracket [V] / x \rrbracket
\end{aligned}$$

 \square *Lemma 8 (Type erasure)*

1. $\llbracket M \rrbracket \ @ \ \mathscr{H} = \llbracket M[T/\alpha] \rrbracket \ @ \ \mathscr{H}$
2. $\llbracket W \rrbracket = \llbracket W[T/\alpha] \rrbracket$

*Proof*Follows from the observation that the translation is oblivious to types. \square *Lemma 3 (Decomposition)*

$$\llbracket \mathcal{E}[M] \rrbracket \ @ \ (\overline{\langle \mathscr{V}_{fs}, \mathscr{V}_{ret}, \mathscr{V}_{ops} \rangle} \ :: \mathscr{H}) = \llbracket M \rrbracket \ @ \ (\llbracket \mathcal{E} \rrbracket \ @ \ (\overline{\langle \mathscr{V}_{fs}, \mathscr{V}_{ret}, \mathscr{V}_{ops} \rangle} \ :: \mathscr{H}))$$

Proof

Case $\mathcal{E} = \mathbf{handle}^\delta \mathcal{E}' \mathbf{with} H$.

$$\begin{aligned}
& \llbracket \mathcal{E}[M] \rrbracket @ (\mathcal{V} :: \mathcal{W}) \\
&= \text{(assumption)} \\
& \llbracket \mathbf{handle}^\delta \mathcal{E}'[M] \mathbf{with} H \rrbracket @ (\mathcal{V} :: \mathcal{W}) \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& (\bar{\lambda} \kappa. \llbracket \mathcal{E}'[M] \rrbracket @ (\bar{\llbracket \cdot \rrbracket}, \llbracket H \rrbracket^\delta :: \kappa)) @ (\mathcal{V} :: \mathcal{W}) \\
&= \text{(static } \beta \text{-conversion)} \\
& \llbracket \mathcal{E}'[M] \rrbracket @ (\bar{\llbracket \cdot \rrbracket}, \llbracket H \rrbracket^\delta :: (\mathcal{V} :: \mathcal{W})) \\
&= \text{(IH)} \\
& \llbracket M \rrbracket @ (\llbracket \mathcal{E}' \rrbracket @ (\bar{\llbracket \cdot \rrbracket}, \llbracket H \rrbracket^\delta :: (\mathcal{V} :: \mathcal{W}))) \\
&= \text{(static } \beta \text{-conversion)} \\
& \llbracket M \rrbracket @ ((\bar{\lambda} \kappa. \llbracket \mathcal{E}' \rrbracket @ (\bar{\llbracket \cdot \rrbracket}, \llbracket H \rrbracket^\delta :: \kappa)) @ (\mathcal{V} :: \mathcal{W})) \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket M \rrbracket @ (\llbracket \mathbf{handle}^\delta \mathcal{E}' \mathbf{with} H \rrbracket @ (\mathcal{V} :: \mathcal{W})) \\
&= \text{(assumption)} \\
& \llbracket M \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\mathcal{V} :: \mathcal{W}))
\end{aligned}$$

□

Lemma 4 (Reflect after reify)

$$\llbracket M \rrbracket @ (\bar{\llbracket \mathcal{V}_{fs}, \mathcal{V}_{ret}, \mathcal{V}_{ops} \rrbracket} :: \uparrow \downarrow \mathcal{W}) = \llbracket M \rrbracket @ (\bar{\llbracket \mathcal{V}_{fs}, \mathcal{V}_{ret}, \mathcal{V}_{ops} \rrbracket} :: \mathcal{W})$$

Proof

For an inductive proof to go through in the presence of **let** and **handle**, which alter or extend the continuation stack, we generalise the lemma statement to include an arbitrary list of handler frames:

$$\llbracket M \rrbracket @ (\bar{\llbracket \mathcal{V}_{fs}, \mathcal{V}_{ret}, \mathcal{V}_{ops} \rrbracket} :: \mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \uparrow \downarrow \mathcal{W}) = \llbracket M \rrbracket @ (\bar{\llbracket \mathcal{V}_{fs}, \mathcal{V}_{ret}, \mathcal{V}_{ops} \rrbracket} :: \mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \mathcal{W})$$

This is the lemma statement when $n = 0$. The proof now proceeds by induction on the structure of M . Most of the translated terms do not examine the top of the continuation stack, so we will write \mathcal{V}_0 for $\bar{\llbracket \mathcal{V}_{fs}, \mathcal{V}_{ret}, \mathcal{V}_{ops} \rrbracket}$ to save space.

Case $M = V W$.

$$\begin{aligned}
& \llbracket V W \rrbracket @ (\mathcal{V}_0 :: \dots :: \mathcal{V}_n :: \uparrow \downarrow \mathcal{W}) \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& (\bar{\lambda} \kappa. \llbracket V \rrbracket @ \llbracket W \rrbracket @ \downarrow \kappa) @ (\mathcal{V}_0 :: \dots :: \mathcal{V}_n :: \uparrow \downarrow \mathcal{W}) \\
&= \text{(static } \beta \text{-conversion)} \\
& \llbracket V \rrbracket @ \llbracket W \rrbracket @ \downarrow (\mathcal{V}_0 :: \dots :: \mathcal{V}_n :: \uparrow \downarrow \mathcal{W}) \\
&= \text{(definition of } \downarrow \text{)} \\
& \llbracket V \rrbracket @ \llbracket W \rrbracket @ (\mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \downarrow \mathcal{W}) \\
&= \text{(definition of } \downarrow \text{)} \\
& \llbracket V \rrbracket @ \llbracket W \rrbracket @ \downarrow (\mathcal{V}_0 :: \dots :: \mathcal{V}_n :: \mathcal{W}) \\
&= \text{(static } \beta \text{-conversion)} \\
& (\bar{\lambda} \kappa s. \llbracket V \rrbracket @ \llbracket W \rrbracket @ \downarrow \kappa s) @ (\mathcal{V}_0 :: \dots :: \mathcal{V}_n :: \mathcal{W}) \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket V W \rrbracket @ (\mathcal{V}_0 :: \dots :: \mathcal{V}_n :: \mathcal{W})
\end{aligned}$$

Case $M = VT$. Similar to the $M = VW$ case.

Case $M = \mathbf{let} \langle \ell = x; y \rangle = V \mathbf{in} N$.

$$\begin{aligned}
& \llbracket \mathbf{let} \langle \ell = x; y \rangle = V \mathbf{in} N \rrbracket @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \uparrow \downarrow \mathcal{W}) \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& (\bar{\lambda} \kappa. \mathbf{let} \langle \ell = x; y \rangle = \llbracket V \rrbracket \mathbf{in} \llbracket N \rrbracket @ \kappa) @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \uparrow \downarrow \mathcal{W}) \\
&= \text{(static } \beta \text{-conversion)} \\
& \mathbf{let} \langle \ell = x; y \rangle = \llbracket V \rrbracket \mathbf{in} \llbracket N \rrbracket @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \uparrow \downarrow \mathcal{W}) \\
&= \text{(IH)} \\
& \mathbf{let} \langle \ell = x; y \rangle = \llbracket V \rrbracket \mathbf{in} \llbracket N \rrbracket @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \mathcal{W}) \\
&= \text{(static } \beta \text{-conversion)} \\
& (\bar{\lambda} \kappa. \mathbf{let} \langle \ell = x; y \rangle = \llbracket V \rrbracket \mathbf{in} \llbracket N \rrbracket @ \kappa) @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \mathcal{W}) \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket \mathbf{let} \langle \ell = x; y \rangle = V \mathbf{in} N \rrbracket @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \mathcal{W})
\end{aligned}$$

Case $M = \mathbf{case} V \{ \ell x \mapsto M; y \mapsto N \}$. Similar to the $M = \mathbf{let} \langle \ell = x; y \rangle = V \mathbf{in} N$ case.

Case $M = \mathbf{absurd} V$.

$$\begin{aligned}
& \llbracket \mathbf{absurd} V \rrbracket @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \uparrow \downarrow \mathcal{W}) \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& (\bar{\lambda} \kappa. \mathbf{absurd} \llbracket V \rrbracket) @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \uparrow \downarrow \mathcal{W}) \\
&= \text{(static } \beta \text{-conversion)} \\
& \mathbf{absurd} \llbracket V \rrbracket \\
&= \text{(static } \beta \text{-conversion)} \\
& (\bar{\lambda} \kappa. \mathbf{absurd} \llbracket V \rrbracket) @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \mathcal{W}) \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket \mathbf{absurd} V \rrbracket @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \mathcal{W})
\end{aligned}$$

Case $M = \mathbf{return} V$.

$$\begin{aligned}
& \llbracket \mathbf{return} V \rrbracket @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \uparrow \downarrow \mathcal{W}) \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& (\bar{\lambda} \kappa. \mathbf{app} (\downarrow \kappa) \llbracket V \rrbracket) @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \uparrow \downarrow \mathcal{W}) \\
&= \text{(static } \beta \text{-conversion)} \\
& \mathbf{app} (\downarrow (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \uparrow \downarrow \mathcal{W})) \llbracket V \rrbracket \\
&= \text{(definition of } \downarrow \text{)} \\
& \mathbf{app} (\downarrow \mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \downarrow \mathcal{V}_n \ddot{\vdash} \downarrow \mathcal{W}) \llbracket V \rrbracket \\
&= \text{(definition of } \downarrow \text{)} \\
& \mathbf{app} (\downarrow (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \mathcal{W})) \llbracket V \rrbracket \\
&= \text{(static } \beta \text{-conversion)} \\
& (\bar{\lambda} \kappa. \mathbf{app} (\downarrow \kappa) \llbracket V \rrbracket) @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \mathcal{W}) \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket \mathbf{return} V \rrbracket @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \mathcal{W})
\end{aligned}$$

Case $M = \text{let } x \leftarrow M' \text{ in } N$.

$$\begin{aligned}
& \llbracket \text{let } x \leftarrow M' \text{ in } N \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \uparrow \downarrow \mathcal{W}) \\
= & \text{ (definition of } \llbracket - \rrbracket \text{)} \\
& (\overline{\lambda} \langle \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops} \rangle :: \kappa. \llbracket M' \rrbracket @ (\overline{\uparrow} ((\underline{\lambda} x k. \text{let } \langle fs, \langle h^{ret}, h^{ops} \rangle :: k' = k; \text{in} \\
& \quad \llbracket N \rrbracket @ (\overline{\uparrow} fs, \overline{\uparrow} h^{ret}, \overline{\uparrow} h^{ops}) :: \uparrow k')) :: \downarrow \theta), \\
& \quad \overline{\chi}^{ret}, \overline{\chi}^{ops}) :: \kappa)) \\
& @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \uparrow \downarrow \mathcal{W}) \\
= & \text{ (static } \beta\text{-conversion)} \\
& \llbracket M' \rrbracket @ (\overline{\uparrow} ((\underline{\lambda} x k. \text{let } \langle fs, \langle h^{ret}, h^{ops} \rangle :: k' = k; \text{in} \\
& \quad \llbracket N \rrbracket @ (\overline{\uparrow} fs, \overline{\uparrow} h^{ret}, \overline{\uparrow} h^{ops}) :: \uparrow k')) :: \downarrow \mathcal{V}_{fs}), \\
& \quad \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \uparrow \downarrow \mathcal{W}) \\
= & \text{ (IH on } M \text{)} \\
& \llbracket M' \rrbracket @ (\overline{\uparrow} ((\underline{\lambda} x k. \text{let } \langle fs, \langle h^{ret}, h^{ops} \rangle :: k' = k; \text{in} \\
& \quad \llbracket N \rrbracket @ (\overline{\uparrow} fs, \overline{\uparrow} h^{ret}, \overline{\uparrow} h^{ops}) :: \uparrow k')) :: \downarrow \mathcal{V}_{fs}), \\
& \quad \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \mathcal{W}) \\
= & \text{ (static } \beta\text{-conversion)} \\
& (\overline{\lambda} \langle \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops} \rangle :: \kappa. \llbracket M' \rrbracket @ (\overline{\uparrow} ((\underline{\lambda} x k. \text{let } \langle fs, \langle h^{ret}, h^{ops} \rangle :: k' = k; \text{in} \\
& \quad \llbracket N \rrbracket @ (\overline{\uparrow} fs, \overline{\uparrow} h^{ret}, \overline{\uparrow} h^{ops}) :: \uparrow k')) :: \downarrow \theta), \\
& \quad \overline{\chi}^{ret}, \overline{\chi}^{ops}) :: \kappa)) \\
& @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \mathcal{W}) \\
= & \text{ (definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket \text{let } x \leftarrow M' \text{ in } N \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \mathcal{W})
\end{aligned}$$

Case $M = \text{do } \ell V$.

$$\begin{aligned}
& \llbracket \text{do } \ell V \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \uparrow \downarrow \mathcal{W}) \\
= & \text{ (definition of } \llbracket - \rrbracket \text{)} \\
& (\overline{\lambda} \langle \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops} \rangle :: \kappa. \downarrow \chi^{ops} @ \langle \ell, \llbracket V \rrbracket, \langle \downarrow \theta, \langle \downarrow \chi^{ret}, \downarrow \chi^{ops} \rangle :: \rangle \rangle @ \downarrow \kappa) \\
& @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \uparrow \downarrow \mathcal{W}) \\
= & \text{ (static } \beta\text{-conversion)} \\
& \downarrow \mathcal{V}_{ops} @ \langle \ell, \llbracket V \rrbracket, \langle \downarrow \mathcal{V}_{fs}, \langle \downarrow \mathcal{V}_{ret}, \downarrow \mathcal{V}_{ops} \rangle :: \rangle \rangle @ (\mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \uparrow \downarrow \mathcal{W}) \\
= & \text{ (definition of } \downarrow \text{)} \\
& \downarrow \mathcal{V}_{ops} @ \langle \ell, \llbracket V \rrbracket, \langle \downarrow \mathcal{V}_{fs}, \langle \downarrow \mathcal{V}_{ret}, \downarrow \mathcal{V}_{ops} \rangle :: \rangle \rangle @ (\downarrow \mathcal{V}_1 :: \dots :: \downarrow \mathcal{V}_n :: \downarrow \mathcal{W}) \\
= & \text{ (definition of } \downarrow \text{)} \\
& \downarrow \mathcal{V}_{ops} @ \langle \ell, \llbracket V \rrbracket, \langle \downarrow \mathcal{V}_{fs}, \langle \downarrow \mathcal{V}_{ret}, \downarrow \mathcal{V}_{ops} \rangle :: \rangle \rangle @ (\mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \mathcal{W}) \\
= & \text{ (static } \beta\text{-conversion)} \\
& (\overline{\lambda} \langle \overline{\theta}, \overline{\chi}^{ret}, \overline{\chi}^{ops} \rangle :: \kappa. \downarrow \chi^{ops} @ \langle \ell, \llbracket V \rrbracket, \langle \downarrow \theta, \langle \downarrow \chi^{ret}, \downarrow \chi^{ops} \rangle :: \rangle \rangle @ \downarrow \kappa) \\
& @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \mathcal{W}) \\
= & \text{ (definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket \text{do } \ell V \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{V}_1 :: \dots :: \mathcal{V}_n :: \mathcal{W})
\end{aligned}$$

Case $\text{handle}^\delta M$ with H .

$$\begin{aligned}
& \llbracket \text{handle}^\delta M \text{ with } H \rrbracket @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \uparrow \downarrow \mathcal{W}) \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \quad (\bar{\lambda} \kappa. \llbracket M \rrbracket @ (\bar{\uparrow} \square, \llbracket H \rrbracket^\delta \ddot{\vdash} \kappa)) @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \uparrow \downarrow \mathcal{W}) \\
&= \text{(static } \beta\text{-conversion)} \\
& \quad \llbracket M \rrbracket @ (\bar{\uparrow} \square, \llbracket H \rrbracket^\delta \ddot{\vdash} \mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \uparrow \downarrow \mathcal{W}) \\
&= \text{(IH)} \\
& \quad \llbracket M \rrbracket @ (\bar{\uparrow} \square, \llbracket H \rrbracket^\delta \ddot{\vdash} \mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \mathcal{W}) \\
&= \text{(static } \beta\text{-conversion)} \\
& \quad (\bar{\lambda} \kappa. \llbracket M \rrbracket @ (\bar{\uparrow} \square, \llbracket H \rrbracket^\delta \ddot{\vdash} \kappa)) @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \mathcal{W}) \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \quad \llbracket \text{handle}^\delta M \text{ with } H \rrbracket @ (\mathcal{V}_0 \ddot{\vdash} \dots \ddot{\vdash} \mathcal{V}_n \ddot{\vdash} \mathcal{W})
\end{aligned}$$

□

Lemma 5 (Forwarding)

If $\ell \notin \text{dom}(H_1)$ then:

$$\llbracket H_1^{\text{ops}} \rrbracket^\delta @ \langle \ell, \langle V_p, V_{rk} \rangle \rangle @ \langle \langle V_{fs}, \llbracket H_2 \rrbracket^\delta \rangle \ddot{\vdash} W \rangle \rightsquigarrow^+ \llbracket H_2^{\text{ops}} \rrbracket^\delta @ \langle \ell, \langle V_p, \langle V_{fs}, \llbracket H_2 \rrbracket^\delta \rangle \ddot{\vdash} V_{rk} \rangle \rangle @ W$$

Proof

$$\begin{aligned}
& \llbracket H_1^{\text{ops}} \rrbracket^\delta @ \langle \ell, \langle V_p, V_{rk} \rangle \rangle @ \langle \langle V_{fs}, \llbracket H_2 \rrbracket^\delta \rangle \ddot{\vdash} W \rangle \\
& \rightsquigarrow^+ \\
& \quad M_{\text{forward}}(\langle \ell, V_p, V_{rk} \rangle, \langle V_{fs}, \llbracket H_2 \rrbracket^\delta \rangle \ddot{\vdash} W) \\
&= \\
& \quad \text{let } \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle \ddot{\vdash} k' = \langle V_{fs}, \llbracket H_2 \rrbracket^\delta \rangle \ddot{\vdash} W \text{ in} \\
& \quad \text{let } rk' = \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle \ddot{\vdash} V_{rk} \text{ in} \\
& \quad h^{\text{ops}} @ \langle \ell, \langle V_p, rk' \rangle \rangle @ k' \\
& \rightsquigarrow^+ \\
& \quad \llbracket H_2^{\text{ops}} \rrbracket^\delta @ \langle \ell, \langle V_p, \langle V_{fs}, \llbracket H_2 \rrbracket^\delta \rangle \ddot{\vdash} V_{rk} \rangle \rangle @ W
\end{aligned}$$

□

Lemma 6 (Handling)

If $\ell \notin \text{BL}(\mathcal{E})$ and $H^\ell = \{\ell p r \mapsto N_\ell\}$ then:

1. $\llbracket \text{do } \ell V \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\bar{\uparrow} \square, \llbracket H \rrbracket \ddot{\vdash} \bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W})) \rightsquigarrow^+$
 $(\llbracket N_\ell \rrbracket @ \bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W})$
 $\llbracket [V] / p, \lambda y k. \text{let } \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle \ddot{\vdash} k' = k \text{ in}$
 $\quad \llbracket \text{return } y \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\bar{\uparrow} \square, \llbracket H \rrbracket \ddot{\vdash} \bar{\uparrow} s, \bar{\uparrow} h^{\text{ret}}, \bar{\uparrow} h^{\text{ops}}) \ddot{\vdash} \uparrow k')) / r$
2. $\llbracket \text{do } \ell V \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\bar{\uparrow} \square, \llbracket H \rrbracket \ddot{\vdash} \bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W})) \rightsquigarrow^+$
 $(\llbracket N_\ell \rrbracket @ \bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W})$
 $\llbracket [V] / p, \lambda y k. \text{let } \langle s, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle \ddot{\vdash} k' = k \text{ in}$
 $\quad \llbracket \text{return } y \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\bar{\uparrow} s, \bar{\uparrow} h^{\text{ret}}, \bar{\uparrow} h^{\text{ops}}) \ddot{\vdash} \uparrow k')) / r$

Proof

By the definition of $\llbracket - \rrbracket$ on evaluation contexts we can deduce that

$$\llbracket \mathcal{E} \rrbracket @ (\uparrow V, \llbracket H \rrbracket^{\delta} \bar{\cdot} \bar{\cdot} \mathcal{W}) = \uparrow V_1, \llbracket H_1 \rrbracket^{\delta_1} \bar{\cdot} \bar{\cdot} \dots \uparrow (V_n ++ V), \llbracket H_n \rrbracket^{\delta_n} \bar{\cdot} \bar{\cdot} \mathcal{W} \quad (\text{A 1})$$

for some dynamic value terms V_1, \dots, V_n , depths $\delta_1, \dots, \delta_n$, and handlers H_1, \dots, H_n , where $n \geq 1$, $H_n = H$, and $++$ is (dynamic) list concatenation.

$$\begin{aligned} & \llbracket \text{do } \ell \ V \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\uparrow \downarrow, \llbracket H \rrbracket \bar{\cdot} \bar{\cdot} \langle \mathcal{V}_{fs}, \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle \bar{\cdot} \bar{\cdot} \mathcal{W})) \\ = & \text{(definition of } \llbracket - \rrbracket \rrbracket \\ & \langle \lambda \theta, \langle \mathcal{X}^{ret}, \mathcal{X}^{ops} \rangle \bar{\cdot} \bar{\cdot} \kappa'. \downarrow \mathcal{X}^{ops} @ \langle \ell, \llbracket V \rrbracket, \langle \downarrow \theta, \langle \downarrow \mathcal{X}^{ret}, \downarrow \mathcal{X}^{ops} \rangle \bar{\cdot} \bar{\cdot} \rangle \rangle @ \downarrow \kappa \rangle \\ & @ (\llbracket \mathcal{E} \rrbracket @ (\uparrow \downarrow, \llbracket H \rrbracket \bar{\cdot} \bar{\cdot} \langle \mathcal{V}_{fs}, \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle \bar{\cdot} \bar{\cdot} \mathcal{W})) \\ = & \text{(Equation A 1, above)} \\ & \langle \lambda \theta, \langle \mathcal{X}^{ret}, \mathcal{X}^{ops} \rangle \bar{\cdot} \bar{\cdot} \kappa'. \downarrow \mathcal{X}^{ops} @ \langle \ell, \llbracket V \rrbracket, \langle \downarrow \theta, \langle \downarrow \mathcal{X}^{ret}, \downarrow \mathcal{X}^{ops} \rangle \bar{\cdot} \bar{\cdot} \rangle \rangle @ \downarrow \kappa \rangle \\ & @ (\uparrow V_1, \llbracket H_1 \rrbracket^{\delta_1} \bar{\cdot} \bar{\cdot} \dots \uparrow V_n, \llbracket H_n \rrbracket^{\delta_n} \bar{\cdot} \bar{\cdot} \langle \mathcal{V}_{fs}, \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle \bar{\cdot} \bar{\cdot} \mathcal{W}) \\ = & \text{(static } \beta\text{-conversion)} \\ & \llbracket H_1^{ops} \rrbracket^{\delta_1} @ \langle \ell, \llbracket V \rrbracket, \langle V_1, \llbracket H_1 \rrbracket^{\delta_1} \bar{\cdot} \bar{\cdot} \rangle \rangle @ (\dots \uparrow V_n, \llbracket H_n \rrbracket^{\delta_n} \bar{\cdot} \bar{\cdot} \langle \mathcal{V}_{fs}, \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle \bar{\cdot} \bar{\cdot} \mathcal{W}) \\ = & \text{(definition of } \downarrow \rrbracket \\ & \llbracket H_1^{ops} \rrbracket^{\delta_1} @ \langle \ell, \llbracket V \rrbracket, \langle V_1, \llbracket H_1 \rrbracket^{\delta_1} \bar{\cdot} \bar{\cdot} \rangle \rangle @ (\dots \uparrow V_n, \llbracket H_n \rrbracket^{\delta_n} \bar{\cdot} \bar{\cdot} \langle \downarrow \mathcal{V}_{fs}, \downarrow \mathcal{V}_{ret}, \downarrow \mathcal{V}_{ops} \rangle \bar{\cdot} \bar{\cdot} \downarrow \mathcal{W}) \\ \rightsquigarrow^+ & (\ell \notin BL(\mathcal{E}) \text{ and repeated application of Lemma 5)} \\ & \llbracket H_n^{ops} \rrbracket^{\delta} @ \langle \ell, \llbracket V \rrbracket, \langle V_n, \llbracket H_n \rrbracket^{\delta_n} \bar{\cdot} \bar{\cdot} \dots \uparrow V_1, \llbracket H_1 \rrbracket^{\delta_1} \bar{\cdot} \bar{\cdot} \rangle \rangle @ (\langle \downarrow \mathcal{V}_{fs}, \downarrow \mathcal{V}_{ret}, \downarrow \mathcal{V}_{ops} \rangle \bar{\cdot} \bar{\cdot} \downarrow \mathcal{W}) \\ \rightsquigarrow^+ & (H^\ell = \{ \ell \ p \ r \mapsto N_\ell \}) \\ & \text{let } r = \text{res}^\delta (\langle V_n, \llbracket H_n \rrbracket^{\delta_n} \bar{\cdot} \bar{\cdot} \dots \uparrow V_1, \llbracket H_1 \rrbracket^{\delta_1} \bar{\cdot} \bar{\cdot} \rangle) \text{ in} \\ & \text{let } \langle fs, \langle h^{ret}, h^{ops} \rangle \bar{\cdot} \bar{\cdot} k' = \langle \downarrow \mathcal{V}_{fs}, \langle \downarrow \mathcal{V}_{ret}, \downarrow \mathcal{V}_{ops} \rangle \bar{\cdot} \bar{\cdot} \downarrow \mathcal{W} \rangle \text{ in} \\ & (\llbracket N_\ell \rrbracket @ (\uparrow fs, \uparrow h^{ret}, \uparrow h^{ops} \rangle \bar{\cdot} \bar{\cdot} \uparrow k')) [\llbracket V \rrbracket / p] \\ \rightsquigarrow & \text{(U-RES}^\delta \text{: there are two cases yielding different } \mathcal{R} \text{, see below)} \\ & \text{let } \langle fs, \langle h^{ret}, h^{ops} \rangle \bar{\cdot} \bar{\cdot} k' = \langle \downarrow \mathcal{V}_{fs}, \langle \downarrow \mathcal{V}_{ret}, \downarrow \mathcal{V}_{ops} \rangle \bar{\cdot} \bar{\cdot} \downarrow \mathcal{W} \rangle \text{ in} \\ & (\llbracket N_\ell \rrbracket @ (\uparrow fs, \uparrow h^{ret}, \uparrow h^{ops} \rangle \bar{\cdot} \bar{\cdot} \uparrow k')) [\llbracket V \rrbracket / p, \mathcal{R} / r] \\ \rightsquigarrow^+ & \text{(U-SPLIT)} \\ & (\llbracket N_\ell \rrbracket @ (\langle \mathcal{V}_{fs}, \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle \bar{\cdot} \bar{\cdot} \uparrow \downarrow \mathcal{W})) [\llbracket V \rrbracket / p, \mathcal{R} / r] \\ = & \text{(Lemma 4 (Reflect after reify))} \\ & (\llbracket N_\ell \rrbracket @ (\langle \mathcal{V}_{fs}, \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle \bar{\cdot} \bar{\cdot} \mathcal{W})) [\llbracket V \rrbracket / p, \mathcal{R} / r] \end{aligned}$$

To complete the proof, we examine the resumption term \mathcal{R} generated by the reduction of the $\text{let } r = \text{res}^\delta \ rk \text{ in } N$ construct. There are two cases, depending on whether the handler

is deep or shallow. When the handler is deep, we have:

$$\begin{aligned}
\mathcal{R} &= \lambda y k. \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \\
&\quad \mathbf{app} (\langle V_1, \llbracket H_1 \rrbracket^{\delta_1} \rangle :: \dots :: \langle V_n, \llbracket H_n \rrbracket^{\delta_n} \rangle :: \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k') y \\
&= \text{(static } \beta\text{-conversion, and definition of } \downarrow\text{)} \\
&\quad \lambda y k. \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \\
&\quad \quad (\lambda \kappa. \mathbf{app} (\downarrow \kappa) y) @ ((\langle \uparrow V_1, \llbracket H_1 \rrbracket^{\delta_1} \rangle :: \dots :: \langle \uparrow V_n, \llbracket H_n \rrbracket^{\delta_n} \rangle :: \langle \uparrow fs, \langle \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}} \rangle \rangle :: \uparrow k')) \\
&= \text{(definition of } \llbracket - \rrbracket\text{)} \\
&\quad \lambda y k. \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \\
&\quad \quad \llbracket \mathbf{return} y \rrbracket @ ((\langle \uparrow V_1, \llbracket H_1 \rrbracket^{\delta_1} \rangle :: \dots :: \langle \uparrow V_n, \llbracket H_n \rrbracket^{\delta_n} \rangle :: \langle \uparrow fs, \langle \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}} \rangle \rangle :: \uparrow k')) \\
&= \text{(Equation A 1)} \\
&\quad \lambda y k. \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \\
&\quad \quad \llbracket \mathbf{return} y \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\langle \uparrow \square, \llbracket H_n \rrbracket^{\delta_n} \rangle :: \langle \uparrow fs, \langle \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}} \rangle \rangle :: \uparrow k'))
\end{aligned}$$

When the handler is shallow, we have:

$$\begin{aligned}
\mathcal{R} &= \lambda y k. \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \\
&\quad \mathbf{app} (\langle V_1, \llbracket H_1 \rrbracket^{\delta_1} \rangle :: \dots :: \langle V_n ++ fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k') y \\
&= \text{(static } \beta\text{-conversion, and definition of } \downarrow\text{)} \\
&\quad \lambda y k. \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \\
&\quad \quad (\lambda \kappa. \mathbf{app} (\downarrow \kappa) y) @ ((\langle \uparrow V_1, \llbracket H_1 \rrbracket^{\delta_1} \rangle :: \dots :: \langle \uparrow (V_n ++ fs), \langle \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}} \rangle \rangle :: \uparrow k')) \\
&= \text{(definition of } \llbracket - \rrbracket\text{)} \\
&\quad \lambda y k. \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \\
&\quad \quad \llbracket \mathbf{return} y \rrbracket @ ((\langle \uparrow V_1, \llbracket H_1 \rrbracket^{\delta_1} \rangle :: \dots :: \langle \uparrow (V_n ++ fs), \langle \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}} \rangle \rangle :: \uparrow k')) \\
&= \text{(Equation A 1)} \\
&\quad \lambda y k. \mathbf{let} \langle fs, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \mathbf{in} \\
&\quad \quad \llbracket \mathbf{return} y \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\langle \uparrow fs, \langle \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}} \rangle \rangle :: \uparrow k'))
\end{aligned}$$

□

Theorem 6 (Simulation)

If $M \rightsquigarrow N$ then $\llbracket M \rrbracket @ (\langle \overline{\mathcal{V}}_{fs}, \langle \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops} \rangle \rangle :: \mathcal{W}) \rightsquigarrow^+ \llbracket N \rrbracket @ (\langle \overline{\mathcal{V}}_{fs}, \langle \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops} \rangle \rangle :: \mathcal{W})$.

Proof

The proof is by induction on the derivation of the reduction relation (\rightsquigarrow).

Case S-APP: $(\lambda x^A.M) V \rightsquigarrow M[V/x]$.

$$\begin{aligned}
& \llbracket (\lambda x^A.M) V \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W} \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \overline{\lambda} \kappa. \llbracket \lambda x^A.M \rrbracket @ \llbracket V \rrbracket @ \downarrow \kappa @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W} \\
= & \text{(static } \beta \text{-conversion)} \\
& \llbracket \lambda x^A.M \rrbracket @ \llbracket V \rrbracket @ \downarrow (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W} \\
= & \text{(definition of } \downarrow \text{)} \\
& \llbracket \lambda x^A.M \rrbracket @ \llbracket V \rrbracket @ (\downarrow \overline{\mathcal{V}}_{fs}, \downarrow \overline{\mathcal{V}}_{ret}, \downarrow \overline{\mathcal{V}}_{ops}) :: \downarrow \mathcal{W} \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \overline{\lambda} x k. \text{let } \langle fs, \langle h^{ret}, h^{ops} \rangle :: k' = k \text{ in } \llbracket M \rrbracket @ (\uparrow fs, \uparrow h^{ret}, \uparrow h^{ops}) :: \uparrow k) \\
& @ \llbracket V \rrbracket @ (\downarrow \overline{\mathcal{V}}_{fs}, \downarrow \overline{\mathcal{V}}_{ret}, \downarrow \overline{\mathcal{V}}_{ops}) :: \downarrow \mathcal{W} \\
\rightsquigarrow^+ & \text{(dynamic } \beta \text{-reduction and pattern matching, and structure of continuations)} \\
& \llbracket M \rrbracket \llbracket \llbracket V \rrbracket / x \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \uparrow \downarrow \mathcal{W} \\
= & \text{(Lemma 2 (Substitution))} \\
& \llbracket M[V/x] \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \uparrow \downarrow \mathcal{W} \\
= & \text{(Lemma 4 (reflect after reify))} \\
& \llbracket M[V/x] \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W}
\end{aligned}$$

Case S-TYAPP: $(\Lambda \alpha^K.M) T \rightsquigarrow M[T/\alpha]$.

$$\begin{aligned}
& \llbracket (\Lambda \alpha^K.M) T \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W} \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \overline{\lambda} \kappa. \llbracket \Lambda \alpha^K.M \rrbracket @ \langle \rangle @ \downarrow \kappa @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W} \\
= & \text{(static } \beta \text{-conversion)} \\
& \llbracket \Lambda \alpha^K.M \rrbracket @ \llbracket V \rrbracket @ \langle \rangle @ \downarrow (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W} \\
= & \text{(definition of } \downarrow \text{)} \\
& \llbracket \Lambda \alpha^K.M \rrbracket @ \llbracket V \rrbracket @ \langle \rangle @ (\downarrow \overline{\mathcal{V}}_{fs}, \downarrow \overline{\mathcal{V}}_{ret}, \downarrow \overline{\mathcal{V}}_{ops}) :: \downarrow \mathcal{W} \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \overline{\lambda} x k. \text{let } \langle fs, \langle h^{ret}, h^{ops} \rangle :: k' = k \text{ in } \llbracket M \rrbracket @ (\uparrow fs, \uparrow h^{ret}, \uparrow h^{ops}) :: \uparrow k) \\
& @ \langle \rangle @ (\downarrow \overline{\mathcal{V}}_{fs}, \downarrow \overline{\mathcal{V}}_{ret}, \downarrow \overline{\mathcal{V}}_{ops}) :: \downarrow \mathcal{W} \\
\rightsquigarrow^+ & \text{(dynamic } \beta \text{-reduction and pattern matching, and structure of continuations)} \\
& \llbracket M \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \uparrow \downarrow \mathcal{W} \\
= & \text{(Lemma 8 (Type Erasure))} \\
& \llbracket M[T/\alpha] \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \uparrow \downarrow \mathcal{W} \\
= & \text{(Lemma 4 (reflect after reify))} \\
& \llbracket M[T/\alpha] \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W}
\end{aligned}$$

Case S-REC: $(\text{rec } g x.M) V \rightsquigarrow M[(\text{rec } g x.M)/g, V/x]$. Similar to the previous two cases.

Case S-SPLIT: $\langle \ell = x; y \rangle = \langle \ell = V; W \rangle$ in $N \rightsquigarrow N[V/x, W/y]$.

$$\begin{aligned}
& \llbracket \mathbf{let} \langle \ell = x; y \rangle = \langle \ell = V; W \rangle \mathbf{in} N \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W} \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket \lambda \kappa. \mathbf{let} \langle \ell, \langle x, y \rangle \rangle = \langle \ell, \llbracket V \rrbracket, \llbracket W \rrbracket \rangle \mathbf{in} \llbracket N \rrbracket @ \kappa \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W} \\
= & \text{(static } \beta \text{-conversion)} \\
& \mathbf{let} \langle \ell, \langle x, y \rangle \rangle = \langle \ell, \llbracket V \rrbracket, \llbracket W \rrbracket \rangle \mathbf{in} \llbracket N \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W} \\
\rightsquigarrow^+ & \text{(U-SPLIT)} \\
& (\llbracket N \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W}) [\llbracket V \rrbracket / x, \llbracket W \rrbracket / y] \\
= & \text{(Lemma 2 (Substitution))} \\
& \llbracket N[V/x, W/y] \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W}
\end{aligned}$$

Case S-CASE₁ and **S-CASE₂**: Similar to the previous case.

Case S-LET: $\mathbf{let} x \leftarrow \mathbf{return} V$ in $N \rightsquigarrow N[V/x]$.

$$\begin{aligned}
& \llbracket \mathbf{let} x \leftarrow \mathbf{return} V \mathbf{in} N \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W} \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket \lambda \theta, \langle \chi^{ret}, \chi^{ops} \rangle :: \kappa. \\
& \quad \llbracket \mathbf{return} V \rrbracket @ (\uparrow((\lambda x k. \mathbf{let} \langle fs, \langle h^{ret}, h^{ops} \rangle :: k' = k \mathbf{in} \\
& \quad \quad \quad \llbracket N \rrbracket @ (\uparrow fs, \uparrow h^{ret}, \uparrow h^{ops}) :: \uparrow k')) :: \downarrow \theta, \langle \chi^{ret}, \chi^{ops} \rangle :: \kappa) \\
& \quad @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W}) \\
= & \text{(static } \beta \text{-conversion)} \\
& \llbracket \mathbf{return} V \rrbracket @ (\uparrow((\lambda x k. \mathbf{let} \langle fs, \langle h^{ret}, h^{ops} \rangle :: k' = k \mathbf{in} \\
& \quad \quad \quad \llbracket N \rrbracket @ (\uparrow fs, \uparrow h^{ret}, \uparrow h^{ops}) :: \uparrow k')) :: \downarrow \mathcal{V}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W}) \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \llbracket \lambda \kappa. \mathbf{app} (\downarrow \kappa) \llbracket V \rrbracket \rrbracket @ (\uparrow((\lambda x k. \mathbf{let} \langle fs, \langle h^{ret}, h^{ops} \rangle :: k' = k \mathbf{in} \\
& \quad \quad \quad \llbracket N \rrbracket @ (\uparrow fs, \uparrow h^{ret}, \uparrow h^{ops}) :: \uparrow k')) :: \downarrow \mathcal{V}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W}) \\
= & \text{(static } \beta \text{-conversion)} \\
& \mathbf{app} (\downarrow(\uparrow((\lambda x k. \mathbf{let} \langle fs, \langle h^{ret}, h^{ops} \rangle :: k' = k \mathbf{in} \\
& \quad \quad \quad \llbracket N \rrbracket @ (\uparrow fs, \uparrow h^{ret}, \uparrow h^{ops}) :: \uparrow k')) :: \downarrow \mathcal{V}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W})) \llbracket V \rrbracket \\
= & \text{(definition of } \downarrow \text{)} \\
& \mathbf{app} (\langle (\lambda x k. \mathbf{let} \langle fs, \langle h^{ret}, h^{ops} \rangle :: k' = k \mathbf{in} \\
& \quad \quad \quad \llbracket N \rrbracket @ (\uparrow fs, \uparrow h^{ret}, \uparrow h^{ops}) :: \uparrow k')) :: \downarrow \mathcal{V}_{fs}, \langle \downarrow \mathcal{V}_{ret}, \downarrow \mathcal{V}_{ops} \rangle :: \downarrow \mathcal{W}) \rrbracket \llbracket V \rrbracket \\
\rightsquigarrow & \text{(U-KAPPCONS)} \\
& \langle \lambda x k. \mathbf{let} \langle fs, \langle h^{ret}, h^{ops} \rangle :: k' = k \mathbf{in} \\
& \quad \llbracket N \rrbracket @ (\uparrow fs, \uparrow h^{ret}, \uparrow h^{ops}) :: \uparrow k') \rrbracket @ \llbracket V \rrbracket @ (\langle \downarrow \mathcal{V}_{fs}, \langle \downarrow \mathcal{V}_{ret}, \downarrow \mathcal{V}_{ops} \rangle :: \downarrow \mathcal{W}) \\
\rightsquigarrow^+ & \text{(U-APP, U-SPLIT)} \\
& \llbracket N \rrbracket [\llbracket V \rrbracket / x] @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \uparrow \downarrow \mathcal{W} \\
= & \text{(Lemma 4 (reflect after reify))} \\
& \llbracket N \rrbracket [\llbracket V \rrbracket / x] @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W} \\
= & \text{(Lemma 2 (substitution))} \\
& \llbracket N[V/x] \rrbracket @ (\overline{\mathcal{V}}_{fs}, \overline{\mathcal{V}}_{ret}, \overline{\mathcal{V}}_{ops}) :: \mathcal{W}
\end{aligned}$$

Case S-RET: $\text{handle}^\delta(\text{return } V) \text{ with } H \rightsquigarrow N[V/x]$, where $H^{\text{ret}} = \{\text{return } x \mapsto N\}$.

$$\begin{aligned}
& \llbracket \text{handle}^\delta(\text{return } V) \text{ with } H \rrbracket @ (\overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \mathcal{W}) \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& (\overline{\lambda \kappa. \llbracket \text{return } V \rrbracket @ (\overline{\langle \uparrow \square \rangle}, \llbracket H \rrbracket^\delta \overline{\langle \rangle} :: \kappa)} @ (\overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \mathcal{W}) \\
= & \text{(static } \beta \text{-conversion)} \\
& \llbracket \text{return } V \rrbracket @ (\overline{\langle \uparrow \square \rangle}, \llbracket H \rrbracket^\delta \overline{\langle \rangle} :: \overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \mathcal{W}) \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& (\overline{\lambda \kappa. \text{app}(\downarrow \kappa) \llbracket V \rrbracket} @ (\overline{\langle \uparrow \square \rangle}, \llbracket H \rrbracket^\delta \overline{\langle \rangle} :: \overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \mathcal{W}) \\
= & \text{(static } \beta \text{-conversion)} \\
& \text{app}(\downarrow(\overline{\langle \uparrow \square \rangle}, \llbracket H \rrbracket^\delta \overline{\langle \rangle} :: \overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \mathcal{W})) \llbracket V \rrbracket \\
= & \text{(definition of } \llbracket H \rrbracket^\delta \text{ and } \downarrow \text{)} \\
& \text{app}(\langle \square \rangle, \langle \llbracket H^{\text{ret}} \rrbracket, \llbracket H^{\text{ops}} \rrbracket^\delta \rangle :: \langle \downarrow \mathcal{V}_{fs}, \langle \downarrow \mathcal{V}_{ret}, \downarrow \mathcal{V}_{ops} \rangle \rangle :: \downarrow \mathcal{W}) \llbracket V \rrbracket \\
\rightsquigarrow & \text{(U-KAPPNIL)} \\
& \llbracket H^{\text{ret}} \rrbracket @ \llbracket V \rrbracket @ (\langle \downarrow \mathcal{V}_{fs}, \langle \downarrow \mathcal{V}_{ret}, \downarrow \mathcal{V}_{ops} \rangle \rangle :: \downarrow \mathcal{W}) \\
= & \text{(definition of } \llbracket - \rrbracket \text{)} \\
& (\overline{\lambda x k. \text{let} \langle \mathcal{V}_{fs}, \langle h^{\text{ret}}, h^{\text{ops}} \rangle \rangle :: k' = k \text{ in } \llbracket N \rrbracket @ (\overline{\langle \uparrow \mathcal{V}_{fs}, \overline{\langle \uparrow h^{\text{ret}}, \uparrow h^{\text{ops}} \rangle} \rangle} :: \uparrow k')} \\
& \quad @ \llbracket V \rrbracket @ (\langle \downarrow \mathcal{V}_{fs}, \langle \downarrow \mathcal{V}_{ret}, \downarrow \mathcal{V}_{ops} \rangle \rangle :: \downarrow \mathcal{W}) \\
\rightsquigarrow^+ & \text{(U-APP, U-SPLIT)} \\
& \llbracket N \rrbracket [\llbracket V \rrbracket / x] @ (\overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \uparrow \downarrow \mathcal{W}) \\
= & \text{(Lemma 4 (reflect after reify))} \\
& \llbracket N \rrbracket [\llbracket V \rrbracket / x] @ (\overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \mathcal{W}) \\
= & \text{(Lemma 2 (substitution))} \\
& \llbracket N[V/x] \rrbracket @ (\overline{\langle \mathcal{V}_{fs}, \overline{\langle \mathcal{V}_{ret}, \mathcal{V}_{ops} \rangle} \rangle} :: \mathcal{W})
\end{aligned}$$

Case S-OP: handle $\mathcal{E}[\mathbf{do} \ell V \mathbf{with} H] \rightsquigarrow N_\ell[V/p, \lambda y. \mathbf{handle} \mathcal{E}[\mathbf{return} y] \mathbf{with} H/r]$, where $\ell \notin BL(\mathcal{E})$ and $H^\ell = \{\ell p r \mapsto N_\ell\}$.

$$\begin{aligned}
& \llbracket \mathbf{handle} \mathcal{E}[\mathbf{do} \ell V \mathbf{with} H] \rrbracket @ (\bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W} \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \quad (\bar{\lambda} \kappa. \llbracket \mathcal{E}[\mathbf{do} \ell V] \rrbracket @ (\bar{\uparrow} \square, \bar{\uparrow} \llbracket H^{ret} \rrbracket, \bar{\uparrow} \llbracket H^{ops} \rrbracket) \ddot{\vdash} \kappa) @ (\bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W} \\
&= \text{(static } \beta\text{-conversion)} \\
& \quad \llbracket \mathcal{E}[\mathbf{do} \ell V] \rrbracket @ (\bar{\uparrow} \square, \bar{\uparrow} \llbracket H^{ret} \rrbracket, \bar{\uparrow} \llbracket H^{ops} \rrbracket) \ddot{\vdash} \bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W} \\
&= \text{(Lemma 3 (Decomposition))} \\
& \quad \llbracket \mathbf{do} \ell V \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\bar{\uparrow} \square, \bar{\uparrow} \llbracket H^{ret} \rrbracket, \bar{\uparrow} \llbracket H^{ops} \rrbracket) \ddot{\vdash} \bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W}) \\
&\rightsquigarrow^+ \text{(Lemma 6 (Handling))} \\
& \quad \llbracket N_\ell \llbracket [V]/p, \lambda y k. \mathbf{let} \langle fs, \langle h^{ret}, h^{ops} \rangle \rangle \ddot{\vdash} k' = k \mathbf{in} \llbracket \mathbf{return} y \rrbracket \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\bar{\uparrow} \square, \llbracket H \rrbracket \ddot{\vdash} \langle \uparrow fs, \langle \uparrow h^{ret}, \uparrow h^{ops} \rangle \rangle \ddot{\vdash} \uparrow k')/r) \\
& \quad @ (\bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W} \\
&= \text{(Lemma 3 (Decomposition))} \\
& \quad \llbracket N_\ell \llbracket [V]/p, \lambda y k. \mathbf{let} \langle fs, \langle h^{ret}, h^{ops} \rangle \rangle \ddot{\vdash} k' = k \mathbf{in} \llbracket \mathcal{E}[\mathbf{return} y] \rrbracket \rrbracket @ (\bar{\uparrow} \square, \llbracket H \rrbracket \ddot{\vdash} \langle \uparrow fs, \langle \uparrow h^{ret}, \uparrow h^{ops} \rangle \rangle \ddot{\vdash} \uparrow k')/r \\
& \quad @ (\bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W} \\
&= \text{(static } \beta\text{-conversion and definition of } \llbracket - \rrbracket \text{)} \\
& \quad \llbracket N_\ell \llbracket [V]/p, \lambda y k. \mathbf{let} \langle fs, \langle h^{ret}, h^{ops} \rangle \rangle \ddot{\vdash} k' = k \mathbf{in} \llbracket \mathbf{handle} \mathcal{E}[\mathbf{return} y] \mathbf{with} H \rrbracket \rrbracket @ (\bar{\uparrow} \square, \bar{\uparrow} \llbracket H^{ret} \rrbracket, \bar{\uparrow} \llbracket H^{ops} \rrbracket) \ddot{\vdash} \uparrow k')/r \\
& \quad @ (\bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W} \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \quad \llbracket N_\ell \llbracket [V]/p, \llbracket \lambda y. \mathbf{handle} \mathcal{E}[\mathbf{return} y] \mathbf{with} H \rrbracket /r \rrbracket @ (\bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W} \\
&= \text{(Lemma 2 (Substitution))} \\
& \quad \llbracket N_\ell[V/p, \lambda y. \mathbf{handle} \mathcal{E}[\mathbf{return} y] \mathbf{with} H/r] \rrbracket @ (\bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W}
\end{aligned}$$

Case S-OP[†]: handle[†] $\mathcal{E}[\mathbf{do} \ell V \mathbf{with} H] \rightsquigarrow N_\ell[V/p, \lambda y. \mathcal{E}[\mathbf{return} y]/r]$, where $\ell \notin BL(\mathcal{E})$ and $H^\ell = \{\ell p r \mapsto N_\ell\}$.

$$\begin{aligned}
& \llbracket \mathbf{handle}^\dagger \mathcal{E}[\mathbf{do} \ell V \mathbf{with} H] \rrbracket @ (\bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W} \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \quad (\bar{\lambda} \kappa. \llbracket \mathcal{E}[\mathbf{do} \ell V] \rrbracket @ (\bar{\uparrow} \square, \bar{\uparrow} \llbracket H^{ret} \rrbracket, \bar{\uparrow} \llbracket H^{ops} \rrbracket^\dagger) \ddot{\vdash} \kappa) @ (\bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W} \\
&= \text{(static } \beta\text{-conversion)} \\
& \quad \llbracket \mathcal{E}[\mathbf{do} \ell V] \rrbracket @ (\bar{\uparrow} \square, \bar{\uparrow} \llbracket H^{ret} \rrbracket, \bar{\uparrow} \llbracket H^{ops} \rrbracket^\dagger) \ddot{\vdash} \bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W} \\
&= \text{(Lemma 3 (Decomposition))} \\
& \quad \llbracket \mathbf{do} \ell V \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\bar{\uparrow} \square, \bar{\uparrow} \llbracket H^{ret} \rrbracket, \bar{\uparrow} \llbracket H^{ops} \rrbracket^\dagger) \ddot{\vdash} \bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W}) \\
&\rightsquigarrow^+ \text{(Lemma 6 (Handling))} \\
& \quad \llbracket N_\ell \llbracket [V]/p, \lambda y k. \mathbf{let} \langle fs, \langle h^{ret}, h^{ops} \rangle \rangle \ddot{\vdash} k' = k \mathbf{in} \llbracket \mathbf{return} y \rrbracket \rrbracket @ (\llbracket \mathcal{E} \rrbracket @ (\bar{\uparrow} \square, \bar{\uparrow} \llbracket H^{ret} \rrbracket, \bar{\uparrow} \llbracket H^{ops} \rrbracket^\dagger) \ddot{\vdash} \langle \uparrow fs, \langle \uparrow h^{ret}, \uparrow h^{ops} \rangle \rangle \ddot{\vdash} \uparrow k')/r \\
& \quad @ (\bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W} \\
&= \text{(Lemma 3 (Decomposition))} \\
& \quad \llbracket N_\ell \llbracket [V]/p, \lambda y k. \mathbf{let} \langle fs, \langle h^{ret}, h^{ops} \rangle \rangle \ddot{\vdash} k' = k \mathbf{in} \llbracket \mathcal{E}[\mathbf{return} y] \rrbracket \rrbracket @ (\bar{\uparrow} \square, \bar{\uparrow} \llbracket H^{ret} \rrbracket, \bar{\uparrow} \llbracket H^{ops} \rrbracket^\dagger) \ddot{\vdash} \langle \uparrow fs, \langle \uparrow h^{ret}, \uparrow h^{ops} \rangle \rangle \ddot{\vdash} \uparrow k')/r \\
& \quad @ (\bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W} \\
&= \text{(definition of } \llbracket - \rrbracket \text{)} \\
& \quad \llbracket N_\ell \llbracket [V]/p, \llbracket \lambda y. \mathcal{E}[\mathbf{return} y] \rrbracket /r \rrbracket @ (\bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W} \\
&= \text{(Lemma 2 (Substitution))} \\
& \quad \llbracket N_\ell[V/p, \lambda y. \mathcal{E}[\mathbf{return} y]/r] \rrbracket @ (\bar{\mathcal{V}}_{fs}, \bar{\mathcal{V}}_{ret}, \bar{\mathcal{V}}_{ops}) \ddot{\vdash} \mathcal{W}
\end{aligned}$$

□

B Proof of Simulation for Parameterised Handlers by Deep Handlers

Theorem 8 (Simulation of Parameterised Handlers by Deep Handlers)

If $M \rightsquigarrow N$ then $\mathcal{P}[[M]] \rightsquigarrow_{\text{cong}}^+ \mathcal{P}[[N]]$.

Proof of Theorem 8

Proof by induction on M . We show only the two interesting cases.

Case $M = \text{handle}^\ddagger \text{return } V \text{ with } H(q \leftarrow W) \rightsquigarrow M[V/x, W/q]$, where $H^{\text{ret}} = \{\text{return } x \mapsto x\}$.

$$\begin{aligned}
& \mathcal{P}[[\text{handle}^\ddagger \text{return } V \text{ with } H(q \leftarrow W)]] \\
&= \text{(definition of } \mathcal{P}[-]) \\
& \quad (\text{handle return } \mathcal{P}[[V]] \text{ with } \mathcal{P}[[H]]_q) \mathcal{P}[[W]] \\
&\rightsquigarrow \text{(by S-RET with } \mathcal{P}[[H^{\text{ret}}]]_q = \{\text{return } x \mapsto \lambda q. \mathcal{P}[[M]]\}) \\
& \quad (\lambda q. \mathcal{P}[[M]][\mathcal{P}[[V]]/x]) \mathcal{P}[[W]] \\
&\rightsquigarrow \text{(by S-APP)} \\
& \quad \mathcal{P}[[M]][\mathcal{P}[[V]]/x, \mathcal{P}[[W]]/q] \\
&= \\
& \quad \mathcal{P}[[M[V/x, W/q]]]
\end{aligned}$$

Case $M = \text{handle}^\ddagger \mathcal{E}[\text{do } \ell V] \text{ with } H(q \leftarrow W) \rightsquigarrow M[V/p, W/q, \lambda \langle x, q' \rangle. \text{handle}^\ddagger \mathcal{E}[\text{return } x] \text{ with } H(q \leftarrow q')/r]$, where $H^\ell = \{\ell p r \mapsto M\}$.

$$\begin{aligned}
& \mathcal{P}[[\text{handle}^\ddagger \mathcal{E}[\text{do } \ell V] \text{ with } H(q \leftarrow W)]] \\
&= \text{(definition of } \mathcal{P}[-]) \\
& \quad (\text{handle } \mathcal{E}[\text{do } \ell \mathcal{P}[[V]]] \text{ with } \mathcal{P}[[H]]_q) \mathcal{P}[[W]] \\
&\rightsquigarrow \text{(by S-OP with } \mathcal{P}[[H^\ell]]_q = \{\ell p r \mapsto \lambda q. \text{let } r' \leftarrow \lambda \langle x, q' \rangle. r x q \text{ in } \mathcal{P}[[M]][r'/r]\}) \\
& \quad ((\lambda q. \text{let } r' \leftarrow \lambda \langle x, q' \rangle. r x q \text{ in } \mathcal{P}[[M]][r'/r])[\mathcal{P}[[V]]/p, \lambda x. \text{handle } \mathcal{E}[\text{return } x] \text{ with } \mathcal{P}[[H]]_q) \mathcal{P}[[W]] \\
&= \text{(definition of } [-]) \\
& \quad (\lambda q. \text{let } r' \leftarrow \lambda \langle x, q' \rangle. (\lambda x. \text{handle } \mathcal{E}[\text{return } x] \text{ with } \mathcal{P}[[H]]_q) x q' \text{ in } \mathcal{P}[[M]][\mathcal{P}[[V]]/p, r'/r]) \\
&\rightsquigarrow \text{(by S-APP)} \\
& \quad \text{let } r' \leftarrow \lambda \langle x, q' \rangle. r x q' \text{ in } \mathcal{P}[[M]][r'/r, \mathcal{P}[[V]]/p, \mathcal{P}[[V]]/q] \\
&\rightsquigarrow \text{(by S-LET)} \\
& \quad \mathcal{P}[[M]][\mathcal{P}[[V]]/p, \mathcal{P}[[W]]/q, \lambda \langle x, q' \rangle. (\lambda x. \text{handle } \mathcal{E}[\text{return } x] \text{ with } \mathcal{P}[[H]]_q) x q' /r] \\
&\rightsquigarrow_{\text{cong}} \text{(by S-APP)} \\
& \quad \mathcal{P}[[M]][\mathcal{P}[[V]]/p, \mathcal{P}[[W]]/q, \lambda \langle x, q' \rangle. (\text{handle } \mathcal{E}[\text{return } x] \text{ with } \mathcal{P}[[H]]_q) q' /r] \\
&= \text{(by definition of } \mathcal{P}[-]) \\
& \quad \mathcal{P}[[M]][\mathcal{P}[[V]]/p, \mathcal{P}[[W]]/q, \lambda \langle x, q' \rangle. \mathcal{P}[[\text{handle}^\ddagger \mathcal{E}[\text{return } x] \text{ with } H(q \leftarrow q')/r]] \\
&= \\
& \quad \mathcal{P}[[M[V/p, W/q, \lambda \langle x, q' \rangle. \text{handle}^\ddagger \mathcal{E}[\text{return } x] \text{ with } H(q \leftarrow q')/r]]
\end{aligned}$$

□